04-RF-1230

KAISER-HILL
COMPANY

Third Quarter RFCA Groundwater Monitoring Report For Calendar Year 2004

Rocky Flats Environmental Technology Site

December 2004

URS

Environmental Media Management
Rocky Flats Environmental Technology Site

Review Exemption: CEX-105-01
SW-A-005029

1/137

THIS PAGE INTENTIONALLY LEFT BLANK.



Third Quarter RFCA Groundwater Monitoring Report For Calendar Year 2004

Rocky Flats Environmental Technology Site

Kaiser-Hill Company, L.L.C.

Review Exemption: CEX-105-01

December 14, 2004

2

TABLE OF CONTENTS

3

4

LIST OF TABLES

5

LIST OF FIGURES

APPENDICES

EXECUTIVE SUMMARY

This quarterly Rocky Flats Cleanup Agreement (RFCA) groundwater monitoring report presents water quality data resulting from groundwater monitoring at Rocky Flats Environmental Technology Site (RFETS) during the third calendar quarter of 2004 (3Q2004). Groundwater monitoring data reporting is required by RFCA, and defined by the FY2004 Integrated Monitoring Plan (IMP) (DOE, 2003a and 2003b). Further details describing the groundwater monitoring program and its reporting requirements are found in the IMP Background Document (DOE, 2003b).

Groundwater monitoring at RFETS during 3Q2004 attempted to sample groundwater at 61 locations, 19 wells required per the IMP and 42 other non-IMP locations. Full or partial suites of groundwater samples were collected from 18 IMP locations and 25 non-IMP locations. Eighteen sampling locations, 1 IMP and 17 non-IMP, were dry and did not yield a sample. Therefore, not all of the analytical data specified in the IMP were collected during the quarter. Overall, sample collection success for the quarter was 71%. The 3Q2004 data comprised 5,444 analytical records (including laboratory QA/QC). This is a decrease from the16,693 data records reported last quarter. This variation in number of records is because most IMP sampling occurs during the 2nd and 4th calendar quarters of each year. Only RCRA and special sampling is conducted during the 1st and 3rd quarters of the year.

In the 3Q2004, there were 99 analyte concentrations in groundwater that were greater than Tier II action levels. Groundwater from non-IMP wells accounted for 54 of these exceedances. The frequencies of concentrations above Tier II by IMP well group are Performance Monitoring (14), Plume Extent (13), RCRA (11), and Plume Definition (7). Chemicals with the highest frequency of activities or concentrations greater than Tier II include U-233,234 (26 events), U-238 (25), PCE (9), U-235 (8), and TCE (7). U-233,234 and U-238 exceedances may result from the high natural uranium background at the Site.

Thirteen reportable Tier II results were observed, not including the Tier I results mentioned below. The reportable Tier II results represent 7 different analytes, mainly trichloroethene (TCE), chloroform (CF), and carbon tetrachloride (CT). Groundwater from Plume Extent wells exhibited the largest number (7) of reportable concentrations above Tier II, while RCRA wells had 6 reportable concentrations.

During 3Q2004 groundwater monitoring, 9 concentrations or activities were greater than the corresponding Tier I action levels for 5 different analytes. Two reportable Tier I results were observed for CT in groundwater from Well 20902. That well is located west of B771 in the CT plume of IHSS 118.1.

7

A data quality assessment (DQA) of the 3Q2004 water quality data concluded that the data are generally of high quality in terms of analytical precision, accuracy, representativeness, completeness, and comparability.

The results of the 3Q2004 sampling generally confirm previous sampling results and does not change our current understanding of the nature and extent of groundwater contaminants at the Site.

ACRONYMS & TERMS

ALF	RFCA Action Level Framework.
Analyte	Any chemical or radionuclide whose concentration or activity in a groundwater sample is analyzed by an analytical laboratory.
ASD	Kaiser-Hill Analytical Services Division. This group establishes procedures and contracts that govern the analysis of groundwater samples collected at RFETS, and the subsequent verification and validation of the analytical data. ASD is also responsible for entering the data into SWD.
Background M2SD	Background mean plus two standard deviations. These values are calculated on a site-wide basis for naturally occurring analytes.
BOA	Basic Ordering Agreement for analytical laboratory services.
CAS	Chemical Abstracts Service assigns a unique number to identify analytes that may have multiple chemical names. The registry number is called a "CAS Number."
CDPHE	Colorado Department of Public Health and Environment.
CLP	Contract Laboratory Program (or Procedures) developed by EPA.
CRDL	Contract Required Detection Limit. A synonym for RDL.
CT	Carbon tetrachloride.
D&D	Decontamination and Decommissioning.
DCE	One of several dichloroethenes, typically cis-1,2-dichloroethene.
DER	Duplicate Error Ratio calculated for real/duplicate radionuclide analyses.
DOE	United States Department of Energy.
DQA	Data Quality Assessment as used in this report focuses on evaluations of the PARCC parameters.
DUP	DUP is a SWD code identifying data describing "field duplicate samples". In this report, DUP refers to data describing a duplicate groundwater sample collected in the field and associated with a REAL sample.

EPA	United States Environmental Protection Agency.
Historic M2SD	Historic mean plus 2 standard deviations. Each value is calculated from historical analytical data for a specific analyte in a specific well.
IHSS	Individual Hazardous Substance Site.
IMP	RFETS Integrated Monitoring Plan, which describes in general terms the components and objectives of the groundwater monitoring program, and how groundwater data will be collected, evaluated and reported. The IMP is updated yearly and contains the list of wells in the monitoring program. The IMP also specifies the chemical suites that groundwater samples will be analyzed for.
IMPBD	The RFETS IMP Background Document, which describes specifics of the groundwater monitoring program, and describes the well classes and how groundwater quality data will be collected, interpreted, and reported in compliance with RFCA.
K-H	Kaiser-Hill, LLC.
LCS	Laboratory Control Sample. A type of QC sample, which originates in the analytical laboratory.
LC1, LC2	SWD identifies LCS samples with numbered codes, e.g. LC1.
LIC	Line-item-code (LIC) is assigned by ASD to identify specified analyte suites, analytical methods, and required detection limits.
MCL	Maximum Contaminant Level.
ug/L	Microgram per liter.
mg/L	Milligram per liter.
MS	Matrix Spike, a QC sample.
MSD	Matrix Spike Duplicate sample. MS/MSD sample data may be used to determine both precision and analytical accuracy.
PARCC	Precision, Accuracy, Representativeness, Comparability and Completeness.
PCB	polychlorinated biphenyl.
PCE	tetrachloroethene.
pCi/L	picoCurie per liter.

10

PQL	Practical Quantitation Limit is a type of analytical detection limit. The PQL is the lowest concentration for which the 95% confidence interval brackets the true concentration within 20%.
QAPP	Quality Assurance Program Plan.
QC	Quality Control, as in a QC sample generated for quality control purposes.
RCRA	Resource Conservation and Recovery Act.
RDL	A Required Detection Limit specified by ASD. A synonym of CRDL.
REAL	REAL is a SWD code identifying "primary" or "real" samples, as opposed to QC samples. In this report, REAL refers to data describing the primary groundwater sample collected at a well or building drain during a sampling event.
RFCA	Rocky Flats Cleanup Agreement.
RFETS	Rocky Flats Environmental Technology Site.
RIN	An identifying number assigned to a set of environmental samples by ASD.
Rinsate	A QC sample generated by pouring clean deionized water over or through sampling equipment, which has previously been decontaminated. Analysis of rinsate samples (RNS) may indicate cross-contamination due to incomplete or improper decontamination procedures.
RNS	A SWD code identifying data describing a rinsate sample.
RPD	Relative Percent Difference in measured concentrations between a groundwater sample and a duplicate groundwater sample collected in the field. RPDs are a measure of precision applied to non-radionuclide data.
SEP	The former Solar Evaporation Ponds, 207A, 207C, 207B north, central and south.
SOP	Standard Operating Procedure.
SOW	Statement of Work.
SUR	A SWD code indicating analytical data for surrogate compounds.
Surrogate Compound	Any of a set of distinctive compounds that do not occur in nature and are not normally found in environmental samples. Analytical procedures for VOA and SVOA analysis often require one or more surrogates to be spiked into samples

	prior to their analysis, as a quality control check. SUR data are reported by the laboratory, and may be used in data validation.
SVOA	Semivolatile organic analyte.
SVOC	Semivolatile organic compound, a synonym for SVOA.
SWD	RFETS Soil Water Database maintained by ASD.
TCE	Trichloroethene.
TDS	Total Dissolved Solids.
Tier I	Analyte-specific action level originally defined by RFCA, updated by IMP.
Tier II	10^{-2} of Tier I.
TPU	Total Propagated Error.
TRPH	Total Recoverable Petroleum Hydrocarbons.
TSS	Total Suspended Solids.
VOA	Volatile Organic Analyte.
VOC	Volatile Organic Compound, a synonym for VOA.
V&V	Validation and Verification of environmental quality data.
Well Class	Monitoring wells at RFETS are classified into one or more of 8 well classes, which relate to groundwater monitoring objectives. For example, the Boundary Monitoring well class refers to wells used to monitor groundwater quality leaving the eastern RFETS boundary.
>=	Value on the left is greater than or equal to the value that follows the >= symbol.
<=	Value on the left is less than or equal to the value that follows the <= symbol.
>	Value on the left is greater than the value to the right of the > symbol.
<	Value on the left is less than the value to the right of the < symbol.

12

1 INTRODUCTION

The DOE, K-H, URS team has completed review of the groundwater data collected during the third calendar quarter of 2004 (3Q2004) and compared these data to groundwater action levels as described in RFCA Attachment 5 (CDPHE, DOE and EPA, 2003). This report is required by Section 3.4.B of Attachment 5 of the Final Rocky Flats Cleanup Agreement (RFCA) (CDPHE, DOE, and EPA, 1996) and is described in the FY2004 Integrated Monitoring Plan (IMP) (DOE, 2003a and 2003b). IMP wells are generally sampled during the 2nd and 4th calendar quarters of each year. Only RCRA monitoring wells are routinely sampled and reported each quarter.

The report is organized as six sections. Section 1, Introduction, discusses changes made since the preceding report. Section 2 summarizes the methods used to produce the report and defines the well classes. Water quality results for individual wells and Tier I and Tier II reportable occurrences are presented in Section 3. Maps and selected time-series plots are also shown in Section 3. Required actions based on the current findings and completed actions from previous quarterly reports are discussed in Section 4. A data quality assessment is presented in Section 5. References are listed in Section 6. Appendix A is a tabulation of groundwater quality data for the quarter.

Throughout this report, emphasis is placed on results that are different or noteworthy compared to previous quarterly monitoring reports. No summary or conclusions are provided because the Quarterly RFCA Groundwater Monitoring Report is intended to be a data transmittal, rather than an interpretive report. Except for comparisons of groundwater data against action levels and a data quality assessment, geochemical and hydrologic interpretations are deferred to the Annual RFCA Groundwater Monitoring Report.

Sampling was attempted at 61 groundwater monitoring locations, 19 IMP and 42 WARP, during 3Q2004. The locations where sampling was attempted are listed in Tables 3-1 and 3-2. Groundwater samples were collected at 43 of the locations. Eighteen of these successful locations were sampled to fulfill IMP monitoring requirements, while 25 of the locations were sampled to support the Well Abandonment Program (WARP). Eighteen wells, 1 IMP and 17 WARP, were dry and no sample was obtained.

Non-IMP monitoring takes place at RFETS to meet various objectives, such as well abandonment or other special sampling. All groundwater sampling locations are shown on Figures 3-1 and 3-2 along with Site features and the nitrate and VOC plume extents. Plume extents shown on these figures are based on the 2003 Annual RFCA Groundwater Monitoring Report (K-H, 2004).

Except treatment system influent and effluent, all Water Monitoring and Compliance Program (WMCP) data available in SWD for the calendar quarter are included in this quarterly report irrespective of IMP-well class or sampling objective. In keeping with prior reports, building sump/drain locations and drains associated with the Present Landfill are also included in this report. Performance monitoring results for

13

the groundwater treatment systems are not discussed in this report, but are reported in the Annual Groundwater Treatment Systems report.

The IMP Background Document states that downgradient RCRA wells will be reported quarterly in the same manner as Drainage Wells. Starting with the third quarter 2002 report, all RCRA wells (upgradient or downgradient) have been compared against groundwater action levels and evaluated under the same rules as applied to Drainage Wells. This change was made because some RCRA wells upgradient of the Present Landfill may be influenced by the nearby VOC plume that originates in the PU& D Yard.

In addition to monitoring wells cited in this report, a number of other water sampling locations may also be included in this report as data become available. These locations include BS-865-2, 891COLWEL, SW13494, FD-559-561, FD-707-4, FD-774-1, FD-774-4, B371BAS, B371SUBBAS, SW085, SW099, and SW100. BS-865-2 is a footing drain outside Door #1 of Building 865. 891COLWEL is a pump-equipped collection well that collects water from the 881 Hillside above the former French Drain. Location SW13494 is a sump for the footing drain system of Building 881 and is located on the 881 Hillside. The "FD" locations are footing drains associated with buildings: B559, B707, and B774. B371BAS and B371SUBBAS are footing drains collecting groundwater from Buildings 371 and 374. SW085 is an outfall for Building 779, and is a non-IMP water sampling location. Sampling stations SW099 and SW100 are collection boxes associated with the groundwater intercept system for the Present Landfill.

14

2 METHODS

Groundwater quality data collected and analyzed as part of the RFETS groundwater monitoring program during 3Q2004 were evaluated as described below.

2.1 Data Processing

Data evaluated in this report were retrieved from the Soil and Water Database (SWD) and processed as follows:

- RFETS groundwater analytical results for the quarter were uploaded from SWD into a local database. Database queries were written to examine the data and to identify potential problems such as incorrect concentration units or concentration unit mismatches between the groundwater quality data and the groundwater action level tables. Data that exceeded the date range for this calendar quarter are not included in this report.

- Data were examined for the potential presence of sample locations that are not relevant to the IMP groundwater monitoring program, such as tanks, selected treatment system influent and effluent locations, and most surface water stations. Irrelevant locations are not included.

- Field and laboratory QC data were split into separate data tables for more convenient use in the data quality assessment (DQA) presented in Section 5. Queries were also written to create and export tables suitable for the written report.

- The DQA follows requirements set forth in the Quality Assurance Program Plan For The Groundwater Monitoring Program, Rocky Flats Environmental Technology Site (RMRS, 2001).

- Analyte concentrations or activities in primary (REAL) and field duplicate (DUP) groundwater samples were screened against RFCA Tier I and Tier II action level framework (ALF) criteria, with the following exceptions.

    1. Non-detect results (with a "U" result qualifier, or UJ validation qualifier);

    2. Results rejected in validation or verification ("R" or "R1" qualified); and

    3. Surrogate compounds added by the laboratory for analytical quality control.

15

- The RFCA action level framework states that if the practical quantitation limit (PQL) of an analyte is higher (less stringent) than the action level, then the PQL is used as the compliance threshold (CDPHE, DOE, and EPA, 2003, Final RFCA Attachment 5, p. 5-30). Therefore, this quarterly report compared the detected activities or concentrations against the higher of either the PQL or the groundwater action level.

- Results from Boundary, Drainage, Plume Definition, Plume Extent, and RCRA wells were classified as reportable or non-reportable. Methods for evaluating reportable results are discussed below. Criteria for the determinations are also found in the discussion of IMP well classes.

- Performance monitoring wells, although screened against the groundwater action levels, are not subject to the reportable/non-reportable classification.

- Plume Degradation and RCRA monitoring data are evaluated and interpreted in the Annual Groundwater Monitoring Report.

- Calculated ratios of the analyzed concentrations or activities, divided by the Tier II action levels, PQLs, background mean plus two standard deviations (M2SDs), or by the historic M2SDs, are used to identify IMP reportable results. Reportable results are defined in Section 2.2, IMP Well Class descriptions.

- Well-specific historic M2SDs have previously been calculated for individual analytes in groundwater from wells with five or more sampling events during the years 1991 to 1995. However, this methodology prevents the calculation of baseline M2SDs for wells installed since about 1994.

- If no historic M2SD is available for an analyte in a well, an evaluation of the concentration of the analyte over time may be made by visual inspection of a time-series plot if sufficient data are available.

- Background values have been established for most metals, radionuclides, and water quality parameters (WQPs). Therefore, when ALF values have been exceeded, the analytical data are compared against the Site-wide background M2SD and the historic M2SD values. Note that the historic M2SD values are well- and analyte-specific, in contrast to the background M2SDs, which are analyte-specific for groundwater from the Upper Hydrostratigraphic Unit (UHSU).

- Background M2SD values for metals, WQPs, americium-241, plutonium-239/240, uranium-233/234, uranium-235, and uranium-238, tritium, and strontium-89/90 were obtained from the

16

RFETS Background Geochemical Characterization Report (EG&G, 1993) for the UHSU. A background value for neptunium-237 has not been determined.

- Manmade volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), and polychlorinated biphenyls (PCBs) are assumed to have no background concentrations at RFETS. Results for these constituents are compared to available historic M2SDs.

2.2 IMP Well Class Definitions

The RFETS groundwater monitoring network, as defined in the FY2004 IMP (DOE, 2003a and 2003b), is comprised of eight classes of monitoring wells. The IMP and IMP Background Document establish decision rules for determining Tier I and Tier II reportable results for groundwater sampled from these wells and analyzed for potential contamination. The well types and decision rules for data reporting are defined below.

2.2.1 Plume Definition Monitoring Wells

Plume Definition wells (well class "PD" in tables within this report) are located within known contaminant plumes and contain one or more groundwater analyte concentrations that are greater than Tier II groundwater action levels (Tier II). However, many of these groundwater concentrations are below the Tier I groundwater action levels (Tier I) established in the ALF.

A reportable result occurs when the measured concentration exceeds Tier I, the background M2SD, and the historic M2SD. To be conservative, this quarterly report treats the result as reportable if Tier I is exceeded in the absence of both background M2SD and historic M2SD. In the absence of only one of the M2SDs, the result is reportable if Tier I is exceeded and the available M2SD is also exceeded. If the result is reportable, the required action is to reclassify the well as a Tier I reportable result well. Whether reportable events, or not, all constituents that exceed Tier I are tabulated in the Quarterly RFCA Groundwater Monitoring Report.

If a well becomes a Tier I reportable result well, historic data for the well are reviewed in the Annual RFCA Groundwater Monitoring Report to determine if the well should be prioritized for further evaluation or remediation based on potential impact to surface water. If the data show an increasing concentration over a two-year period, or if the well has not been previously prioritized for evaluation, then the Annual Report will show the updated priority of the well for evaluation or remediation.

17

2.2.2 Plume Extent Monitoring Wells

Plume Extent wells are located at the edges of known groundwater contaminant plumes along pathways to surface water. These wells monitor for an increase in constituent concentrations that may result in future impacts to surface water. A reportable result occurs if the measured concentration exceeds Tier II and the background M2SD value. If no reportable results have been observed in the past, or the recent concentration exceeds the historic M2SD concentration in the well, the required action is to initiate monthly sampling. Under monthly sampling, if action levels are exceeded during three consecutive months, then stakeholders are notified via a subsequent Quarterly RFCA Groundwater Monitoring Report, and the possible impacts to surface water are evaluated in the Annual RFCA Groundwater Monitoring Report. Plume Extent wells are identified by the well class letters "PE" in tables in this report.

2.2.3 Drainage Monitoring Wells

Drainage wells are located in stream drainages downgradient of contaminant plumes. They have the same programmatic requirements under the IMP as Plume Extent wells. A reportable result occurs if a measured concentration exceeds Tier II and the background M2SD value. If no reportable results have been observed in the past, or the recent concentration exceeds the historic M2SD concentration in the well, the required action is to initiate monthly sampling. Under monthly sampling, if action levels are exceeded for three consecutive months, then stakeholders are notified via a subsequent Quarterly RFCA Groundwater Monitoring Report, and the possible impacts to surface water are evaluated in the Annual RFCA Groundwater Monitoring Report. Drainage wells are identified by the well class letter "D" in tables in this report.

2.2.4 Boundary Monitoring Wells

Boundary wells monitor groundwater leaving the eastern Site boundary through the UHSU beneath the streams. A reportable result occurs if a measured analyte concentration in groundwater exceeds Tier II and the background M2SD value. If no reportable results have been observed in the past, or the recent concentration exceeds the historic M2SD concentration in the well, the required action is to initiate monthly sampling. Under monthly sampling, if action levels are exceeded for three consecutive months, then stakeholders are notified via a subsequent Quarterly RFCA Groundwater Monitoring Report, and possible impacts to surface water are evaluated in the Annual RFCA Groundwater Monitoring Report. Boundary wells are identified by the well class letter "B" in tables in this report.

18

2.2.5 D&D Monitoring Wells

D&D wells monitor for releases to groundwater from D&D activities. Where possible, baselines were established for D&D groundwater monitoring locations in the 2003 Annual RFCA Groundwater Monitoring Report. Criteria have not yet been established for classifying D&D groundwater concentrations as non-reportable or reportable, except for Building 886.

A reportable result would occur when a measured concentration downgradient of the building(s) exceeds the M2SD of the established baseline concentration. Given a reportable result, the required action is to inform the stakeholders and initiate an evaluation of the reportable result. D&D groundwater data are evaluated in the Annual RFCA Groundwater Monitoring Reports. However, any constituents that exceed RFCA action levels in D&D monitoring wells are tabulated in the Quarterly RFCA Groundwater Monitoring Reports. D&D monitoring wells are identified by the well class letters "DD" in tables in this report.

2.2.6 Performance Monitoring Wells

Performance wells monitor the effect of groundwater or soil accelerated actions, as required in the ALF. If an increasing trend in the concentration of a contaminant is noted, then the appropriate parties are notified and an evaluation of the situation is initiated. Groundwater concentration trends are evaluated in the Annual RFCA Groundwater Monitoring Reports. However, any constituents that exceed RFCA action levels in Performance Monitoring wells are tabulated in the Quarterly RFCA Groundwater Monitoring Reports. These wells are identified by the well class letters "PM" in tables in this report.

2.2.7 RCRA Monitoring Wells

RCRA wells monitor water quality upgradient and downgradient of a RCRA unit. If the mean concentration of a contaminant in a downgradient well exceeds the mean concentration in upgradient wells at statistically significant levels, and the downgradient concentration at the well shows a statistically significant upward trend with time, a report will be made to the stakeholders and an investigation will be initiated to determine possible causes. RCRA evaluations are performed in the Annual RFCA Groundwater Monitoring Report.

The quarterly RFCA monitoring reports evaluate analytical results from RCRA wells in the same manner as Drainage wells. A reportable result for a RCRA well occurs if a measured concentration exceeds Tier II and the background M2SD value. When there have not been historic reportable results, or a value exceeds the historic M2SD concentration in the well when there have been historic reportable results above Tier II, the required action is to initiate monthly sampling. If action levels are exceeded for three consecutive months, by the above criteria, then RFETS stakeholders are notified in a subsequent

19

Quarterly RFCA Groundwater Monitoring Report. RCRA monitoring wells are identified by the well class letter "R" in tables in this report.

2.2.8 Plume Degradation and Other Monitoring Wells

Plume Degradation wells are assumed to be completed in contaminated groundwater plumes and are used to assess if natural geochemical processes are an effective alternative to groundwater remediation. Degradation data are reviewed in the Annual RFCA Groundwater Monitoring Report to determine if sufficient data have been collected to support remedial decision making. Although these wells do not have reportable results as defined by the IMP Background Document, any constituents that exceed RFCA action levels in Plume Degradation wells are tabulated in the Quarterly RFCA Groundwater Monitoring Report. Plume Degradation wells are identified by the well class letters "PA" in tables in this report.

2.2.9 Other Monitoring Wells

Numerous wells exist at RFETS that are not regularly monitored as a part of the IMP-specified groundwater monitoring program. On as as-needed basis, groundwater may be sampled from some of these non-IMP wells to satisfy specific project-driven data quality objectives (DQOs). Non-IMP wells are identified by the well class letter "N" in tables in this report.

The Well Abandonment Program (WARP) at RFETS often collects a final groundwater quality sample prior to abandoning a well. This is generally done if no recent data are available from a well.

3 WATER QUALITY RESULTS

Groundwater monitoring personnel at RFETS attempted to collect samples from 61 wells, building drains, and sumps during 3Q2004. This work was performed as prescribed in the IMP (DOE, 2003a and 2003b). The monitoring program currently includes 183 IMP wells and building drains. Additional non-IMP wells are also included in 3Q2004 sampling. Tables 3-1 and 3-2 list the IMP groundwater monitoring locations visited and indicate whether a sample for a particular analyte suite was obtained at a particular well. Table 3-2 will be blank (empty) if non-IMP analytes were not requested during the quarter.

During the quarter, a total of 43 locations, 18 IMP and 25 WARP, produced sufficient groundwater for collection of either the full or partial sample suite. Eighteen locations, 1 IMP and 17 WARP, were dry during the quarter and no sample was obtained. Most dry locations were visited several times in an attempt to collect the specified water samples. Tables 3-1 and 3-2 list the wells sampled and the analytes or analytical suites analyzed during 3Q2004.

Overall, sample collection success for the quarter was 71%. The 3Q2004 data comprised 5,444 analytical records (including laboratory QA/QC). This is a decrease from the 16,693 data records reported last quarter. This variation in number of records is largely a result of performing both the IMP and RCRA sampling during the 2nd and 4th calendar quarters of each year. Only RCRA and special sampling is conducted during the 1st and 3rd quarters of the year.

Figures 3-1 and 3-2 show the distribution of groundwater sampling locations visited at RFETS during the 3Q2004. Nitrate and VOC plume extents shown on these figures are based on plume maps from the Final 2003 RFCA Annual Groundwater Monitoring Report (K-H, 2004). Figure 3-1 is a larger scale map that includes the boundary wells along Indiana Street. Figure 3-2 is an enlargement of the Industrial Area (IA). The wells shown on these figures are color-coded according to six well categories listed below:

- Wells that were dry during the quarter, permitting no sampling (black open circles).
- Wells where groundwater was sampled, and all analytes in the water were less than Tier II action levels (green-filled circles).
- Wells where one or more groundwater analyte activities or concentrations were >Tier II, but none were reportable (yellow-filled circles).
- Wells where one or more groundwater analytes triggered a reportable Tier II result (yellow-filled squares).
- Wells where one or more groundwater analyte activities or concentrations were >Tier I, but none were reportable (red-filled circles).
- Wells where one or more groundwater analytes triggered a reportable Tier I result (red-filled squares).

21

The following text sections discuss analyte concentrations greater than Tier II action levels (Table 3-3); reportable Tier II results (Table 3-4); analyte concentrations greater than Tier I action levels (Table 3-5); and reportable Tier I results (Table 3-6). Note that Tables 3-3 through 3-6 often contain multiple analytical records per sampling event (i.e., per analyte-location-sample date). This frequently occurs when the concentration or activity of an analyte is greater than the instrument calibration range (receiving result qualifier E), and the sample is diluted and rerun (receiving result qualifier D).

3.1 Groundwater Analyte Concentrations Greater Than Tier II

Table 3-3 presents 99 analytical records for which measured chemical concentrations or activities in groundwater were greater than the corresponding RFCA Tier II action levels (or PQLs). These data are referred to as Tier II events.

The local database was used to evaluate reportable and non-reportable results through examination of the Tier II, background, and historic ratios described earlier. Tier II, background, and historic ratios may also be used to select analytes and wells which may be of interest for groundwater evaluations, but are not reportable under IMP criteria.

Groundwater in 34 different wells or drains contained one or more Tier II events. Groundwater from non-IMP wells accounted for 54 (55%) of the 99 Tier II events listed in Table 3-3. The numbers of Tier II exceedances by well class include 14 Performance Monitoring, 13 Plume Extent, 11 RCRA, and 7 Plume Definition.

Fourteen different chemicals are represented in the 99 Tier II events (Table 3-3). The most frequently observed analytes are U-233/234 (26), U-238 (25), tetrachloroethene (9), U-235 (8), trichloroethene (7), nitrate/nitrite (6), and carbon tetrachloride (6). U-233,234 and U-238 exceedances may result from the high natural uranium background at the Site.

3.2 Tier II Reportable Results

Table 3-4 lists 13 reportable Tier II events that have been identified from examination of the 3Q2004 groundwater quality data. Note that this table includes target analytes, as well as field duplicates, dilutions, and re-extraction records. These Tier II reportables do not include the Tier I reportable results discussed in Sections 3.3 and 3.4.

Chemicals with the greatest numbers of Tier II reportables are TCE (4), chloroform (3), and carbon tetrachloride (2). Selenium, lithium, sulfate, and U-235 each had a single Tier II reportable event.

Groundwater from 4 wells or drains contained one or more of the Tier II reportables. Seven of the 13 reportable results were in groundwater from Plume Extent wells, and 6 were from RCRA wells.

22

Plume Extent wells are located at the known extent of RFETS groundwater contaminant plumes, therefore, constituents that exceed Tier II are expected to occur in these wells. Plume Extent wells on Table 3-4 include wells 20902, and 21498.

RCRA well 70393 is located upgradient (southwest) of the Present Landfill. Groundwater from this well contained reportable concentrations of TCE at 10 µg/L during September 2004. RCRA Well B206989 is located east of the East Landfill Pond and has historically yielded elevated concentrations of a number of inorganic analytes. During 3Q2004, well B206989 yielded a sulfate concentration of 3260 mg/L, which is above the Tier II action level of 500 mg/L.

Time series plots (Figures 3-3 through 3-10) are shown for wells with Tier II reportables tabulated in Table 3-4. Each plot shows the time-varying concentration of a specific analyte throughout the period of time that the well has been sampled. A time-series plot is not presented if there are fewer than three data points from which to estimate a concentration trend for the analyte.

3.3 Groundwater Analyte Concentrations Greater Than Tier I

Table 3-5 lists data for 9 analyte concentrations that exceed Tier I. These are called Tier I events. Note that 6 of these records for VOCs represent only three sampling events (those with paired E and D result qualifiers).

Groundwater collected from 3 different locations contained one or more Tier I events. Three of the Tier I results are from non-IMP wells. The remaining Tier I events are found in Performance Monitoring (4), and Plume Extent (2) wells.

Six of the 9 Tier I events (67%) are found in the VOC plumes at RFETS. The 3 remaining Tier I events are uranium isotopes in well 42993. This well is located in the SEP nitrate and uranium plume near former Pond 207C.

VOCs account for the greatest number of Tier I reportables. These Tier I reportables include TCE and CT. TCE was measured in groundwater influent to the East Trenches Plume Treatment System.

3.4 Tier I Reportable Results

During 3Q2004, one Tier I reportable result was identified in Well 20902. Well 20902 is a Plume Extent well located west of B771. The Tier I reportable result is listed in Table 3-6 and consists of two data records for carbon tetrachloride in groundwater collected on August 18, 2004. Note that the first of these records (Table 3-6) was above the instrument calibration range (Result qualifier E) and the sample was diluted and rerun (Result qualifier D).

23

If at least three data points are available, time-series plots of the historical concentrations of Tier I reportable analytes are prepared to evaluate the concentration trends. These time-series graphs are included as Figures 3-3 through 3-10.

24

Table 3-1. Groundwater Monitoring Locations and Sample Collection Summary.

Location	VOAs	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-Isotope	Tritium	Sr-89/90	Nitrate/ Nitrite	TDS	Sulfate	Fluoride
00697	D	D		D			D			
02398	D									
0487	S									
06291				S						
1786				S			S			
1886		D		D			D			
10304	S			S			S			
11104	S			S						
20197	D	D		D						
20397	D	D		D						
20597	D	D		D						
20697	S	S		S						
20797	S	S		S						
20902	S**									
21097	S	I		I						
21498	S**									
2986				D			D			
33904	S	S		S			S			
34591	S									
35991	D			D						
4087	I	S		I			I		I	I
41993	S			S			S			
42393				S			S			
42993				S			S			
46192	S	S		S			S			
52894	S	S		S			S		S	S
52994	D	D		D			D		D	D
56994	S	S		S			S			
57094	S	S		S						
57994	S	S		I						
58194	D	D		D						
58294	D	D		D						
58394		D		D						
58494		S		I		S				
58694	D									
58794	D									
5887	S	S		S			S		S	S
59194	S	S		S						
59294	S	S		S						

25

Review Exemption: CEX-105-01

Location	VOAs	Metals	Radionuclides				Water Quality Parameters			
			Pu/Am	U-Isotope	Tritium	Sr-89/90	Nitrate/ Nitrite	TDS	Sulfate	Fluoride
59594		S		S						
59794		D		D						
60099	D									
60199	S			S						
60399	S			S						
60993	D	D		D						
61293	S	S		S						
63395	D									
70099				S			S			
70193	S	S		S			S		S	S
70393	S	S		S			S		S	S
70493	S	S		S			S		S	S
70299				S			S			
76192				D			D			
76292				S			S			
90199	D									
891COLWEL	S									
B206989	S	S		S			S		S	S
B208589				S			S			
B303390	D									
B303490	D									
B303590	D									
B303690	D									
ET EFF	S**									
ET INF	S**									
P207589	S			S			S			
P207789				S			S			
P209189				S			S			
P219589				S			S			
P416689	S**									

Table Notes:

S = Sampled for analyte

NS = Not sampled for analyte

D = Well did not recharge after purging, no samples collected

I = Insufficient water to collect this sample

* = Additional Samples Collected

** = Monthly Sample Collection for specific analyte

26

Table 3-2. Groundwater Sample Collection Summary – Additional Analytes.

Location	Additional Samples												
	Methane Ethene	PCBs	Sulfide	Chloride	Nitrate	TOC	Cyanide	Cs-137	Np-237	Alkalinity	TPH	Silica	Ortho Phosphate
No Additional Analytes Collected This Quarter													

Table Notes:

S = Sampled for analyte

NS = Not sampled for analyte

D = Well did not recharge after purging, no samples collected

I = Insufficient water to collect this sample

* = Additional Samples Collected

** = Monthly Sample Collection for specific analyte

Table 3-3. Groundwater Analyte Concentrations Greater Than Tier II Action Levels.

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Ratio To Tier II	Ratio To Background	Ratio To Historic M2SD	Well Class	Other Class
0487	09/28/04	GW11564ST	TRICHLOROETHENE	REAL	TR1	80.3		UG/L		V		1	NO	5		1330.06	16.06		0.06	PD	
06291	08/03/04	GW11471ST	URANIUM-233,-234	REAL	TR1	10.6	2.22	PCI/L		V1			YES	1.06	57.8		10.00	0.18		N	
06291	08/03/04	GW11471ST	URANIUM-238	REAL	TR1	6.48	1.59	PCI/L		V1			YES	0.768	40.17		8.44	0.16		N	
10304	08/16/04	GW11584ST	URANIUM-233,-234	REAL	TR1	4.42	1.23	PCI/L		V			YES	1.06	57.8		4.17	0.08		N	
10304	08/16/04	GW11584ST	URANIUM-238	REAL	TR1	3.11	1.02	PCI/L		V			YES	0.768	40.17		4.05	0.08		N	
11104	08/30/04	GW11585ST	URANIUM-233,-234	REAL	TR1	20.1	2.98	PCI/L					YES	1.06	57.8		18.96	0.35		PE	
11104	08/30/04	GW11585ST	URANIUM-235	REAL	TR1	1.11	.369	PCI/L					YES	1.01	1.48		1.10	0.75		PE	
11104	08/30/04	GW11585ST	URANIUM-238	REAL	TR1	11.2	1.8	PCI/L					YES	0.768	40.17		14.58	0.28		PE	
1786	09/28/04	GW11561ST	URANIUM-233,-234	REAL	TR1	31.9	5.01	PCI/L					NO	1.06	57.8		30.09	0.55		PE	PM
1786	09/28/04	GW11561ST	URANIUM-235	REAL	TR1	1.46	.716	PCI/L					NO	1.01	1.48	1.99	1.45	0.99	0.73	PE	PM
1786	09/28/04	GW11561ST	URANIUM-238	REAL	TR1	25	4.12	PCI/L					NO	0.768	40.17		32.55	0.62		PE	PM
20697	08/11/04	GW11479ST	URANIUM-233,-234	REAL	TR1	8.34	1.87	PCI/L		V1			YES	1.06	57.8		7.87	0.14		N	
20697	08/11/04	GW11479ST	URANIUM-238	REAL	TR1	5.87	1.49	PCI/L		V1			YES	0.768	40.17		7.64	0.15		N	
20797	08/11/04	GW11482ST	NICKEL	REAL	TR1	654		UG/L		V		1	YES	140	21.37		4.67	30.60		N	
20797	08/31/04	GW11482ST	URANIUM-233,-234	REAL	TR1	22.1	3.26	PCI/L					YES	1.06	57.8		20.85	0.38		N	
20797	08/31/04	GW11482ST	URANIUM-238	REAL	TR1	14.6	2.26	PCI/L					YES	0.768	40.17		19.01	0.36		N	
20902	07/20/04	GW11551ST	CARBON TETRACHLORIDE	REAL	TR1	483		UG/L		V1		10	NO	5			96.60			PE	
20902	07/20/04	GW11551ST	CHLOROFORM	REAL	TR1	123		UG/L		V1		10	NO	100			1.23			PE	
20902	08/18/04	GW11552ST	CHLOROFORM	REAL	TR1	139		UG/L	E	1		1	NO	100			1.39			PE	
20902	08/18/04	GW11552ST	CHLOROFORM	REAL	TR2	138		UG/L	D	V1		20	NO	100			1.38			PE	
20902	07/20/04	GW1159ST	CARBON TETRACHLORIDE	DUP	TR1	310		UG/L		V1		5	NO	5			62.00			PE	
21498	07/21/04	GW11554ST	TRICHLOROETHENE	REAL	TR1	6		UG/L		V1		1	NO	5			1.20			PE	
21498	08/19/04	GW11555ST	TRICHLOROETHENE	REAL	TR1	5.3		UG/L		V1		1	NO	5			1.06			PE	
33904	08/16/04	GW11583ST	1,1-DICHLOROETHENE	REAL	TR1	7.5		UG/L		V1		1	NO	7			1.07			N	
33904	08/16/04	GW11583ST	TETRACHLOROETHENE	REAL	TR1	87		UG/L		V1		1	NO	5			17.40			N	
33904	08/30/04	GW11583ST	URANIUM-233,-234	REAL	TR1	1.24	.383	PCI/L					YES	1.06	57.8		1.17	0.02		N	

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Ratio To Tier II	Ratio To Background	Ratio To Historic M2SD	Well Class	Other Class
33904	08/30/04	GW11583ST	URANIUM-238	REAL	TR1	1.5	.427	PCI/L					YES	0.768	40.17		1.95	0.04		N	
42993	07/26/04	GW11518ST	NITRATE/NITRITE	REAL	TR1	910000		UG/L		V1	5000	500	NO	10000	4664		91.00	195.11		N	
52894	08/10/04	GW11568ST	URANIUM-233,-234	REAL	TR1	4.26	1.15	PCI/L		V1			YES	1.06	57.8		4.02	0.07		R	
52894	08/10/04	GW11568ST	URANIUM-238	REAL	TR1	2.92	.917	PCI/L		V1			YES	0.768	40.17		3.80	0.07		R	
56994	08/09/04	GW11487ST	NITRATE/NITRITE	REAL	TR1	18000		UG/L		V1	250	25	NO	10000	4664		1.80	3.86		N	
57094	08/11/04	GW11490ST	URANIUM-233,-234	REAL	TR1	23.3	3.43	PCI/L		V1			YES	1.06	57.8		21.98	0.40		N	
57094	08/11/04	GW11490ST	URANIUM-238	REAL	TR1	13.6	2.3	PCI/L		V1			YES	0.768	40.17		17.71	0.34		N	
59194	08/09/04	GW11498ST	METHYLENE CHLORIDE	REAL	TR1	5.6		UG/L	B	JB1		1	NO	5			1.12			N	
59194	08/09/04	GW11498ST	TETRACHLOROETHENE	REAL	TR1	8.7		UG/L		V1		1	NO	5			1.74			N	
59194	08/09/04	GW11498ST	URANIUM-233,-234	REAL	TR1	5.54	1.44	PCI/L		V1			YES	1.06	57.8		5.23	0.10		N	
59194	08/09/04	GW11498ST	URANIUM-238	REAL	TR1	2.75	.952	PCI/L		V1			YES	0.768	40.17		3.58	0.07		N	
59294	08/03/04	GW11499ST	URANIUM-233,-234	REAL	TR1	16.8	2.94	PCI/L		V1			YES	1.06	57.8		15.85	0.29		N	
59294	08/03/04	GW11499ST	URANIUM-235	REAL	TR1	1.06	.593	PCI/L		V1			YES	1.01	1.48		1.05	0.72		N	
59294	08/03/04	GW11499ST	URANIUM-238	REAL	TR1	13.9	2.56	PCI/L		V1			YES	0.768	40.17		18.10	0.35		N	
59294	08/03/04	GW11500ST	URANIUM-233,-234	DUP	TR1	17.5	2.77	PCI/L		V1			YES	1.06	57.8		16.51	0.30		N	
59294	08/03/04	GW11500ST	URANIUM-238	DUP	TR1	13	2.23	PCI/L		V1			YES	0.768	40.17		16.93	0.32		N	
59594	07/28/04	GW11502ST	URANIUM-233,-234	REAL	TR1	1.83	.703	PCI/L		V			YES	1.06	57.8		1.73	0.03		N	
59594	07/28/04	GW11502ST	URANIUM-238	REAL	TR1	0.815	.462	PCI/L	J	V			YES	0.768	40.17		1.06	0.02		N	
60199	07/26/04	GW11520ST	TETRACHLOROETHENE	REAL	TR1	83.1		UG/L		V		1	NO	5			16.62			N	
60199	08/31/04	GW11520ST	URANIUM-233,-234	REAL	TR1	4.46	.871	PCI/L					YES	1.06	57.8		4.21	0.08		N	
60199	08/31/04	GW11520ST	URANIUM-238	REAL	TR1	3	.667	PCI/L					YES	0.768	40.17		3.91	0.07		N	
60399	08/30/04	GW11521ST	URANIUM-233,-234	REAL	TR1	1.83	.462	PCI/L					YES	1.06	57.8		1.73	0.03		N	
60399	08/30/04	GW11521ST	URANIUM-238	REAL	TR1	0.894	.302	PCI/L	J				YES	0.768	40.17		1.16	0.02		N	
61293	08/02/04	GW11505ST	URANIUM-233,-234	REAL	TR1	1.9	.739	PCI/L		V1			NO	1.06	57.8		1.79	0.03		N	
61293	08/02/04	GW11505ST	URANIUM-238	REAL	TR1	1.77	.711	PCI/L		V1			NO	0.768	40.17		2.30	0.04		N	
70099	07/20/04	GW11562ST	URANIUM-233,-234	REAL	TR1	91.3	11.7	PCI/L		V			YES	1.06	57.8		86.13	1.58		PM	
70099	07/20/04	GW11562ST	URANIUM-235	REAL	TR1	9.52	1.93	PCI/L		V			YES	1.01	1.48		9.43	6.43		PM	
70099	07/20/04	GW11562ST	URANIUM-238	REAL	TR1	67.3	8.86	PCI/L		V			YES	0.768	40.17		87.63	1.68		PM	

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Ratio To Tier II	Ratio To Background	Ratio To Historic M2SD	Well Class	Other Class
70299	07/20/04	GW11563ST	URANIUM-233,-234	REAL	TR1	4.16	1.06	PCI/L		V			YES	1.06	57.8		3.92	0.07		PM	
70299	07/20/04	GW11563ST	URANIUM-238	REAL	TR1	2.02	.701	PCI/L		V			YES	0.768	40.17		2.63	0.05		PM	
70393	09/28/04	GW11572ST	TRICHLOROETHENE	REAL	TR1	10.6		UG/L		V		1	NO	5		36.33	2.12		0.29	R	
70393	09/28/04	GW11572ST	TRICHLOROETHENE	DUP	TR1	10.3		UG/L		V		1	NO	5		36.33	2.06		0.28	R	
70493	09/23/04	GW11573ST	URANIUM-233,-234	REAL	TR1	1.56	.702	PCI/L	B				YES	1.06	57.8		1.47	0.03		R	
76292	07/21/04	GW11523ST	NITRATE/NITRITE	REAL	TR1	10200		UG/L		V	50	5	NO	10000	4664		1.02	2.19		N	
76292	07/21/04	GW11523ST	URANIUM-233,-234	REAL	TR1	1.97	.707	PCI/L		V			YES	1.06	57.8		1.86	0.03		N	
76292	07/21/04	GW11523ST	URANIUM-238	REAL	TR1	1.21	.543	PCI/L		V			YES	0.768	40.17		1.58	0.03		N	
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROETHENE	REAL	TR1	7.4		UG/L		V		1	NO	7		44.16	1.06		0.17	PD	
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROETHENE	REAL	TR2	7.7		UG/L	D			5	NO	7		44.16	1.10		0.17	PD	
891COLWEL	09/28/04	GW11565ST	TETRACHLOROETHENE	REAL	TR1	40		UG/L		V		1	NO	5		154.58	8.00		0.26	PD	
891COLWEL	09/28/04	GW11565ST	TETRACHLOROETHENE	REAL	TR2	47.4		UG/L	D			5	NO	5		154.58	9.48		0.31	PD	
891COLWEL	09/28/04	GW11565ST	TRICHLOROETHENE	REAL	TR1	342		UG/L	E			1	NO	5		1234.43	68.40		0.28	PD	
891COLWEL	09/28/04	GW11565ST	TRICHLOROETHENE	REAL	TR2	415		UG/L	D	V		5	NO	5		1234.43	83.00		0.34	PD	
B206989	07/29/04	GW11575ST	LITHIUM	REAL	TR1	1340		UG/L		V1		10	YES	730	142.55		1.84	9.40		R	
B206989	07/29/04	GW11575ST	SELENIUM	REAL	TR1	355		UG/L		J1		1	YES	50	43.72		7.10	8.12		R	
B206989	07/29/04	GW11575ST	SULFATE	REAL	TR1	3260000		UG/L		V1	19300	100	NO	500000	435600		6.52	7.48		R	
B206989	08/18/04	GW11575ST	URANIUM-233,-234	REAL	TR1	43.5	6.79	PCI/L		V			YES	1.06	57.8		41.04	0.75		R	
B206989	08/18/04	GW11575ST	URANIUM-235	REAL	TR1	3.67	1.13	PCI/L		V			YES	1.01	1.48		3.63	2.48		R	
B206989	08/18/04	GW11575ST	URANIUM-238	REAL	TR1	29.1	4.82	PCI/L		V			YES	0.768	40.17		37.89	0.72		R	
B208589	07/22/04	GW11508ST	NITRATE/NITRITE	REAL	TR1	370000		UG/L		V	1250	125	NO	10000	4664		37.00	79.33		N	
B208589	08/12/04	GW11508ST	URANIUM-233,-234	REAL	TR1	41.6	6.32	PCI/L		V			YES	1.06	57.8		39.25	0.72		N	
B208589	08/12/04	GW11508ST	URANIUM-235	REAL	TR1	2.83	.932	PCI/L		V			YES	1.01	1.48		2.80	1.91		N	
B208589	08/12/04	GW11508ST	URANIUM-238	REAL	TR1	28.3	4.56	PCI/L		V			YES	0.768	40.17		36.85	0.70		N	
ET EFFLUENT	08/19/04	GW11582ST	METHYLENE CHLORIDE	REAL	TR1	13.7		UG/L		V1		1	NO	5			2.74			PM	
ET INFLUENT	07/29/04	GW11579ST	CARBON TETRACHLORIDE	REAL	TR1	152		UG/L	E			1	NO	5			30.40			PM	
ET INFLUENT	07/29/04	GW11579ST	CARBON TETRACHLORIDE	REAL	TR2	142		UG/L	D	V		25	NO	5			28.40			PM	
ET INFLUENT	07/29/04	GW11579ST	TETRACHLOROETHENE	REAL	TR2	354		UG/L	D	V		25	NO	5			70.80			PM	

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Ratio To Tier II	Ratio To Background	Ratio To Historic M2SD	Well Class	Other Class
ET INFLUENT	07/29/04	GW11579ST	TETRACHLOROETHENE	REAL	TR1	331		UG/L	E			1	NO	5			66.20			PM	
ET INFLUENT	08/19/04	GW11581ST	CARBON TETRACHLORIDE	REAL	TR1	68.1		UG/L		V1		1	NO	5			13.62			PM	
ET INFLUENT	08/19/04	GW11581ST	CARBON TETRACHLORIDE	REAL	TR2	56.3		UG/L	D	1		20	NO	5			11.26			PM	
ET INFLUENT	08/19/04	GW11581ST	TETRACHLOROETHENE	REAL	TR2	137		UG/L	D	V1		20	NO	5			27.40			PM	
ET INFLUENT	08/19/04	GW11581ST	TETRACHLOROETHENE	REAL	TR1	143		UG/L	E	1		1	NO	5			28.60			PM	
P207589	07/27/04	GW11524ST	URANIUM-233,-234	REAL	TR1	32.8	4.7	PCI/L		V			YES	1.06	57.8		30.94	0.57		N	
P207589	07/27/04	GW11524ST	URANIUM-235	REAL	TR1	2.71	.881	PCI/L		V			YES	1.01	1.48		2.68	1.83		N	
P207589	07/27/04	GW11524ST	URANIUM-238	REAL	TR1	24.1	3.69	PCI/L		V			YES	0.768	40.17		31.38	0.60		N	
P207789	07/21/04	GW11525ST	NITRATE/NITRITE	REAL	TR1	282000		UG/L		V	1000	100	NO	10000	4664		28.20	60.46		N	
P207789	07/21/04	GW11525ST	URANIUM-233,-234	REAL	TR1	59.3	7.71	PCI/L		V			YES	1.06	57.8		55.94	1.03		N	
P207789	07/21/04	GW11525ST	URANIUM-235	REAL	TR1	6.21	1.43	PCI/L		V			YES	1.01	1.48		6.15	4.20		N	
P207789	07/21/04	GW11525ST	URANIUM-238	REAL	TR1	38.6	5.34	PCI/L		V			YES	0.768	40.17		50.26	0.96		N	
P209189	07/27/04	GW11526ST	URANIUM-233,-234	REAL	TR1	1.26	.586	PCI/L		V			YES	1.06	57.8		1.19	0.02		N	
P209189	07/27/04	GW11526ST	URANIUM-238	REAL	TR1	1.78	.696	PCI/L		V			YES	0.768	40.17		2.32	0.04		N	
P219589	07/21/04	GW11527ST	NITRATE/NITRITE	REAL	TR1	74000		UG/L		V	1000	100	NO	10000	4664		7.40	15.87		N	
P219589	07/21/04	GW11527ST	URANIUM-233,-234	REAL	TR1	7.16	1.51	PCI/L		V			YES	1.06	57.8		6.75	0.12		N	
P219589	07/21/04	GW11527ST	URANIUM-238	REAL	TR1	4.45	1.13	PCI/L		V			YES	0.768	40.17		5.79	0.11		N	

Table 3-4. Reportable Tier II Groundwater Analytes.

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Ratio To Tier II	Ratio To Background	Ratio To Historic M2SD	Well Class	Other Class
20902	07/20/04	GW11551ST	CARBON TETRACHLORIDE	REAL	TR1	483		UG/L		V1		10	NO	5			96.6			PE	
20902	07/20/04	GW11551ST	CHLOROFORM	REAL	TR1	123		UG/L		V1		10	NO	100			1.23			PE	
20902	08/18/04	GW11552ST	CHLOROFORM	REAL	TR2	138		UG/L	D	V1		20	NO	100			1.38			PE	
20902	08/18/04	GW11552ST	CHLOROFORM	REAL	TR1	139		UG/L	E	1		1	NO	100			1.39			PE	
20902	07/20/04	GW1159ST	CARBON TETRACHLORIDE	DUP	TR1	310		UG/L		V1		5	NO	5			62			PE	
21498	07/21/04	GW11554ST	TRICHLOROETHENE	REAL	TR1	6		UG/L		V1		1	NO	5			1.2			PE	
21498	08/19/04	GW11555ST	TRICHLOROETHENE	REAL	TR1	5.3		UG/L		V1		1	NO	5			1.06			PE	
70393	09/28/04	GW11572ST	TRICHLOROETHENE	DUP	TR1	10.3		UG/L		V		1	NO	5		36.33	2.06		0.28	R	
70393	09/28/04	GW11572ST	TRICHLOROETHENE	REAL	TR1	10.6		UG/L		V		1	NO	5		36.33	2.12		0.29	R	
B206989	07/29/04	GW11575ST	LITHIUM	REAL	TR1	1340		UG/L		V1		10	YES	730	142.55		1.84	9.40		R	
B206989	07/29/04	GW11575ST	SELENIUM	REAL	TR1	355		UG/L		J1		1	YES	50	43.72		7.1	8.12		R	
B206989	07/29/04	GW11575ST	SULFATE	REAL	TR1	3260000		UG/L		V1	19300	100	NO	500000	435600		6.52	7.48		R	
B206989	08/18/04	GW11575ST	URANIUM-235	REAL	TR1	3.67	1.13	PCI/L		V			YES	1.01	1.48		3.63	2.48		R	

Table 3-5. Groundwater Analytes Greater than Tier I Action Levels.

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Ratio To Tier II	Ratio To Background	Ratio To Historic M2SD	Well Class	Other Class
20902	08/18/04	GW11552ST	CARBON TETRACHLORIDE	REAL	TR1	702		UG/L	E	1		1	NO	500			1.40			PE	
20902	08/18/04	GW11552ST	CARBON TETRACHLORIDE	REAL	TR2	645		UG/L	D	V1		20	NO	500			1.29			PE	
42993	07/26/04	GW11518ST	URANIUM-233,-234	REAL	TR1	718	133	PCI/L		V			YES	106	57.8		6.77	12.42		N	
42993	07/26/04	GW11518ST	URANIUM-235	REAL	TR1	111	22.1	PCI/L		V			YES	101	1.48		1.10	75.00		N	
42993	07/26/04	GW11518ST	URANIUM-238	REAL	TR1	436	81.7	PCI/L		V			YES	76.8	40.17		5.68	10.85		N	
ET INFLUENT	07/29/04	GW11579ST	TRICHLOROETHENE	REAL	TR1	1400		UG/L	E			1	NO	500			2.80			PM	
ET INFLUENT	07/29/04	GW11579ST	TRICHLOROETHENE	REAL	TR2	1960		UG/L	D	V		25	NO	500			3.92			PM	
ET INFLUENT	08/19/04	GW11581ST	TRICHLOROETHENE	REAL	TR1	739		UG/L	E	1		1	NO	500			1.48			PM	
ET INFLUENT	08/19/04	GW11581ST	TRICHLOROETHENE	REAL	TR2	774		UG/L	D	V1		20	NO	500			1.55			PM	

Table 3-6. Reportable Tier I Groundwater Analytes.

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Ratio To Tier II	Ratio To Background	Ratio To Historic M2SD	Well Class	Other Class
20902	08/18/04	GW11552ST	CARBON TETRACHLORIDE	REAL	TR1	702	-	UG/L	E	1	-	1	NO	500	-	-	1.40	-	-	PE	-
20902	08/18/04	GW11552ST	CARBON TETRACHLORIDE	REAL	TR2	645	-	UG/L	D	V1	-	20	NO	500	-	-	1.29	-	-	PE	-

Figure 3-1

Groundwater Monitoring Well Location Map

Third Quarter, 2004



Well Key

- Reportable Tier I Well
- Well with Groundwater above Tier I
- Reportable Tier II Well
- Well with Groundwater above Tier II
- Well without Exceedances
- Dry Well

Plume Key

- Composite VOC Groundwater Plume (exceeds RFCA Tier I Action Level)
- Composite VOC Groundwater Plume (exceeds RFCA Tier II Action Level)
- ND
- 100 x Nitrate Standard (1,000 mg/L)
- Nitrate Standard (10 mg/L)

Standard Map Features

- Building or other structure
- Demolished building or other structure
- Lake or pond
- Stream, ditch, or other drainage feature
- Fence or other barrier
- Paved road
- Dirt road
- Topographic Contour (20-foot)
- Rocky Flats Environmental Technology Site boundary

Plume Reference - URS, 2004, Final 2003 Annual RFCA Groundwater Monitoring Report

N

Scale = 1 : 14,400
1 inch represents 1,200 feet

1,200 0 1,200

Scale in Feet

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD 27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

Prepared by: URS

Prepared for: KAISER-HILL

December 2, 2004

N:\Svr w\projects\fy2004\04-00806\Groundwater report 3q04 site map.mxd

Figure 3-2

Groundwater Monitoring Well Location Map

Industrial Area & Environs Third Quarter, 2004



Well Key

- Reportable Tier I Well
- Well with Groundwater above Tier I
- Reportable Tier II Well
- Well with Groundwater above Tier II
- Well without Exceedances
- Dry Well

Plume Key

- Composite VOC Groundwater Plume (exceeds RFCA Tier I Action Level)
- Composite VOC Groundwater Plume (exceeds RFCA Tier II Action Level)
- ND
- 100 x Nitrate Standard (1,000 mg/L)
- Nitrate Standard (10 mg/L)

Standard Map Features

- Building or other structure
- Demolished building or other structure
- Lake or pond
- Stream, ditch, or other drainage feature
- Fence or other barrier
- Paved road
- Dirt road
- Topographic Contour (20-foot)
- Rocky Flats Environmental Technology Site boundary

Plume Reference - URS, 2004, Final 2003 Annual RFCA Groundwater Monitoring Report

N

Scale = 1 : 9,600
1 inch represents 800 feet

800 0 800

Scale in Feet

State Plane Coordinate Projection
Colorado Central Zone
Datum: NAD 27

U.S. Department of Energy
Rocky Flats Environmental Technology Site

Prepared by: URS

Prepared for: KAISER-HILL

December 2, 2004

N:\Srv w:\projects\fy2004\04-0069\Groundwater report 3q04 IA map.mxd



Figure 3-3. Carbon Tetrachloride Trend Plot for Well 20902.



Figure 3-4 . Chloroform Trend Plot for Well 20902 .

37



Figure 3-5. Trichloroethene Trend Plot for Well 21498.



Figure 3-6. Trichloroethene Trend Plot for Well 70393.

38



Figure 3-7. Lithium Trend Plot for Well B206989.



Figure 3-8. Selenium Trend Plot for Well B206989.

39



Figure 3-9. Sulfate Trend Plot for Well B206989.



Figure 3-10. Uranium-235 Trend Plot for Well B206989.

40

4 REQUIRED ACTIONS

Planned monitoring actions arising from the current evaluations of 3Q2004 groundwater data are discussed below. These proposed actions are followed by a brief summary of previously initiated monitoring actions in prior Quarterly RFCA Groundwater Monitoring Reports. Because of the time lag between the collection of data that triggers monthly sampling and completion of subsequent monthly sampling, the discussion may include groundwater data collected outside of the 3Q2004 sampling period.

4.1 Planned Monthly Monitoring Based on 3Q2004 Data

Table 4-1 lists a single well that was identified as a potential candidate for three consecutive monthly samples based on the results of the 3Q2004 sampling event. Collection of these monthly samples is proposed in accordance with criteria specified in the IMP and IMP Background Document. However, some wells have undergone recent monthly groundwater sampling triggered by previous RFCA Monitoring Reports. In that event, if a well shown in Table 4-1 has already been sampled and the analyte of concern analyzed on a monthly basis, then additional monthly sampling is not necessary.

Table 4-1 indicates that Well 20902 contained carbon tetrachloride in groundwater sampled on July 20, 2004. Well 20902 is located just west of B771 and was installed to replace Well 20998. Well 20902 is a plume extent well which monitors the carbon tetrachloride plume from IHSS 118.1.

A time series plot of carbon tetrachloride in groundwater collected from this well indicates that the carbon tetrachloride concentration has frequently exceeded the Tier I action level of 500 μg/L, and reached 2030 μg/L on November 4, 2003. Also, this well underwent monthly sampling for chloroform during June, July, and August 2004. The June (1380 μg/L) and August (645 μg/L) concentrations confirm that the CT concentrations are often above Tier I. Therefore, monthly sampling will not be repeated.

In conclusion, no monthly monitoring is initiated based on data reviewed in this 3Q2004 report.

4.2 Monthly Monitoring Initiated by the Previous Quarterly Report

No monthly sampling was initiated by the previous 2Q2004 or 1Q2004 RFCA Monitoring Reports (K-H and URS, 2004c, 2004b). Monthly sampling initiated for chloroform (CF), TCE, and PCE by the 4Q2003 RFCA Monitoring Report (K-H and URS, 2004a) was discussed in the 2Q2004 report.

41

Table 4-1. Candidate Wells and Analytes for Monthly Sampling and Analysis.

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Tier II	Background	Historic M2SD	Monthlies	Well Class	Other Class
20902	07/20/04	GW1159ST	CARBON TETRACHLORIDE	DUP	TR1	310		UG/L		V1		5	NO	5				PE	
20902	07/20/04	GW11551ST	CARBON TETRACHLORIDE	REAL	TR1	483		UG/L		V1		10	NO	5				PE	

THIS PAGE INTENTIONALLY LEFT BLANK.

5 VALIDATION AND DATA QUALITY ASSESSMENT

The following text provides a background discussion so that the difference between data validation or verification and the data quality assessment (DQA) is understood. Also discussed are the technical bases, equations, and criteria used for the groundwater DQA.

5.1 General Discussion

Data validation and verification (V&V) procedures are the principal means of assessing the usability of groundwater analytical data. V&V also improves overall data quality by allowing the Analytical Services Division (ASD) to monitor laboratory performance and to provide feedback to each laboratory regarding its ability to produce quality data that meets subcontract requirements. Information from V&V enables ASD to direct analytical work to laboratories that demonstrate superior performance by generating timely, high quality analytical data for RFETS.

Data validation is a rigorous data review performed by an ASD subcontractor on approximately 25% of the groundwater analytical data generated by RFETS. The remaining 75% of the data are verified under less extensive data review procedures than the validated data. V&V criteria are generally based on government-published standards and guidelines, primarily EPA Contract Laboratory Procedures (CLP) and SW-846 method guidelines for organic and inorganic data evaluation and review. V&V are specialized data evaluations and are usually performed by analytical chemists. V&V work for RFETS is performed in accordance with a set of ASD procedures, some of which are listed below.

- K-H, 2002, General Guidelines for Data Verification and Validation, DA-GR01-v2, 10/1/02;
- K-H, 2002, Verification and Validation Guidelines for Volatile Organics, DA-SS01-v3, 10/1/02;
- K-H, 2002, Verification and Validation Guidelines for Inorganic Metals, DA-SS05-v3, 10/1/02; and
- K-H, 2002, Verification and Validation Guidelines for Radionuclides by Gamma Spectrometry, DA-GAM-v1, 6/4/02.

Groundwater analytical data collected by RFETS are considered valid (V or V1) unless the V&V process identifies analytical problems that require the data to be qualified. When it is necessary to qualify individual data records, standard qualifier codes (alphanumeric validation codes) are applied. Reason codes often accompany these validation codes, enabling the data user to determine why the results were qualified. For example, groundwater data with a validation qualifier "R1" and a reason code "101,"

43

indicates that the verification process rejected the data as unusable for reason 101 (i.e., sample holding times were exceeded).

Common data qualifiers are listed and defined below. Please refer to ASD documents for a complete list and definitions.

- V Valid data. Validation found no problems with the results.
- V1 Valid data. Verification found no problems with the results.
- 1 This is a common but erroneous code found in the SWD validation field. Further checking by ASD usually confirms that the corresponding data record has been validated and should be V1.
- J The analytical result is estimated.
- U The analytical result is considered not detected (nondetect).
- JB Result is <RDL and estimated due to blank contamination.
- NJ The result is presumptively estimated.
- UJ Indicates an estimated nondetect result.
- R Unusable data, rejected by validation.
- R1 Unusable data, rejected by verification.

V&V focuses on evaluation of laboratory quality control data such as method blanks, laboratory control samples (LCS), and spike recoveries. V&V also checks for adherence to sample and extract holding times, standard analytical methods, contractual requirements, and proper documentation.

Although DQA and V&V examine some of the same quality control data, these data are examined and evaluated from different perspectives. DQA (presented in this report) looks at the overall quality of an entire calendar quarter of groundwater data, in contrast to V&V, which looks at the analytical details of individual data packages. V&V focuses on laboratory methodology, while DQA focuses on interpretation of data describing quality control (QC) samples that originated in the field, such as field duplicate and equipment rinsate samples.

In contrast to V&V, the DQA assessment does not assign data qualifiers to individual analytical results or data packages. DQA is a second level of quality assurance intended to be a general assessment of how well the groundwater data collection program is operating. The DQA is performed by evaluating groundwater quality data in terms of the PARCC (precision, accuracy, representativeness, completeness, and comparability) parameters.

44

5.2 PARCC Parameters

Use of the PARCC parameters for DQA is promoted by EPA guidance documents. These parameters include precision, accuracy, representativeness, completeness, and comparability. Accuracy and precision are quantitative measures. Representativeness and comparability are qualitative measures. Completeness is a combination of both quantitative and qualitative measures.

PARCC parameters are evaluated by following guidelines published in the following QC documents.

- RMRS, 2001, Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site (QAPP).

- RMRS, 1998, Procedure for Evaluation of Data For Usability.

The following paragraphs discuss the PARCC parameters and the types of data available to assess them.

5.2.1 Criteria for Precision

The precision of a measurement is an expression of the mutual agreement between duplicate measurements of the same property taken under similar conditions. Precision can be expressed quantitatively by the relative percent difference (RPD) between specific parameter concentrations in real and field duplicate samples for metals, VOCs, PCBs, and WQPs. The RPD is defined as:

$$RPD = \frac{|(S - D)|}{(S - D)/2} * 100$$

where: S = Concentration of analyte in real Sample

D = Concentration of analyte in duplicate Sample

The Duplicate Error Ratio (DER) is used to quantify the precision of radionuclide activity data.

$$DER = \frac{|(S - D)|}{\sqrt{[(TPU_S)^2 + (TPU_D)^2]}}$$

where: TPU_S = Total Propagated Uncertainty of the Sample

TPU_D = Total Propagated Uncertainty of the Duplicate

45

S = Sample Result

D = Duplicate (or Lab Replicate) Result

Because TPU is seldom reported with radionuclide activity data, the two-sigma error or random counting error has been substituted for TPU in the uranium, americium, plutonium and strontium DER calculations presented in this report.

The RFETS QC criterion for groundwater RPDs is that individual RPDs should be ≤ 30%. The analogous criterion for DERs is ≤ 1.96. The overall precision goal for a quarterly groundwater dataset is that 85% of the RPD and DER values comply with the QC criteria.

5.2.2 Criteria for Accuracy

Accuracy is the degree of agreement for a measurement with an accepted reference or true value. Accuracy provides a measure of the bias in a system. The closer the measurement to the true value, the more accurate the measurement. V&V is the principal means for evaluating the accuracy of analytical results.

Accuracy assessment for PARCC evaluations, is based on the Procedure for Evaluation of Data For Usability (RMRS, 1998). Because the V&V process compares the actual analytical methods used by each laboratory to the contract-required analytical methods, this comparison is not performed in the DQA. However, the DQA compares the contract-required detection limits (CRDLs) for each analyte to the achieved detection limits.

Matrix spike (MS) and matrix spike duplicate (MSD) recoveries are reported by the analytical laboratories for most non-radionuclide analytes. Criteria for acceptable MS recoveries vary between laboratories, depending on the analyte, and the analytical method. The criterion for acceptable MS results used in this report ranges between 75 and 125 % recovery.

LCS recoveries for radionuclides are often available for groundwater quality data. According to ASD, laboratories in practice will commonly accept LCS values in the range of 70-130 %. LCS percent recoveries between the 70-130 % laboratory range and the 75-125 % QC range required by the ASD laboratory contracts are examined by data validators for acceptability on an analyte by analyte basis. The criterion for acceptable LCS recoveries used in this report ranges from 75 to 125 % recovery.

Because some laboratories report LCS results in pCi/L, while others calculated % recovery, ASD implemented a new reporting criterion, relative bias. The relative bias criterion is defined in the basic ordering agreement (BOA) by the following formula (see page J-6 of the National BOA, Section 2.3.2.5):

46

$$\text{Relative Bias} = \frac{\text{Observed} - \text{Known}}{\text{Known}}$$

where: Observed = measured activity of LCS standard (pCi/L)

Known = known activity of LCS standard (pCi/L)

Acceptable values for relative bias results range from –0.25 to +0.25. ASD requested that laboratories begin reporting relative bias calculations for LCS samples in November 2001 and was subsequently implemented during the first quarter of 2002.

5.2.3 Criteria for Representativeness

Representativeness in DQA is limited to an evaluation of whether analytical results for field samples are truly representative of environmental concentrations or whether they may have been influenced by the introduction of contamination during collection and handling. The potential introduction of contamination is evaluated by examination of the analytical results for equipment rinsates.

Equipment rinsates are used to assess the efficacy of the decontamination process used to clean groundwater sampling equipment. Analytes detected in rinsate samples indicate possible cross-contamination between environmental samples. Rinsates are samples of volatile-free distilled water that have been poured over or through decontaminated sampling equipment and subsequently handled in the same manner as environmental samples.

Although rinsates are used specifically as indicators of cross-contamination from improper decontamination of equipment, they are carried through the entire sampling, shipping, and laboratory process. Therefore, they are good indicators of potential contamination introduced during any of these steps. Because rinsate samples are judged adequate to assess introduced contamination, RFETS does not use trip blanks in its groundwater QA program.

Other aspects of representativeness, such as the number of samples and their spatial distribution, are specified in the IMP. The DQA determines if all wells specified in the IMP were visited during the quarter.

5.2.4 Criteria for Completeness

A qualitative measure of completeness is the rate of successful sampling. Each quarter, the DQA verifies if all samples specified in the IMP were collected, unless a well was dry or went dry during sampling. The completeness goal for successful sampling is the collection of at least 90% of the planned samples.

47

However, the frequency of dry wells is outside the control of RFETS. If all required wells were visited (some more than once), sampling completeness is considered acceptable.

Completeness as a quantitative measure of data quality may be expressed as the percentage of valid or acceptable data obtained from a measurement system. ASD tracks analytical laboratory performance and both the shipment of samples to the laboratory and the receipt of data from the laboratory. Therefore, the timeliness of data receipt from the laboratories is not tracked, but data completeness is evaluated using the following formula:

$$Completeness = DP_u = \frac{DP_t - DP_n}{DP_t} * 100$$

where: DP_u = Percentage of usable data points

DP_t = Total number of data points

DP_n = Non-usable (rejected) data points

The completeness criterion is having $\geq$ 90% valid samples.

5.2.5 Criteria for Comparability

Comparability is a qualitative parameter. Consistency in the acquisition, handling, and analysis of samples is necessary for comparing results. Data developed under the IMP are collected in accordance with RFETS SOPs, transported per RFETS SOPs and US-DOT shipping regulations, and analyzed using standard EPA or nationally recognized analytical methods. Data collected, handled, shipped, and analyzed using these procedures helps to ensure comparability of results with other analyses performed in a similar manner.

At the start of third quarter 2001, nomenclature changed for the test method for metal analyses. However, this change in nomenclature does not affect the comparability of recent results with earlier analyses. ASD verifies that laboratory analyses are performed according to the standard protocols specified by the RFETS subcontract to each laboratory. Therefore, the analytical results should be comparable to data produced by similar methods.

At the start of the second quarter 2001, the technique for the analysis of VOCs was changed from the EPA 524.2 Drinking Water method to the EPA SW-846, 8260 (low-level) method. The change was made because the SW-846 method requires (as EPA 524.2 does not) a pre-screening analytical run that should help laboratories determine appropriate levels of dilution, when needed. The list of analytes for SW-846 includes all analytes in the EPA 524.2 list with the addition of (detection limits in µg/l given in

parentheses) 1,1,2-trichloro-1,2,2-trifluoroethane (1), acetone (10), carbon disulfide (1), 2-butanone (10), 2-hexanone (10), and 4-methyl-2-pentanone (10). Detection limits for all remaining compounds are unchanged at 1 µg/l. Because both the EPA 524.2 and SW-846 methods use gas chromatography as the analytical method, and detection limits have not changed, results gathered using either method should be comparable.

In the fourth quarter of 1998, the groundwater sampling procedure was modified to enhance the quality of the samples collected and reduce the amount of purge water generated at selected wells. This practice has continued to the present. Dedicated bladder pumps were installed in some wells with adequate recharge rates. Pump equipped wells provide an opportunity for micropurging at the time of sampling.

Micropurging has several advantages over traditional groundwater sampling methods. Micropurge sample collection provides a method of minimizing increased colloid mobilization by removing water from the well in the screened interval at a rate that minimally disrupts steady-state flow conditions in the aquifer. During micropurge sampling, groundwater is discharged at a rate that minimizes drawdown at the well. Research indicates that colloid mobilization usually does not increase above steady-state conditions during low-flow discharge. Therefore, the collected sample is more likely to represent *in situ* groundwater chemistry. Because less water is needed to purge the pump system compared to purging the entire well with a bailer, there is less purge water to dispose.

The installation of bladder pumps and micropurging without sample filtration resulted in a change in the analytical method for metals. Pump equipped wells are sampled and analyzed for total metals because no filter is used during sample collection. Groundwater samples from bailed wells are filtered and analyzed for dissolved metals.

5.3 Groundwater DQA Results 3Q2004

Data used to evaluate the PARCC parameters are included in Appendix A.

5.3.1 Precision During the Quarter

DERs are indicators of precision for radionuclide analyses (see Section 5.2.1). The QC criterion for precision requires that individual DER values should be ≤ 1.96, and, overall, the data should have $\geq 85\%$ compliance with the criterion. Table 5-1 is a tabulation of the DER values for 3Q2004 radionuclide analyses. The table has been sorted by the DER parameter so that the range of values is apparent. The DER range is from 0.039 to 1.039. Thus, none of the DER values exceeded the 1.96 criterion. Overall, 100% of the DER data are in compliance with the criterion, indicating excellent precision for radionuclide analyses.

RPD between real and field duplicate sample results is an indicator of precision for non-radionuclide analyses. Individual RPD values should be ≤ 30% and at least 85% of the RPDs should comply with the criterion. Table 5-2 tabulates RPD values and is sorted first by analyte suite, then by RPD to highlight the RPD range of each suite. RPD values for metals ranged from 0.0% to 167.5%; VOCs from 0.0% to 83.7%; and RPDs for WQPs varied from 1.3% to 4.3%.

Table 5-3 summarizes the RPD findings of Table 5-2 and determines if the 85% goal has been met. During 3Q2004, the RPD goal was met for metals (85.7%) and WQPs (100%). VOCs were below the 85% RPD goal with 66.2% acceptable RPDs. As a group, non-radionuclide data had 71% acceptable RPDs and did not meet the 85% goal. In conclusion, both radionuclides, metal, and WQPs precision was acceptable for the quarter. VOC results did not meet the RPD goal.

5.3.2 Accuracy During the Quarter

Detection limits achieved by the laboratories analyzing samples collected during 3Q2004 were compared with the contract-required-detection limits (CRDLs) as an indicator of accuracy. An analytical reporting limit is raised by the dilution factor when sample dilution is necessary to bring an analyte within an analytical instruments' calibration range. Such dilution is required under laboratory subcontracts issued by RFETS. Therefore, the DQA analysis normalized reporting limits (RDLs) by dividing each of them by the sample dilution factor prior to comparing them against the CRDLs.

A database query compared each normalized RDL to the corresponding CRDL and found that no RDLs exceeded their CRDLs for any analyte during the quarter. Therefore, 100% of the 3,577 data records (for REALs, DUPs, RNSs) achieved the contract-required CRDLs. Thus, Table 5-4 is blank, indicating that the groundwater data are of high accuracy.

Matrix spike recoveries provide another measure of accuracy. Table 5-5 displays recoveries for 274 data records for MS and MSD samples for metals, VOAs, and WQPs (include major and minor anions). This large amount of data is summarized in Table 5-6. The VOCs met the QC goal by having more than 90% of their recoveries fall in the range 75% to 125%. VOCs and metals met the MS/MSD goal, achieving spike recoveries of 96.7% and 92.9%, respectively. WQPs did not meet the acceptable recovery goal, with only 76.5% acceptable results. Overall, across all analytical suites, the percentage of acceptable MS/MSD results was 92.7%, exceeding the overall accuracy goal of 90%.

Relative bias values for LCS are used to evaluate the accuracy of radionuclide analyses, instead of matrix spikes. Table 5-7 is a tabulation of relative bias values for radionuclide analyses generated during 3Q2004. The table is sorted by relative bias to show its range. The QC criterion for the acceptable range of relative bias values is from –0.25 to +0.25. Table 5-7 contains a range of -0.082 to +0.161. Therefore,

50

100% of the relative bias values for radionuclide LCS samples are in the acceptable range. Thus, the groundwater radiochemistry data appear to be of high accuracy by this criterion.

LCSs results for non-radionuclide suites were available for metals, SVOCs, VOCs, and WQPs (including anions). These LCS recoveries are tabulated in Table 5-8, which is sorted by analyte group, analytical method (LIC), then by % recovery. The LCS recoveries for metals fell in the range 88% to 120%, with a single outlier at 9638%. For metals 99.6% of recoveries were within the 75% to 125% acceptable QC range. VOC recoveries fell in the range 86% to 109%, and 100% of these VOC data were acceptable. Similarly water quality parameter recoveries ranged from 96% to 110% and were all acceptable. There were no SVOC or PCB data this quarter. In summary, the LCS recoveries indicate that 3Q2004 groundwater analytical data for metals, VOCs, and WQPs are all of high accuracy.

Another aspect of accuracy is rejected data. Out of 3,577 analytical records representing reals, duplicates and rinsates during 3Q2004, only one record was rejected (R qualified) during data V&V. Thus, 99.97% of the analytical data collected during the 3Q2004 were considered to be valid and usable. Table 5-9 lists the rejected record, which was for nitrate/nitrite (as N). The rejection was for reason code 113, which means that associated matrix spike recoveries were <30% and goals were not met by the laboratory.

5.3.3 Representativeness During the Quarter

As discussed earlier, representativeness is an evaluation of the sampling procedure for its ability to reflect the true groundwater concentrations of contaminants. Equipment rinsate samples are used to determine whether there is introduced contamination from improper or incomplete decontamination of the sampling equipment.

During 3Q2004, a total of 257 rinsate analytical records were generated for VOCs, metals, radionuclides, and WQPs. None of these records provide evidence of cross-contamination because of incomplete decontamination of sampling equipment. At Well 20902, sampled on July 20, 2004, acetone was detected at 21.5 µg/L, but acetone is known to be a contaminant potentially introduced in the laboratory.

Overall, little contamination was introduced during 3Q2004 groundwater sampling and/or shipping activities, because most rinsate were clean. Groundwater quality data for the 3Q2004 are judged to be representative of the actual groundwater concentrations.

Because all required sampling locations defined in the IMP were visited (Table 5-11 discussed below), and almost all samples that could be collected were analyzed, analyses for the 3Q2004 are judged to be representative with respect to spatial coverage.

51

5.3.4 Completeness During the Quarter

Table 5-11 indicates that during the 3Q2004 sampling crews made 74 visits to wells or drains in an attempt to collect groundwater samples. All requested sampling locations were visited. In fact, multiple visits were made to many dry wells and to wells with insufficient water for collection of all requested samples.

Dry wells and wells with insufficient groundwater prevented collection of all requested samples. Table 5-11 shows that only 69% of the VOCs and 65% of the metals samples were collected. The sampling success rates for all other requested suites fell between 68% and 100%. Overall the sampling success rate (for all analyte suites) was 71.1% during 3Q2004. The goal, groundwater conditions permitting, is to have greater than or equal to 90% successful sampling. However, because availability of groundwater is beyond the control of the samplers, and because all requested wells were visited (some several times), sampling completeness is considered adequate for 3Q2004.

V&V completeness is summarized in Table 5-12. This table compiles by analytical suite (actually SWD line item code), the total number of data points for reals, duplicates, and rinsate samples. Rejected data points and points that lack validation qualifiers were removed. The result is the net number of usable validated or verified data points. This is expressed as % usable data or % V&V completeness. The QC goal for completeness is $\geq$ 90%.

Some parameters (e.g., radionuclides by alpha spectrometry) had a completeness of 66% and did not meet the completeness goal. However, the overall validation completeness across all analytical suites was excellent at 95.3% exceeding the completeness goal. This result was similar to last quarter. Therefore, from the perspective of V&V completeness, the 3Q2004 groundwater data are acceptable.

Another measure of completeness is that an adequate number of QC samples (field duplicates and equipment rinsates) were collected to meet QC requirements. The recommended frequency for collecting duplicate samples is 1 duplicate (DUP) per 20 or fewer primary (REAL) water samples. In other words, duplicates should be collected at a 5% or greater frequency per REAL sample. Like DUPs, RNS are also to be collected at a 5% or greater rate.

The sample collection frequencies of REAL, DUP, and RNS samples are tabulated by analyte suite in Table 5-13. The ratios of REAL/ DUP samples shown in Table 5-13 meet groundwater QC goals with one DUP per 20 or fewer REALs. Overall there was one DUP per 11 REALs. Across all analyte suites and samples collected during the quarter, the overall frequency of duplicates was about 8.3%, exceeding program goals of 5%. If data in SWD are examined on a per record basis, the frequency of duplicates is similar at 7.7%.

52

The ratios of REAL/ RNS samples in Table 5-13 meet program QC goals with one rinsate per 20 or fewer REALs. Overall, across all suites and samples collected during the quarter, the rinsate collection frequency was 8.3%, exceeding program goals of 5%. On a per record basis the frequency of rinsates was 7.7%.

In summary, both field duplicate and rinsate sampling frequencies were within QC requirements on both a per sample and a per record basis, for metals, VOAs, WQPs, and radionuclides.

5.3.5 Comparability During the Quarter

No program-wide changes were made to groundwater sampling or to analytical procedures in the 3Q2004. Therefore, the analytical data generated during 3Q2004 should be comparable to corresponding analyses from previous quarters.

5.4 Quarterly DQA Summary & Observations

The above DQA evaluations of groundwater quality data for 3Q2004 lead to the following conclusions, listed by PARCC parameter.

Precision

- Overall, 100% of the DER values are in compliance with the criterion, indicating excellent precision for radionuclide analyses.

- During 3Q2004, the RPD goal was met for metals (85.7%) and WQPs (100%). VOCs were below the 85% RPD goal with 66.2% acceptable RPDs. As a group, non-radionuclide data had 71% acceptable RPDs and did not meet the 85% goal. This is poorer than the prior quarter, which passed with 96% acceptable RPDs.

Accuracy

- The most significant observation is that 100% of the data records achieved the contract-required CRDLs during 3Q2004. By this measure the groundwater data are of high accuracy.

- Out of 3,577 analytical records representing reals, duplicates and rinsates during 3Q2004, only one record was rejected (R1 qualified) during data V&V. This is an improvement over last quarter when 3 records were rejected. Thus, during 3Q2004 almost 100% of the analytical data collected during the quarter were considered to be valid and usable.

53

- Overall, across all analytical suites, the percentage of acceptable MS/MSD results was 92.7%, exceeding the accuracy goal of 90%. The result for last quarter was 81%.

- Note that 100% of the relative bias values for radionuclide LCS samples are in the acceptable range. Thus, the radiochemistry data also appear to be of high accuracy. High percentages of LCS recoveries in the acceptable range indicate that 3Q2004 groundwater analytical data for metals, VOAs, and WQPs are of high accuracy.

Representativeness

- Overall, little contamination was introduced during 3Q2004 groundwater sampling and/or shipping activities, because almost all of the rinsates were clean. Therefore, groundwater quality data for the 3Q2004 are judged to be representative of the actual groundwater concentrations or activities.

Completeness

- The overall sampling success rate (for all analyte suites) was 71%, down from 83% last quarter. Although 71% is below the goal of 90%, the availability of groundwater is beyond the control of the samplers. Because all requested wells were visited, sampling completeness is considered adequate for 3Q2004.

- The overall V&V completeness across all analytical suites was 95.3% which exceeded the completeness goal. This result was similar to the 98% V&V completeness of last quarter. Therefore, from the perspective of V&V completeness the 3Q2004 groundwater data are acceptable.

- In summary, both field duplicate and rinsate sampling frequencies met QC requirements on both a per sample and a per record basis.

Comparability

- No program-wide changes were made to groundwater sampling or to analytical procedures during the 3Q2004. Therefore, the analytical data generated during the quarter should be comparable to previous quarters.

54

Other QA/QC Observations

On November 18, 2004, ASD issued a notification that the activities of uranium isotopes analyzed in groundwater samples collected during the second quarter (2Q) 2004 were reported 16% lower than the correct activities. It has been determined that the fault was not with the radiochemistry laboratory, but was a NIST certificate error. The NIST certificate incorrectly reported the activity of a U-232 tracer used in the isotopic uranium analyses. ASD will correct these isotopic uranium data in SWD.

Table 5-1. Duplicate Error Ratios (DER) for Radionuclides.

Location	Sample Date	Analyte	Real Result	Real 2 Sigma Error	Real Lab Qualifier	Real Validation	Duplicate Result	Dup 2 Sigma Error	Duplicate Lab Qualifier	Duplicate Validation	Units	DER
59294	08/03/04	URANIUM-233,-234	16.8	2.94		V1	17.5	2.77		V1	PCI/L	0.039
59294	08/03/04	URANIUM-238	13.9	2.56		V1	13	2.23		V1	PCI/L	0.068
70393	09/28/04	URANIUM-235	0	0.145	U		0.051	0.135	U		PCI/L	0.332
59294	08/03/04	URANIUM-235	1.06	0.593		V1	0.688	0.414	J	V1	PCI/L	0.410
70393	09/28/04	URANIUM-238	0	0.137	U		0.144	0.221	U		PCI/L	0.724
70393	09/28/04	URANIUM-233,-234	-0.0475	0.162	U		0.776	0.458	J		PCI/L	1.039

56

Table 5-2. Relative Percent Differences (RPD) for Non-Radionuclide Data.

Location	Sample Date	Analyte	Filtered	Real Result	Real Lab Qualifier	Real Validation	Duplicate Result	Duplicate Lab Qualifier	Duplicate Validation	Units	RPD%
70393	09/28/04	ANTIMONY	NO	0.28	U	1	0.28	U	V1	UG/L	0.00
70393	09/28/04	ARSENIC	NO	1	U	V1	1	U	V1	UG/L	0.00
59294	08/03/04	BERYLLIUM	YES	0.08	U	V1	0.08	U	V1	UG/L	0.00
70393	09/28/04	BERYLLIUM	NO	0.08	U	V1	0.08	U	V1	UG/L	0.00
70393	09/28/04	LEAD	NO	0.05	U	J1	0.05	U	J1	UG/L	0.00
70393	09/28/04	MANGANESE	NO	1.61	U	V1	1.61	U	V1	UG/L	0.00
70393	09/28/04	MERCURY	NO	0.0472	U	J1	0.0472	U	J1	UG/L	0.00
70393	09/28/04	MOLYBDENUM	NO	0.2	B	V1	0.2	U	V1	UG/L	0.00
59294	08/03/04	SELENIUM	YES	0.64	U	J1	0.64	U	J1	UG/L	0.00
70393	09/28/04	SILVER	NO	0.04	U	V1	0.04	U	V1	UG/L	0.00
59294	08/03/04	SILVER	YES	0.04	U	V1	0.04	U	V1	UG/L	0.00
70393	09/28/04	STRONTIUM	NO	117	B	V1	117	B	V1	UG/L	0.00
70393	09/28/04	TIN	NO	0.82	U	V1	0.82	U	V1	UG/L	0.00
59294	08/03/04	TIN	YES	0.82	U	V1	0.82	U	V1	UG/L	0.00
70393	09/28/04	VANADIUM	NO	5.44	U	V1	5.44	U	V1	UG/L	0.00
59294	08/03/04	VANADIUM	YES	5.44	U	V1	5.44	U	V1	UG/L	0.00
70393	09/28/04	ZINC	NO	1.09	U	V1	1.09	U	V1	UG/L	0.00
70393	09/28/04	BARIUM	NO	59.1	B	V1	59.3	B	V1	UG/L	0.34
59294	08/03/04	BARIUM	YES	88.5	B	V1	88.9	B	V1	UG/L	0.45
59294	08/03/04	MAGNESIUM	YES	64800		V1	65200		V1	UG/L	0.62
59294	08/03/04	MOLYBDENUM	YES	3.01	B	V1	3.03	B	V1	UG/L	0.66
70393	09/28/04	CALCIUM	NO	21400		V1	21200		V1	UG/L	0.94
70393	09/28/04	POTASSIUM	NO	556	B	V1	564	B	V1	UG/L	1.43
70393	09/28/04	SODIUM	NO	15300		V1	15000		V1	UG/L	1.98
70393	09/28/04	MAGNESIUM	NO	4560	B	V1	4690	B	J1	UG/L	2.81
59294	08/03/04	SODIUM	YES	102000	NE	J1	105000	NE	J1	UG/L	2.90
59294	08/03/04	COPPER	YES	1.35	B	V1	1.4	B	V1	UG/L	3.64
59294	08/03/04	STRONTIUM	YES	1970		V1	1890		V1	UG/L	4.15
70393	09/28/04	LITHIUM	NO	6.7	B	V1	7	B	V1	UG/L	4.38
70393	09/28/04	COBALT	NO	0.077	B	V1	0.081	B	V1	UG/L	5.06
59294	08/03/04	CALCIUM	YES	313000		V1	297000		V1	UG/L	5.25
59294	08/03/04	CHROMIUM	YES	0.474	B	UJ1	0.501	B	UJ1	UG/L	5.54
59294	08/03/04	IRON	YES	2610		V1	2770		V1	UG/L	5.95
59294	08/03/04	THALLIUM	YES	0.074	B	UJ1	0.069	B	UJ1	UG/L	6.99
59294	08/03/04	CADMIUM	YES	0.054	B	V1	0.058	B	V1	UG/L	7.14
59294	08/03/04	NICKEL	YES	11.5	BE	J1	10.7	BE	J1	UG/L	7.21
59294	08/03/04	LITHIUM	YES	49.9	B	V1	46	B	V1	UG/L	8.13
70393	09/28/04	IRON	NO	72.1	B	V1	78.6	B	J1	UG/L	8.63
59294	08/03/04	MANGANESE	YES	965		V1	876		V1	UG/L	9.67

57

Location	Sample Date	Analyte	Filtered	Real Result	Real Lab Qualifier	Real Validation	Duplicate Result	Duplicate Lab Qualifier	Duplicate Validation	Units	RPD%
59294	08/03/04	POTASSIUM	YES	1270	B	V1	1120	B	V1	UG/L	12.55
59294	08/03/04	ZINC	YES	4.17	B	V1	4.95	B	V1	UG/L	17.11
59294	08/03/04	ANTIMONY	YES	0.442	B	UJ1	0.534	B	UJ1	UG/L	18.85
59294	08/03/04	LEAD	YES	0.05	U	V1	0.061	B	V1	UG/L	19.82
70393	09/28/04	SELENIUM	NO	2.1	B	UJ1	2.6	B	UJ1	UG/L	21.28
59294	08/03/04	COBALT	YES	10.3	B	V1	13.1	B	V1	UG/L	23.93
59294	08/03/04	ALUMINUM	YES	11.6	BE	J1	9.08	UE	J1	UG/L	24.37
70393	09/28/04	NICKEL	NO	1.8	B	V1	2.3	B	UJ1	UG/L	24.39
59294	08/03/04	URANIUM, TOTAL	YES	46.7		V1	34.7		V1	UG/L	29.48
59294	08/03/04	MERCURY	YES	0.0472	U	V1	0.066	B	V1	UG/L	33.22
70393	09/28/04	COPPER	NO	0.69	U	V1	1.1	B	V1	UG/L	45.81
70393	09/28/04	CADMIUM	NO	0.04	B	V1	0.069	B	V1	UG/L	53.21
70393	09/28/04	CHROMIUM	NO	1.1	B	UJ1	2.2		UJ1	UG/L	66.67
70393	09/28/04	ALUMINUM	NO	22.9		V1	11.1	B	V1	UG/L	69.41
59294	08/03/04	ARSENIC	YES	2.16	B	V1	1	U	V1	UG/L	73.42
70393	09/28/04	URANIUM, TOTAL	NO	0.02	B	V1	0.05	B	V1	UG/L	85.71
70393	09/28/04	THALLIUM	NO	0.35	B	V1	0.031	B	UJ1	UG/L	167.45
70393	09/28/04	1,1,1,2-TETRACHLOROETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,1,1,2-TETRACHLOROETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	1,1,1-TRICHLOROETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	1,1,2,2-TETRACHLOROETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,1,2,2-TETRACHLOROETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	NO	5	U	UJ1	5	U	UJ1	UG/L	0.00
70393	09/28/04	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	NO	5	U	V	5	U	V	UG/L	0.00
59294	08/03/04	1,1,2-TRICHLOROETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,1,2-TRICHLOROETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,1-DICHLOROETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,1-DICHLOROETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,1-DICHLOROETHENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,1-DICHLOROPROPENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,1-DICHLOROPROPENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	1,2,3-TRICHLOROBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,2,3-TRICHLOROBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,2,3-TRICHLOROPROPANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,2,3-TRICHLOROPROPANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,2,4-TRICHLOROBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,2,4-TRICHLOROBENZENE	NO	1	U	UJ	1	U	UJ	UG/L	0.00
70393	09/28/04	1,2-DIBROMOETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,2-DIBROMOETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,2-DICHLOROBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,2-DICHLOROBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00

58

Location	Sample Date	Analyte	Filtered	Real Result	Real Lab Qualifier	Real Validation	Duplicate Result	Duplicate Lab Qualifier	Duplicate Validation	Units	RPD %
70393	09/28/04	1,2-DICHLOROETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,2-DICHLOROETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	1,2-DICHLOROPROPANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,2-DICHLOROPROPANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,3-DICHLOROBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,3-DICHLOROBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,3-DICHLOROPROPANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	1,3-DICHLOROPROPANE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	1,4-DICHLOROBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	1,4-DICHLOROBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	2,2-DICHLOROPROPANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	2,2-DICHLOROPROPANE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	2-BUTANONE	NO	10	U	V	10	U	V	UG/L	0.00
59294	08/03/04	2-BUTANONE	NO	10	U	UJ1	10	U	UJ1	UG/L	0.00
59294	08/03/04	2-CHLOROTOLUENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	2-CHLOROTOLUENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	2-HEXANONE	NO	10	U	UJ1	10	U	UJ1	UG/L	0.00
70393	09/28/04	2-HEXANONE	NO	10	U	V	10	U	V	UG/L	0.00
59294	08/03/04	4-ISOPROPYLTOLUENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	4-ISOPROPYLTOLUENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	4-METHYL-2-PENTANONE	NO	10	U	UJ1	10	U	UJ1	UG/L	0.00
70393	09/28/04	4-METHYL-2-PENTANONE	NO	10	U	V	10	U	V	UG/L	0.00
59294	08/03/04	ACETONE	NO	36.9		J1	36.9		J1	UG/L	0.00
70393	09/28/04	ACETONE	NO	10	U	V	10	U	V	UG/L	0.00
59294	08/03/04	BENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	BENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	BENZENE, 1,2,4-TRIMETHYL	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	BENZENE, 1,2,4-TRIMETHYL	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	BENZENE, 1,3,5-TRIMETHYL-	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	BENZENE, 1,3,5-TRIMETHYL-	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	BROMOBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	BROMOBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	BROMOCHLOROMETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	BROMOCHLOROMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	BROMODICHLOROMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	BROMODICHLOROMETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	BROMOFORM	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	BROMOFORM	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	BROMOMETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	BROMOMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	CARBON DISULFIDE	NO	5	U	UJ	5	U	UJ	UG/L	0.00

59

Location	Sample Date	Analyte	Filtered	Real Result	Real Lab Qualifier	Real Validation	Duplicate Result	Duplicate Lab Qualifier	Duplicate Validation	Units	RPD%
59294	08/03/04	CARBON DISULFIDE	NO	5	U	UJ1	5	U	UJ1	UG/L	0.00
70393	09/28/04	CARBON TETRACHLORIDE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	CARBON TETRACHLORIDE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	CHLOROBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	CHLOROBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	CHLOROETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	CHLOROETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	CHLOROFORM	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	CHLOROFORM	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	CHLOROMETHANE	NO	1	U	UJ	1	U	UJ	UG/L	0.00
59294	08/03/04	CHLOROMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	cis-1,2-DICHLOROETHENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	cis-1,2-DICHLOROETHENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	cis-1,3-DICHLOROPROPENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	cis-1,3-DICHLOROPROPENE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	DIBROMOCHLOROMETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	DIBROMOCHLOROMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	DIBROMOMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	DIBROMOMETHANE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	DICHLORODIFLUOROMETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	DICHLORODIFLUOROMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	ETHYLBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	ETHYLBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	HEXACHLOROBUTADIENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	HEXACHLOROBUTADIENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	ISOPROPYLBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	ISOPROPYLBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	METHYLENE CHLORIDE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	NAPHTHALENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	NAPHTHALENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	n-BUTYLBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	n-BUTYLBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	n-PROPYLBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	n-PROPYLBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	p-CHLOROTOLUENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	p-CHLOROTOLUENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	PROPANE, 1,2-DIBROMO-3-CHLORO-	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	PROPANE, 1,2-DIBROMO-3-CHLORO-	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	sec-BUTYLBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	sec-BUTYLBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	STYRENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00

60

Location	Sample Date	Analyte	Filtered	Real Result	Real Lab Qualifier	Real Validation	Duplicate Result	Duplicate Lab Qualifier	Duplicate Validation	Units	RPD%
70393	09/28/04	STYRENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	tert-BUTYLBENZENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	tert-BUTYLBENZENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	TETRACHLOROETHENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	TOLUENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	TOTAL XYLENES	NO	3	U	UJ1	3	U	UJ1	UG/L	0.00
70393	09/28/04	TOTAL XYLENES	NO	3	U	V	3	U	V	UG/L	0.00
59294	08/03/04	trans-1,2-DICHLOROETHENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	trans-1,2-DICHLOROETHENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	trans-1,3-DICHLOROPROPENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	trans-1,3-DICHLOROPROPENE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	TRICHLOROETHENE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
59294	08/03/04	TRICHLOROFLUOROMETHANE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	TRICHLOROFLUOROMETHANE	NO	1	U	V	1	U	V	UG/L	0.00
59294	08/03/04	VINYL CHLORIDE	NO	1	U	UJ1	1	U	UJ1	UG/L	0.00
70393	09/28/04	VINYL CHLORIDE	NO	1	U	V	1	U	V	UG/L	0.00
70393	09/28/04	1,1,1-TRICHLOROETHANE	NO	5		V	4.9		V	UG/L	2.02
70393	09/28/04	1,1-DICHLOROETHENE	NO	4.7		V	4.8		V	UG/L	2.11
70393	09/28/04	TRICHLOROETHENE	NO	10.6		V	10.3		V	UG/L	2.87
70393	09/28/04	TETRACHLOROETHENE	NO	3.5		V	3.4		V	UG/L	2.90
59294	08/03/04	METHYLENE CHLORIDE	NO	8.2	B	U1	8.5	B	U1	UG/L	3.59
20902	07/20/04	CARBON TETRACHLORIDE	NO	483		V1	310		V1	UG/L	43.63
20902	07/20/04	CHLOROFORM	NO	123		V1	75.6		V1	UG/L	47.73
20902	07/20/04	1,1,1,2-TETRACHLOROETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,1,1-TRICHLOROETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,1,2,2-TETRACHLOROETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	NO	50	U	V1	25	U	V1	UG/L	66.67
20902	07/20/04	1,1,2-TRICHLOROETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,1-DICHLOROETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,1-DICHLOROETHENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,1-DICHLOROPROPENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,2,3-TRICHLOROBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,2,3-TRICHLOROPROPANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,2,4-TRICHLOROBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,2-DIBROMOETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,2-DICHLOROBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,2-DICHLOROETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,2-DICHLOROPROPANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,3-DICHLOROBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,3-DICHLOROPROPANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	1,4-DICHLOROBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67

61

Location	Sample Date	Analyte	Filtered	Real Result	Real Lab Qualifier	Real Validation	Duplicate Result	Duplicate Lab Qualifier	Duplicate Validation	Units	RPD%
20902	07/20/04	2,2-DICHLOROPROPANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	2-BUTANONE	NO	100	U	V1	50	U	V1	UG/L	66.67
20902	07/20/04	2-CHLOROTOLUENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	2-HEXANONE	NO	100	U	V1	50	U	V1	UG/L	66.67
20902	07/20/04	4-ISOPROPYLTOLUENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	4-METHYL-2-PENTANONE	NO	100	U	V1	50	U	V1	UG/L	66.67
20902	07/20/04	ACETONE	NO	100	U	V1	50	U	V1	UG/L	66.67
20902	07/20/04	BENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	BENZENE, 1,2,4-TRIMETHYL	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	BENZENE, 1,3,5-TRIMETHYL-	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	BROMOBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	BROMOCHLOROMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	BROMODICHLOROMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	BROMOFORM	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	BROMOMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	CARBON DISULFIDE	NO	50	U	V1	25	U	V1	UG/L	66.67
20902	07/20/04	CHLOROBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	CHLOROETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	CHLOROMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	cis-1,2-DICHLOROETHENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	cis-1,3-DICHLOROPROPENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	DIBROMOCHLOROMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	DIBROMOMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	DICHLORODIFLUOROMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	ETHYLBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	HEXACHLOROBUTADIENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	ISOPROPYLBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	METHYLENE CHLORIDE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	NAPHTHALENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	n-BUTYLBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	n-PROPYLBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	p-CHLOROTOLUENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	PROPANE, 1,2-DIBROMO-3-CHLORO-	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	sec-BUTYLBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	STYRENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	tert-BUTYLBENZENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	TETRACHLOROETHENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	TOTAL XYLENES	NO	30	U	V1	15	U	V1	UG/L	66.67
20902	07/20/04	trans-1,2-DICHLOROETHENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	trans-1,3-DICHLOROPROPENE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	TRICHLOROETHENE	NO	10	U	V1	5	U	V1	UG/L	66.67

62

Location	Sample Date	Analyte	Filtered	Real Result	Real Lab Qualifier	Real Validation	Duplicate Result	Duplicate Lab Qualifier	Duplicate Validation	Units	RPD%
20902	07/20/04	TRICHLOROFLUOROMETHANE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	VINYL CHLORIDE	NO	10	U	V1	5	U	V1	UG/L	66.67
20902	07/20/04	TOLUENE	NO	4.3	JB	JB1	2.1	JB	JB1	UG/L	68.75
70393	09/28/04	TOLUENE	NO	0.41	JB	JB	1	U	V	UG/L	83.69
70393	09/28/04	SULFATE	NO	30100		V1	30500		V1	UG/L	1.32
70393	09/28/04	NITRATE/NITRITE	NO	5860		J1	5730		J1	UG/L	2.24
70393	09/28/04	FLUORIDE	NO	160	B	V1	167	B	V1	UG/L	4.28

63

Table 5-3. Summary of Relative Percent Differences (RPD) Values.

Analyte Group	Total Number of RPD Results	Number of Unacceptable Results RPD>30%	Number of Acceptable Results	Percentage Acceptable	Goal Met
Metal	56	8	48	85.71	Yes
VOC	192	65	127	66.15	No
WQP	3	0	3	100.00	Yes
Totals	251	73	178	70.92	No (overall)
Table Note: Radionuclides are evaluated by DER rather than RPD results.					

64

Table 5-4. Reporting Limits Greater Than Contract Required Detection Limits.

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Std Result	Error	Std Unit	Result Qualifier	Validation	Std Detection Limit	Dilution	Normalized RL	CRDL	Filtered	Lab	LIC	Method
No Samples Had Reporting Limits Greater Than The Contract Required Detection Limits																		

Table 5-5. Matrix Spike (MS) & Matrix Spike Duplicate (MSD) Recoveries.

Location	Sample Date	Sample Number	Lab	Lab Batch	Lab Sample Number	RIN	Analyte	Result Type	Std Result	Std Unit
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	ALUMINUM	MS1	109.9	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	ANTIMONY	MS1	108.8	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	ARSENIC	MS1	104.4	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	BARIUM	MS1	105	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	BERYLLIUM	MS1	124.2	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	CADMIUM	MS1	104.2	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	CALCIUM	MS1	110	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	CHROMIUM	MS1	100	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	COBALT	MS1	102.5	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	COPPER	MS1	105	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	IRON	MS1	106.7	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	LEAD	MS1	106.7	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	LITHIUM	MS1	133.9	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	MAGNESIUM	MS1	94.5	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	MANGANESE	MS1	103.9	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	MOLYBDENUM	MS1	104.8	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	NICKEL	MS1	105.5	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	POTASSIUM	MS1	95.9	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	SELENIUM	MS1	103.2	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	SILVER	MS1	107.8	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	SODIUM	MS1	83.5	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	STRONTIUM	MS1	114	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	THALLIUM	MS1	97.2	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	TIN	MS1	109.6	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	URANIUM, TOTAL	MS1	109.9	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	VANADIUM	MS1	98.2	%REC
5887	07/14/04	GW11567ST	GEL	350723	1200667144	04D1026	ZINC	MS1	108.3	%REC
5887	07/14/04	GW11567ST	GEL	350917	1200667543	04D1026	MERCURY	MS1	108	%REC
59594	07/28/04	GW11502ST	GEL	355132	1200677687	04D1071	MERCURY	MS1	115	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	ALUMINUM	MS1	96	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	ANTIMONY	MS1	101	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	ARSENIC	MS1	99	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	BARIUM	MS1	55	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	BERYLLIUM	MS1	111	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	CADMIUM	MS1	99	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	CALCIUM	MS1	-171	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	COBALT	MS1	91	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	COPPER	MS1	90	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	IRON	MS1	93	%REC

66

Location	Sample Date	Sample Number	Lab	Lab Batch	Lab Sample Number	RIN	Analyte	Result Type	Std Result	Std Unit
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	LEAD	MS1	100	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	LITHIUM	MS4	106	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	MAGNESIUM	MS1	-21	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	MANGANESE	MS1	96	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	MOLYBDENUM	MS1	102	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	NICKEL	MS1	91	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	POTASSIUM	MS1	95	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	SELENIUM	MS1	95	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	SILVER	MS1	100	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	SODIUM	MS3	87	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	STRONTIUM	MS1	49	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	THALLIUM	MS1	90	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	TIN	MS1	101	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	URANIUM, TOTAL	MS1	103	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	VANADIUM	MS1	83	%REC
59594	07/28/04	GW11502ST	GEL	355181	1200677810	04D1071	ZINC	MS1	98	%REC

67

Table 5-6. Summary of MS & MSD Recovery Data.

Analyte Group	Total Number of MS & MSD Results	Number of Low Results Below 75%	Number of High Results Above 125%	Number Acceptable	Percentage Acceptable	Goal Met
Metals	197	11	3	183	92.89	Yes
VOCs	60	2	0	58	96.67	Yes
WQP	17	4	0	13	76.47	No
Totals	274	17	3	254	92.70	Yes (overall)

Table Notes:

MS is matrix spike and MSD is matrix spike duplicate sample.

VOC indicates volatile organic compounds.

WQP indicates water quality parameters.

Relative bias values are used instead of matrix spikes for evaluating radionuclide accuracy.

68

Table 5-7. Lab Control Sample (LCS) Data for Radionuclides.

Result Type	Lab	Lab Batch	Lab Sample Number	Analyte	Result	Units	Error	Relative Bias	RIN
LC1	GEL	363188	1200696356	URANIUM-238	22.3	PCI/L	3.67	-0.082	04D1105
LC1	GEL	370996	1200715074	URANIUM-238	22.7	PCI/L	3.66	-0.066	04D1210
LC1	GEL	369591	1200711824	URANIUM-238	23.1	PCI/L	3.61	-0.049	04D1196
LC1	GEL	369591	1200711824	URANIUM-238	23.1	PCI/L	3.61	-0.049	04D1173
LC1	GEL	361221	1200691697	URANIUM-238	23.7	PCI/L	3.89	-0.025	04D1097
LC1	GEL	354315	1200675805	URANIUM-238	24.8	PCI/L	4.15	0.021	04D1049
LC1	GEL	354315	1200675805	URANIUM-238	24.8	PCI/L	4.15	0.021	04D1026
LC1	GEL	366549	1200704451	URANIUM-238	10	PCI/L	1.76	0.028	04D1152
LC1	GEL	358583	1200685808	URANIUM-238	25	PCI/L	3.91	0.029	04D1074
LC1	GEL	358294	1200685116	URANIUM-238	27.2	PCI/L	4.47	0.119	04D1071
LC1	GEL	370417	1200713579	STRONTIUM-89,90	52.9	PCI/L	14.1	0.161	04D1210

69

Table 5-8. Lab Control Sample (LCS) Data for Non-Radionuclides.

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	VANADIUM	88.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	POTASSIUM	89.5	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	BARIUM	91.3	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	THALLIUM	92.2	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	BARIUM	92.4	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	SELENIUM	93.6	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	POTASSIUM	94.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	THALLIUM	94.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	ARSENIC	94.1	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	THALLIUM	94.1	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	MAGNESIUM	94.5	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	MOLYBDENUM	94.6	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	ANTIMONY	94.6	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	THALLIUM	94.6	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	VANADIUM	94.6	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	ALUMINUM	95.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	BARIUM	95.4	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	CADMIUM	95.6	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	THALLIUM	95.6	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	THALLIUM	95.6	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	VANADIUM	95.8	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	BARIUM	96.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	STRONTIUM	96.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	MOLYBDENUM	96.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	MAGNESIUM	96.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	BARIUM	96.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	MOLYBDENUM	96.2	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	CADMIUM	96.2	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	CADMIUM	96.5	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	THALLIUM	97.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	SILVER	97.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	STRONTIUM	97.4	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	COBALT	97.4	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	VANADIUM	97.4	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	SODIUM	97.5	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	SELENIUM	97.8	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	URANIUM, TOTAL	97.8	%REC

70

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	ARSENIC	98.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	COBALT	98.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	SELENIUM	98.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	MAGNESIUM	98.1	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	COBALT	98.2	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	VANADIUM	98.4	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	BARIUM	98.4	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	ZINC	98.4	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	SILVER	98.6	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	ARSENIC	98.6	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	MANGANESE	98.8	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	ANTIMONY	99.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	MAGNESIUM	99.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	LEAD	99.1	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	COBALT	99.1	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	BARIUM	99.2	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	CHROMIUM	99.2	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	TIN	99.4	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	POTASSIUM	99.5	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	ZINC	99.5	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	VANADIUM	99.6	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	ANTIMONY	99.6	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	SELENIUM	99.6	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	MANGANESE	99.8	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	CADMIUM	99.8	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	VANADIUM	99.9	%REC
LC3	Metal	MET-A-013	04D1071	GEL	1200677808	LITHIUM	100.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	TIN	100.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	COPPER	100.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	ANTIMONY	100.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	STRONTIUM	100.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	ARSENIC	100.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	COPPER	100.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	TIN	100.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	TIN	100.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	MOLYBDENUM	100.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	COBALT	100.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	TIN	100.0	%REC

71

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	COPPER	100.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	LITHIUM	100.2	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	ARSENIC	100.4	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	IRON	100.5	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	CHROMIUM	100.6	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	VANADIUM	100.6	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	LEAD	100.8	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	ZINC	101.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	ALUMINUM	101.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	CADMIUM	101.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	CADMIUM	101.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	NICKEL	101.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	CHROMIUM	101.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	CALCIUM	101.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	NICKEL	101.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	SILVER	101.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	SODIUM	101.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	STRONTIUM	101.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	SELENIUM	101.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	COBALT	101.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	ANTIMONY	101.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	ARSENIC	101.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	NICKEL	101.4	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	COBALT	101.4	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	SELENIUM	101.8	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	BERYLLIUM	102.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	NICKEL	102.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	COPPER	102.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	CALCIUM	102.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	POTASSIUM	102.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	BARIUM	102.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	STRONTIUM	102.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	ALUMINUM	102.0	%REC
LC2	Metal	MET-A-013	04D1071	GEL	1200677808	SODIUM	102.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	IRON	102.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	ANTIMONY	102.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	MANGANESE	102.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	MOLYBDENUM	102.0	%REC

72

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	LITHIUM	102.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	TIN	102.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	URANIUM, TOTAL	102.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	COPPER	102.2	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	COPPER	102.4	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	LEAD	102.4	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	ARSENIC	102.6	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	COBALT	102.6	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	MOLYBDENUM	102.8	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	NICKEL	102.8	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	CALCIUM	103.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	SILVER	103.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	SILVER	103.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	SELENIUM	103.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	LITHIUM	103.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	NICKEL	103.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	IRON	103.0	%REC
LC3	Metal	MET-A-013	04D1074	GEL	1200679689	ALUMINUM	103.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	MANGANESE	103.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	MOLYBDENUM	103.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	URANIUM, TOTAL	103.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	SELENIUM	103.4	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	CADMIUM	103.6	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	ZINC	104.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200713536	MERCURY	104.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	NICKEL	104.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	ANTIMONY	104.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	STRONTIUM	104.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	MANGANESE	104.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	CHROMIUM	104.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	CALCIUM	104.0	%REC
LC2	Metal	MET-A-013	04D1074	GEL	1200679689	LITHIUM	104.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	LEAD	104.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685970	MERCURY	104.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200709074	MERCURY	104.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	LEAD	104.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	MAGNESIUM	104.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	SODIUM	104.0	%REC

73

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	SILVER	104.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	NICKEL	104.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	COPPER	104.2	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	COPPER	104.2	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	STRONTIUM	104.4	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	ZINC	104.8	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	CADMIUM	105.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200688333	MERCURY	105.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	ALUMINUM	105.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	IRON	105.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	BERYLLIUM	105.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	CALCIUM	105.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	LEAD	105.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	ARSENIC	105.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	MANGANESE	105.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	ZINC	105.0	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	ALUMINUM	105.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	LEAD	105.2	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	MANGANESE	105.2	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	MANGANESE	105.2	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	CALCIUM	105.5	%REC
LC2	Metal	MET-A-013	04D1074	GEL	1200679689	POTASSIUM	105.5	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	TIN	105.6	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	TIN	105.6	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	CHROMIUM	105.6	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	CHROMIUM	106.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	MAGNESIUM	106.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	ALUMINUM	106.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	URANIUM, TOTAL	106.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	POTASSIUM	106.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	LEAD	106.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	CALCIUM	106.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	MOLYBDENUM	106.2	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	URANIUM, TOTAL	106.4	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	SILVER	106.8	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200680483	CHROMIUM	107.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	IRON	107.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	IRON	107.0	%REC

74

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	ALUMINUM	107.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	SODIUM	107.5	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	CALCIUM	107.5	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	LITHIUM	108.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	ANTIMONY	108.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	SODIUM	108.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	IRON	108.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	URANIUM, TOTAL	108.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	URANIUM, TOTAL	108.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	CHROMIUM	108.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	LITHIUM	108.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	SILVER	108.4	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667541	MERCURY	108.5	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	STRONTIUM	108.8	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	POTASSIUM	109.0	%REC
LC1	Metal	MET-A-013	04D1105	GEL	1200687558	SODIUM	109.0	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677685	MERCURY	109.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	BERYLLIUM	109.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200680052	MERCURY	109.0	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	POTASSIUM	109.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	IRON	109.5	%REC
LC1	Metal	MET-A-013	04D1097	GEL	1200683856	ZINC	109.6	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	BERYLLIUM	111.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	URANIUM, TOTAL	111.8	%REC
LC1	Metal	MET-A-013	04D1196	GEL	1200712789	MAGNESIUM	112.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	SODIUM	112.0	%REC
LC1	Metal	MET-A-013	04D1210	GEL	1200721130	BERYLLIUM	112.0	%REC
LC1	Metal	MET-A-013	04D1074	GEL	1200679689	BERYLLIUM	112.2	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	ZINC	112.4	%REC
LC1	Metal	MET-A-013	04D1071	GEL	1200677808	MAGNESIUM	113.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	BERYLLIUM	114.0	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	BERYLLIUM	117.0	%REC
LC1	Metal	MET-A-013	04D1026	GEL	1200667142	LITHIUM	120.4	%REC
LC2	Metal	MET-A-013	04D1097	GEL	1200685500	THALLIUM	9638.0	%REC
LC1	VOC	VOA-A-007	04D1105	GEL	1200691492	BENZENE	86.0	%REC
LC1	VOC	VOA-A-007	04D1049	GEL	1200672746	BENZENE	89.0	%REC
LC1	VOC	VOA-A-007	04D1026	GEL	1200672744	BENZENE	89.0	%REC
LC1	VOC	VOA-A-007	04D1071	GEL	1200681357	1,1-DICHLOROETHENE	89.0	%REC

15

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	VOC	VOA-A-007	04D1105	GEL	1200691492	TOLUENE	89.0	%REC
LC1	VOC	VOA-A-007	04D1074	GEL	1200685063	BENZENE	89.0	%REC
LC2	VOC	VOA-A-007	04D1210	GEL	1200718271	BENZENE	89.0	%REC
LC1	VOC	VOA-A-007	04D1074	GEL	1200685063	1,1-DICHLOROETHENE	89.0	%REC
LC1	VOC	VOA-A-007	04D1074	GEL	1200685063	TOLUENE	90.0	%REC
LC1	VOC	VOA-A-007	04D1071	GEL	1200681357	BENZENE	91.0	%REC
LC1	VOC	VOA-A-007	04D1105	GEL	1200691492	CHLOROBENZENE	91.0	%REC
LC1	VOC	VOA-A-007	04D1071	GEL	1200681357	TOLUENE	92.0	%REC
LC1	VOC	VOA-A-007	04D1105	GEL	1200691492	1,1-DICHLOROETHENE	92.0	%REC
LC2	VOC	VOA-A-007	04D1210	GEL	1200718271	TOLUENE	92.0	%REC
LC1	VOC	VOA-A-007	04D1049	GEL	1200672746	CHLOROBENZENE	92.0	%REC
LC1	VOC	VOA-A-007	04D1196	GEL	1200717661	BENZENE	92.0	%REC
LC1	VOC	VOA-A-007	04D1074	GEL	1200685063	TRICHLOROETHENE	93.0	%REC
LC2	VOC	VOA-A-007	04D1210	GEL	1200718271	1,1-DICHLOROETHENE	93.0	%REC
LC2	VOC	VOA-A-007	04D1097	GEL	1200688983	1,1-DICHLOROETHENE	94.0	%REC
LC1	VOC	VOA-A-007	04D1210	GEL	1200717303	BENZENE	94.0	%REC
LC1	VOC	VOA-A-007	04D1105	GEL	1200691492	TRICHLOROETHENE	95.0	%REC
LC1	VOC	VOA-A-007	04D1049	GEL	1200672746	TRICHLOROETHENE	95.0	%REC
LC1	VOC	VOA-A-007	04D1026	GEL	1200672744	TRICHLOROETHENE	95.0	%REC
LC1	VOC	VOA-A-007	04D1196	GEL	1200717661	1,1-DICHLOROETHENE	95.0	%REC
LC2	VOC	VOA-A-007	04D1105	GEL	1200692257	TOLUENE	95.0	%REC
LC1	VOC	VOA-A-007	04D1074	GEL	1200685063	CHLOROBENZENE	96.0	%REC
LC1	VOC	VOA-A-007	04D1071	GEL	1200681357	CHLOROBENZENE	97.0	%REC
LC1	VOC	VOA-A-007	04D1049	GEL	1200672746	TOLUENE	97.0	%REC
LC1	VOC	VOA-A-007	04D1049	GEL	1200672746	1,1-DICHLOROETHENE	97.0	%REC
LC2	VOC	VOA-A-007	04D1097	GEL	1200688983	BENZENE	97.0	%REC
LC2	VOC	VOA-A-007	04D1105	GEL	1200692257	BENZENE	97.0	%REC
LC2	VOC	VOA-A-007	04D1097	GEL	1200688983	TOLUENE	97.0	%REC
LC2	VOC	VOA-A-007	04D1210	GEL	1200718271	CHLOROBENZENE	97.0	%REC
LC2	VOC	VOA-A-007	04D1210	GEL	1200718271	TRICHLOROETHENE	98.0	%REC
LC1	VOC	VOA-A-007	04D1196	GEL	1200717661	TOLUENE	98.0	%REC
LC2	VOC	VOA-A-007	04D1105	GEL	1200692257	CHLOROBENZENE	98.0	%REC
LC1	VOC	VOA-A-007	04D1026	GEL	1200672744	CHLOROBENZENE	98.0	%REC
LC1	VOC	VOA-A-007	04D1097	GEL	1200687721	1,1-DICHLOROETHENE	98.0	%REC
LC1	VOC	VOA-A-007	04D1026	GEL	1200672744	TOLUENE	99.0	%REC
LC2	VOC	VOA-A-007	04D1097	GEL	1200688983	TRICHLOROETHENE	99.0	%REC
LC1	VOC	VOA-A-007	04D1196	GEL	1200717661	TRICHLOROETHENE	99.0	%REC
LC2	VOC	VOA-A-007	04D1097	GEL	1200688983	CHLOROBENZENE	100.0	%REC

76

Result Type	Group	LIC	RIN	Lab	Lab Sample Number	Analyte	Result	Units
LC1	VOC	VOA-A-007	04D1097	GEL	1200687721	BENZENE	100.0	%REC
LC1	VOC	VOA-A-007	04D1026	GEL	1200672744	1,1-DICHLOROETHENE	100.0	%REC
LC1	VOC	VOA-A-007	04D1196	GEL	1200717661	CHLOROBENZENE	100.0	%REC
LC1	VOC	VOA-A-007	04D1071	GEL	1200681357	TRICHLOROETHENE	100.0	%REC
LC1	VOC	VOA-A-007	04D1210	GEL	1200717303	1,1-DICHLOROETHENE	101.0	%REC
LC1	VOC	VOA-A-007	04D1210	GEL	1200717303	TRICHLOROETHENE	101.0	%REC
LC1	VOC	VOA-A-007	04D1210	GEL	1200717303	CHLOROBENZENE	102.0	%REC
LC1	VOC	VOA-A-007	04D1210	GEL	1200717303	TOLUENE	104.0	%REC
LC1	VOC	VOA-A-007	04D1097	GEL	1200687721	TOLUENE	104.0	%REC
LC1	VOC	VOA-A-007	04D1097	GEL	1200687721	TRICHLOROETHENE	104.0	%REC
LC1	VOC	VOA-A-007	04D1097	GEL	1200687721	CHLOROBENZENE	105.0	%REC
LC2	VOC	VOA-A-007	04D1105	GEL	1200692257	1,1-DICHLOROETHENE	106.0	%REC
LC2	VOC	VOA-A-007	04D1105	GEL	1200692257	TRICHLOROETHENE	109.0	%REC
LC1	WQP	WCH-A-036	04D1210	GEL	1200718027	SULFATE	96.0	%REC
LC1	WQP	WCH-A-036	04D1026	GEL	1200676513	SULFATE	97.0	%REC
LC1	WQP	WCH-A-036	04D1196	GEL	1200710917	SULFATE	97.0	%REC
LC1	WQP	WCH-A-018	04D1026	GEL	1200676513	FLUORIDE	98.0	%REC
LC1	WQP	WCH-A-018	04D1196	GEL	1200710917	FLUORIDE	98.0	%REC
LC1	WQP	WCH-A-022	04D1049	GEL	1200679308	NITRATE/NITRITE	98.0	%REC
LC1	WQP	WCH-A-018	04D1210	GEL	1200718027	FLUORIDE	99.0	%REC
LC2	WQP	WCH-A-022	04D1049	GEL	1200681313	NITRATE/NITRITE	100.0	%REC
LC1	WQP	WCH-A-036	04D1097	GEL	1200689412	SULFATE	101.0	%REC
LC1	WQP	WCH-A-018	04D1097	GEL	1200689412	FLUORIDE	102.0	%REC
LC1	WQP	WCH-A-036	04D1071	GEL	1200680842	SULFATE	103.0	%REC
LC1	WQP	WCH-A-018	04D1071	GEL	1200680842	FLUORIDE	104.0	%REC
LC1	WQP	WCH-A-022	04D1026	GEL	1200678529	NITRATE/NITRITE	104.0	%REC
LC1	WQP	WCH-A-022	04D1071	GEL	1200682150	NITRATE/NITRITE	105.0	%REC
LC1	WQP	WCH-A-022	04D1097	GEL	1200686054	NITRATE/NITRITE	106.0	%REC
LC1	WQP	WCH-A-022	04D1210	GEL	1200715316	NITRATE/NITRITE	108.0	%REC
LC1	WQP	WCH-A-022	04D1196	GEL	1200715316	NITRATE/NITRITE	108.0	%REC
LC1	WQP	WCH-A-022	04D1173	GEL	1200712259	NITRATE/NITRITE	110.0	%REC
LC1	WQP	WCH-A-022	04D1105	GEL	1200690230	NITRATE/NITRITE	110.0	%REC

77

Table 5-9. Data Rejected During Verification or Validation.

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Validation Reason	Detect Limit	Dilution	Filtered	Well Class	Tier II
41993	9/2/04	GW11516ST	NITRATE/NITRITE	REAL	TR1	3320		UG/L		R1	113	3	1	NO	N	10000

Table 5-10. Equipment Rinsate Results.

QC Code	Location	Sample Date	Analyte	Result Type	Result	Result Qualifier	Error	Units	Validation	Detection Limit	Result/ Detction Limit	Dilution	Filtered	Tier II	Result/ Tier II	Well Class	Sample Number	RIN
RNS	20902	07/20/04	ACETONE	TR1	21.5			UG/L	V1			1	NO	3650	0.0059	PE	GW11560ST	04D1049
RNS	59294	08/03/04	CADMIUM	TR1	0.103	B		UG/L	V1			1	YES	5	0.0206	N	GW11501ST	04D1074
RNS	59294	08/03/04	CALCIUM	TR1	151	B		UG/L	V1			1	YES			N	GW11501ST	04D1074
RNS	59294	08/03/04	COBALT	TR1	1.43	B		UG/L	V1			1	YES	2190	0.0007	N	GW11501ST	04D1074
RNS	70493	09/23/04	COBALT	TR1	0.86	B		UG/L	V1			1	YES	2190	0.0004	R	GW11574ST	04D1196
RNS	59294	08/03/04	COPPER	TR1	1	B		UG/L	V1			1	YES	1300	0.0008	N	GW11501ST	04D1074
RNS	70493	09/23/04	FLUORIDE	TR1	69	B		UG/L	V1	55.3	1.25	1	NO	4000	0.0173	R	GW11574ST	04D1196
RNS	59294	08/03/04	LEAD	TR1	0.11	B		UG/L	V1			1	YES	15	0.0073	N	GW11501ST	04D1074
RNS	70493	09/23/04	LEAD	TR1	0.082	B		UG/L	V1			1	YES	15	0.0055	R	GW11574ST	04D1196
RNS	59294	08/03/04	LITHIUM	TR2	0.245	B		UG/L	V1			1	YES	730	0.0003	N	GW11501ST	04D1074
RNS	59294	08/03/04	MAGNESIUM	TR1	23.3	B		UG/L	J1			1	YES			N	GW11501ST	04D1074
RNS	59294	08/03/04	MANGANESE	TR1	2.75	B		UG/L	V1			1	YES	1720	0.0016	N	GW11501ST	04D1074
RNS	70493	09/23/04	NICKEL	TR1	0.56	B		UG/L	V1			1	YES	140	0.0040	R	GW11574ST	04D1196
RNS	70493	09/23/04	NITRATE/NITRITE	TR1	7.94	B		UG/L	J1	3	2.65	1	NO	10000	0.0008	R	GW11574ST	04D1196
RNS	59294	08/03/04	POTASSIUM	TR2	64.1	B		UG/L	V1			1	YES			N	GW11501ST	04D1074
RNS	70493	09/23/04	POTASSIUM	TR1	27.7	B		UG/L	V1			1	YES			R	GW11574ST	04D1196
RNS	70493	09/23/04	SODIUM	TR1	331	B		UG/L	V1			1	YES			R	GW11574ST	04D1196
RNS	59294	08/03/04	STRONTIUM	TR1	0.748	B		UG/L	V1			1	YES	21900	0.0000	N	GW11501ST	04D1074
RNS	70493	09/23/04	SULFATE	TR1	545	B		UG/L	V1	193	2.82	1	NO	500000	0.0011	R	GW11574ST	04D1196
RNS	59294	08/03/04	ZINC	TR1	4.56	B		UG/L	V1			1	YES	11000	0.0004	N	GW11501ST	04D1074
RNS	59294	08/03/04	ALUMINUM	TR3	12	BE		UG/L	J1			1	YES	36500	0.0003	N	GW11501ST	04D1074
RNS	59294	08/03/04	NICKEL	TR1	1.82	BE		UG/L	J1			1	YES	140	0.0130	N	GW11501ST	04D1074

QC Code	Location	Sample Date	Analyte	Result Type	Result	Result Qualifier	Error	Units	Validation	Detection Limit	Result/ Detection Limit	Dilution	Filtered	Tier II	Result/ Tier II	Well Class	Sample Number	RIN
RNS	59294	08/03/04	SODIUM	TR1	403	BNE		UG/L	J1			1	YES			N	GW11501ST	04D1074
RNS	20902	07/20/04	CARBON TETRACHLORIDE	TR1	0.58	J		UG/L	V1			1	NO	5	0.1160	PE	GW11560ST	04D1049
RNS	20902	07/20/04	CHLOROFORM	TR1	0.72	J		UG/L	V1			1	NO	100	0.0072	PE	GW11560ST	04D1049
RNS	59294	08/03/04	CHLOROFORM	TR1	0.6	J		UG/L	J1			1	NO	100	0.0060	N	GW11501ST	04D1074
RNS	20902	07/20/04	TOLUENE	TR1	0.55	JB		UG/L	JB1			1	NO	1000	0.0006	PE	GW11560ST	04D1049

Table 5-11. Comparison of Required versus Collected Groundwater Samples.

Sample Types	Required Number of Visits	Actual Number of Visits*	Deviation	Success Ratio; % Samples Collected (or Wells Visited)	Discrepancy Justification
Groundwater Wells (Visits)	74	74	0	100.0	
Volatile Organic Compounds	64	44	20	68.8	Dry or Insw
Metals	37	24	13	64.9	Dry or Insw
Radionuclides					
U-isotope	57	39	18	68.4	Dry or Insw
Strontium-89/90	1	1	0	100.0	
Water Quality Parameters					
Fluoride	10	8	2	80.0	Dry or Insw
Nitrate/Nitrite	32	26	6	81.3	Dry or Insw
Sulfate	10	8	2	80.0	Dry or Insw
Totals	211	150	61	71.1	Dry or Insw

Table Notes:

*Does not reflect multiple visits to dry wells or wells with limited water.

Dry = Well did not recharge after purging. No samples collected.

Insw = Insufficient water to complete sample suite.

81

Table 5-12. Summary of Validation and Verification Data Completeness.

Chemical Group	Analytical Method	Total Number of Data Values	Number of Unvalidated Data Values	Number Rejected	Net Usable Data Values	Completeness	Goal Met
Metal	EPA 600	616	1	0	615	99.84	Yes
Radionuclide	ALPHA SPEC	105	36	0	69	65.71	No
Radionuclide	GAS PROPORTIONAL COUNTER	1	1	0	0	0.00	No
VOC	SW-846 8260 LOW LEVEL	2817	129	0	2688	95.42	Yes
WQP	IONS	8	0	0	8	100.00	Yes
WQP	IONS	22	0	1	21	95.45	Yes
WQP	IONS	8	0	0	8	100.00	Yes
Totals		3577	167	1	3409	95.30	Yes

82

Table 5-13. Summary of Field Quality Control Samples & Data Records.

Analyte Group	Analytical Method	Line Item Code	Number of Wells Sampled for REALs	Number of Wells Sampled for DUPs	Number of Wells Sampled for RNSs	Ratio REALs/ DUPs (Goal <20)	Ratio REALs/ RNSs (Goal <20)	Number REAL Records	Number DUP Records	Number RNS Records	Total Records
Metal	EPA 600	MET-A-013	18	2	2	9	9	504	56	56	616
Radionuclide	ALPHA SPEC	ASP-A-024	31	2	2	15.5	15.5	93	6	6	105
VOC	SW-846 8260 LOW LEVEL	VOA-A-007	29	3	3	9.67	9.67	2433	192	192	2817
WQP	IONS	WCH-A-018	6	1	1	6	6	6	1	1	8
WQP	IONS	WCH-A-022	20	1	1	20	20	20	1	1	22
WQP	IONS	WCH-A-036	6	1	1	6	6	6	1	1	8
Totals			110	10	10	11	11	3062	257	257	3576
Percentages						8.33	8.33		7.74	7.74	

Review Exemption: CEX-105-01

6 REFERENCES

CDPHE, 1996, Letter from Steve Tarlton to Steven W. Slaten. November 19, 1996.

CDPHE, 1998, Groundwater VOC Sample Preservation Policy, June 22, 1998.

CDPHE, DOE, and EPA, 1996, Final Rocky Flats Cleanup Agreement, July 19, 1996.

CDPHE, DOE and EPA, 2003, Final RFCA Attachment 5, RFETS Action Levels and Standards Framework for Surface Water, Ground Water, and Soils, dated May 28, 2003.

DOE, 2003a, FY2004 Integrated Monitoring Plan, Revision 1, December 2003.

DOE, 2003b, FY2004 Integrated Monitoring Plan Background Document, Revision 1, December 2003.

EG&G, 1993, Background Geochemical Characterization Report, September 30, 1993.

EPA, 1996, Letter from Tim Rehder to Steven W. Slaten, RE: Monitoring Well List, November 14, 1996.

K-H, 2004, Final 2004 Annual RFCA Groundwater Monitoring Report for the Rocky Flats Environmental Technology Site, December, 2004, Ref: 04-RF-2003-GWMR.

K-H and URS, 2004a, Fourth Quarter RFCA Groundwater Monitoring Report for Calendar Year 2003: Rocky Flats Environmental Technology Site, May 25, 2004, Ref: 04-RF-00571.

K-H and URS, 2004b, First Quarter RFCA Groundwater Monitoring Report for Calendar Year 2004: Rocky Flats Environmental Technology Site, May 25, 2004, Ref: 04-RF-00572.

K-H and URS, 2004c, Second Quarter RFCA Groundwater Monitoring Report for Calendar Year 2004: Rocky Flats Environmental Technology Site, September 28, 2004, Ref: 04-RF-00939.

RMRS, 1998, Procedure: Evaluation of Data for Usability in Final Reports. Document Number RF/RMRS-98-200, Revision 0, Effective date 8/14/98, 16 pages.

RMRS, 2001, Quality Assurance Program Plan For The Groundwater Monitoring Program Rocky Flats Environmental Technology Site, February 5, 2001, Ref: 01-RF-00338.

84

APPENDIX A

THIRD QUARTER 2004
GROUNDWATER ANALYTICAL DATA

85

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
0487	09/28/04	GW11564ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	200
0487	09/28/04	GW11564ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
0487	09/28/04	GW11564ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
0487	09/28/04	GW11564ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	3650
0487	09/28/04	GW11564ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	7
0487	09/28/04	GW11564ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	PD	70
0487	09/28/04	GW11564ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	600
0487	09/28/04	GW11564ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
0487	09/28/04	GW11564ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
0487	09/28/04	GW11564ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	600
0487	09/28/04	GW11564ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	75
0487	09/28/04	GW11564ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	PD	21900
0487	09/28/04	GW11564ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	PD	2920
0487	09/28/04	GW11564ST	ACETONE	REAL	TR1	10		UG/L	U	V		1	NO	PD	3650
0487	09/28/04	GW11564ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
0487	09/28/04	GW11564ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
0487	09/28/04	GW11564ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
0487	09/28/04	GW11564ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	51.1
0487	09/28/04	GW11564ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ		1	NO	PD	3650
0487	09/28/04	GW11564ST	CARBON TETRACHLORIDE	REAL	TR1	0.7		UG/L	J	V		1	NO	PD	5
0487	09/28/04	GW11564ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
0487	09/28/04	GW11564ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	29.4
0487	09/28/04	GW11564ST	CHLOROFORM	REAL	TR1	0.94		UG/L	J	V		1	NO	PD	100
0487	09/28/04	GW11564ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	PD	6.55
0487	09/28/04	GW11564ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	70
0487	09/28/04	GW11564ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
0487	09/28/04	GW11564ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1.01
0487	09/28/04	GW11564ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	700
0487	09/28/04	GW11564ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	10
0487	09/28/04	GW11564ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
0487	09/28/04	GW11564ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1460
0487	09/28/04	GW11564ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
0487	09/28/04	GW11564ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
0487	09/28/04	GW11564ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	TETRACHLOROETHENE	REAL	TR1	1.2		UG/L		V		1	NO	PD	5
0487	09/28/04	GW11564ST	TOLUENE	REAL	TR1	0.49		UG/L	JB	JB		1	NO	PD	1000
0487	09/28/04	GW11564ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	PD	10000
0487	09/28/04	GW11564ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	70
0487	09/28/04	GW11564ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
0487	09/28/04	GW11564ST	TRICHLOROETHENE	REAL	TR1	80.3		UG/L		V		1	NO	PD	5
0487	09/28/04	GW11564ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
0487	09/28/04	GW11564ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PD	2
06291	08/03/04	GW11471ST	URANIUM-233,-234	REAL	TR1	10.6	2.22	PCI/L		V1			YES	N	1.06
06291	08/03/04	GW11471ST	URANIUM-235	REAL	TR1	0.133	.214	PCI/L	U	V1			YES	N	1.01
06291	08/03/04	GW11471ST	URANIUM-238	REAL	TR1	6.48	1.59	PCI/L		V1			YES	N	0.768
10304	08/16/04	GW11584ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	200

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
10304	08/16/04	GW11584ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
10304	08/16/04	GW11584ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	3650
10304	08/16/04	GW11584ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	7
10304	08/16/04	GW11584ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
10304	08/16/04	GW11584ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
10304	08/16/04	GW11584ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
10304	08/16/04	GW11584ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	75
10304	08/16/04	GW11584ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	21900
10304	08/16/04	GW11584ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	2920
10304	08/16/04	GW11584ST	ACETONE	REAL	TR1	5.8		UG/L	J	V1		1	NO	N	3650
10304	08/16/04	GW11584ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
10304	08/16/04	GW11584ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
10304	08/16/04	GW11584ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	51.1
10304	08/16/04	GW11584ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	N	3650
10304	08/16/04	GW11584ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
10304	08/16/04	GW11584ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	29.4
10304	08/16/04	GW11584ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
10304	08/16/04	GW11584ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	6.55
10304	08/16/04	GW11584ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
10304	08/16/04	GW11584ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
10304	08/16/04	GW11584ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1.01
10304	08/16/04	GW11584ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
10304	08/16/04	GW11584ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	700
10304	08/16/04	GW11584ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	10
10304	08/16/04	GW11584ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1460
10304	08/16/04	GW11584ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	NITRATE/NITRITE	REAL	TR1	10		UG/L	U	J1	10	1	NO	N	10000
10304	08/16/04	GW11584ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
10304	08/16/04	GW11584ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
10304	08/16/04	GW11584ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1000
10304	08/16/04	GW11584ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	N	10000
10304	08/16/04	GW11584ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
10304	08/16/04	GW11584ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
10304	08/16/04	GW11584ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
10304	08/16/04	GW11584ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
10304	08/16/04	GW11584ST	URANIUM-233,-234	REAL	TR1	4.42	1.23	PCI/L		V			YES	N	1.06
10304	08/16/04	GW11584ST	URANIUM-235	REAL	TR1	0.498	.389	PCI/L	J	V			YES	N	1.01
10304	08/16/04	GW11584ST	URANIUM-238	REAL	TR1	3.11	1.02	PCI/L		V			YES	N	0.768
10304	08/16/04	GW11584ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	2
11104	08/17/04	GW11585ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	200
11104	08/17/04	GW11585ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1

87

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
11104	08/17/04	GW11585ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	3650
11104	08/17/04	GW11585ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	7
11104	08/17/04	GW11585ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
11104	08/17/04	GW11585ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
11104	08/17/04	GW11585ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
11104	08/17/04	GW11585ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	75
11104	08/17/04	GW11585ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	21900
11104	08/17/04	GW11585ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	2920
11104	08/17/04	GW11585ST	ACETONE	REAL	TR1	4.7		UG/L	J	V1		1	NO	PE	3650
11104	08/17/04	GW11585ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
11104	08/17/04	GW11585ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
11104	08/17/04	GW11585ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	51.1
11104	08/17/04	GW11585ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	3650
11104	08/17/04	GW11585ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
11104	08/17/04	GW11585ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	29.4
11104	08/17/04	GW11585ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
11104	08/17/04	GW11585ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	6.55
11104	08/17/04	GW11585ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
11104	08/17/04	GW11585ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
11104	08/17/04	GW11585ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1.01
11104	08/17/04	GW11585ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PE	
11104	08/17/04	GW11585ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	700
11104	08/17/04	GW11585ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	10
11104	08/17/04	GW11585ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1460
11104	08/17/04	GW11585ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
11104	08/17/04	GW11585ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
11104	08/17/04	GW11585ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/17/04	GW11585ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1000
11104	08/17/04	GW11585ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PE	10000
11104	08/17/04	GW11585ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
11104	08/17/04	GW11585ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
11104	08/17/04	GW11585ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
11104	08/17/04	GW11585ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
11104	08/30/04	GW11585ST	URANIUM-233,-234	REAL	TR1	20.1	2.98	PCI/L					YES	PE	1.06
11104	08/30/04	GW11585ST	URANIUM-235	REAL	TR1	1.11	.369	PCI/L					YES	PE	1.01
11104	08/30/04	GW11585ST	URANIUM-238	REAL	TR1	11.2	1.8	PCI/L					YES	PE	0.768
11104	08/17/04	GW11585ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	2
1786	09/28/04	GW11561ST	NITRATE/NITRITE	REAL	TR1	164		UG/L		J1	3	1	NO	PE	10000
1786	09/28/04	GW11561ST	URANIUM-233,-234	REAL	TR1	31.9	5.01	PCI/L					NO	PE	1.06
1786	09/28/04	GW11561ST	URANIUM-235	REAL	TR1	1.46	.716	PCI/L					NO	PE	1.01
1786	09/28/04	GW11561ST	URANIUM-238	REAL	TR1	25	4.12	PCI/L					NO	PE	0.768
20697	07/15/04	GW11479ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	

88

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20697	07/15/04	GW11479ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	200
20697	07/15/04	GW11479ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20697	07/15/04	GW11479ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	6.4		UG/L		V		1	NO	N	
20697	07/15/04	GW11479ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20697	07/15/04	GW11479ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	3650
20697	07/15/04	GW11479ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	7
20697	07/15/04	GW11479ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
20697	07/15/04	GW11479ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
20697	07/15/04	GW11479ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20697	07/15/04	GW11479ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20697	07/15/04	GW11479ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
20697	07/15/04	GW11479ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	75
20697	07/15/04	GW11479ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	21900
20697	07/15/04	GW11479ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	2920
20697	07/15/04	GW11479ST	ACETONE	REAL	TR1	29.4		UG/L		V		1	NO	N	3650
20697	07/29/04	GW11479ST	ALUMINUM	REAL	TR1	9.08		UG/L	U	V1		1	YES	N	36500
20697	07/29/04	GW11479ST	ANTIMONY	REAL	TR1	1.3		UG/L	B	J1		1	YES	N	10
20697	07/29/04	GW11479ST	ARSENIC	REAL	TR1	1.6		UG/L	B	J1		1	YES	N	50
20697	07/29/04	GW11479ST	BARIUM	REAL	TR1	197		UG/L		J1		1	YES	N	2000
20697	07/15/04	GW11479ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20697	07/15/04	GW11479ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/29/04	GW11479ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	YES	N	5
20697	07/15/04	GW11479ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20697	07/15/04	GW11479ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20697	07/15/04	GW11479ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	51.1
20697	07/29/04	GW11479ST	CADMIUM	REAL	TR1	0.58		UG/L	B	V1		1	YES	N	5
20697	07/29/04	GW11479ST	CALCIUM	REAL	TR1	93800		UG/L		V1		1	YES	N	
20697	07/15/04	GW11479ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	N	3650
20697	07/15/04	GW11479ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20697	07/15/04	GW11479ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20697	07/15/04	GW11479ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	29.4
20697	07/15/04	GW11479ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20697	07/15/04	GW11479ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	6.55
20697	07/29/04	GW11479ST	CHROMIUM	REAL	TR1	0.57		UG/L	B	J1		1	YES	N	100
20697	07/15/04	GW11479ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
20697	07/15/04	GW11479ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20697	07/29/04	GW11479ST	COBALT	REAL	TR1	5.4		UG/L	B	V1		1	YES	N	2190
20697	07/29/04	GW11479ST	COPPER	REAL	TR1	1.1		UG/L	B	V1		1	YES	N	1300
20697	07/15/04	GW11479ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1.01
20697	07/15/04	GW11479ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	700
20697	07/15/04	GW11479ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	N	10
20697	07/29/04	GW11479ST	IRON	REAL	TR1	663		UG/L		V1		1	YES	N	
20697	07/15/04	GW11479ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/29/04	GW11479ST	LEAD	REAL	TR1	0.2		UG/L	B	V1		1	YES	N	15
20697	07/29/04	GW11479ST	LITHIUM	REAL	TR1	12.3		UG/L	B	V1		1	YES	N	730
20697	07/29/04	GW11479ST	MAGNESIUM	REAL	TR1	36800		UG/L		V1		1	YES	N	
20697	07/29/04	GW11479ST	MANGANESE	REAL	TR1	19		UG/L		V1		1	YES	N	1720
20697	07/29/04	GW11479ST	MERCURY	REAL	TR1	0.06		UG/L	B	V1		1	YES	N	2
20697	07/15/04	GW11479ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20697	07/29/04	GW11479ST	MOLYBDENUM	REAL	TR1	2.9		UG/L	B	V1		1	YES	N	183
20697	07/15/04	GW11479ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1460
20697	07/15/04	GW11479ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/29/04	GW11479ST	NICKEL	REAL	TR1	13.2		UG/L	B	V1		1	YES	N	140
20697	07/15/04	GW11479ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20697	07/29/04	GW11479ST	POTASSIUM	REAL	TR1	251		UG/L	B	V1		1	YES	N	
20697	07/15/04	GW11479ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20697	07/15/04	GW11479ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/29/04	GW11479ST	SELENIUM	REAL	TR1	0.64		UG/L	U	V1		1	YES	N	50
20697	07/29/04	GW11479ST	SILVER	REAL	TR1	0.04		UG/L	U	V1		1	YES	N	183
20697	07/29/04	GW11479ST	SODIUM	REAL	TR1	137000		UG/L		V1		1	YES	N	
20697	07/29/04	GW11479ST	STRONTIUM	REAL	TR1	1040		UG/L		V1		1	YES	N	21900
20697	07/15/04	GW11479ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20697	07/15/04	GW11479ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/15/04	GW11479ST	TETRACHLOROETHENE	REAL	TR1	1.9		UG/L		V		1	NO	N	5
20697	07/29/04	GW11479ST	THALLIUM	REAL	TR1	0.042		UG/L	B	J1		1	YES	N	12
20697	07/29/04	GW11479ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	YES	N	21900
20697	07/15/04	GW11479ST	TOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1000
20697	07/15/04	GW11479ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	N	10000
20697	07/15/04	GW11479ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
20697	07/15/04	GW11479ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20697	07/15/04	GW11479ST	TRICHLOROETHENE	REAL	TR1	3.6		UG/L		V		1	NO	N	5
20697	07/15/04	GW11479ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20697	07/29/04	GW11479ST	URANIUM, TOTAL	REAL	TR1	15.5		UG/L		V1		1	YES	N	
20697	08/11/04	GW11479ST	URANIUM-233,-234	REAL	TR1	8.34	1.87	PCI/L		V1			YES	N	1.06
20697	08/11/04	GW11479ST	URANIUM-235	REAL	TR1	0.61	.459	PCI/L	J	V1			YES	N	1.01
20697	08/11/04	GW11479ST	URANIUM-238	REAL	TR1	5.87	1.49	PCI/L		V1			YES	N	0.768
20697	07/29/04	GW11479ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V1		1	YES	N	256
20697	07/15/04	GW11479ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	2
20697	07/29/04	GW11479ST	ZINC	REAL	TR1	9.7		UG/L	B	V1		1	YES	N	11000
20797	07/15/04	GW11482ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	200
20797	07/15/04	GW11482ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20797	07/15/04	GW11482ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	07/15/04	GW11482ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	3650
20797	07/15/04	GW11482ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	7
20797	07/15/04	GW11482ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
20797	07/15/04	GW11482ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
20797	07/15/04	GW11482ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	07/15/04	GW11482ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	07/15/04	GW11482ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
20797	07/15/04	GW11482ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	75
20797	07/15/04	GW11482ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	21900
20797	07/15/04	GW11482ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	2920
20797	07/15/04	GW11482ST	ACETONE	REAL	TR1	30		UG/L		V		1	NO	N	3650
20797	08/11/04	GW11482ST	ALUMINUM	REAL	TR1	9.56		UG/L	B	V		1	YES	N	36500
20797	08/11/04	GW11482ST	ANTIMONY	REAL	TR1	0.747		UG/L	B	UJ		1	YES	N	10
20797	08/11/04	GW11482ST	ARSENIC	REAL	TR1	1.68		UG/L	B	J		1	YES	N	50
20797	08/11/04	GW11482ST	BARIUM	REAL	TR1	101		UG/L	E	J		1	YES	N	2000
20797	07/15/04	GW11482ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	07/15/04	GW11482ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	08/11/04	GW11482ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	N	5
20797	07/15/04	GW11482ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20797	07/15/04	GW11482ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20797	07/15/04	GW11482ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	51.1
20797	08/11/04	GW11482ST	CADMIUM	REAL	TR1	0.224		UG/L	B	J		1	YES	N	5
20797	08/11/04	GW11482ST	CALCIUM	REAL	TR1	132000		UG/L		V		1	YES	N	
20797	07/15/04	GW11482ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	N	3650
20797	07/15/04	GW11482ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	07/15/04	GW11482ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20797	07/15/04	GW11482ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	29.4

90

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20797	07/15/04	GW11482ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20797	07/15/04	GW11482ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	6.55
20797	08/11/04	GW11482ST	CHROMIUM	REAL	TR1	0.878		UG/L	B	UJ		1	YES	N	100
20797	07/15/04	GW11482ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
20797	07/15/04	GW11482ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20797	08/11/04	GW11482ST	COBALT	REAL	TR1	5.61		UG/L	BE	J		1	YES	N	2190
20797	08/11/04	GW11482ST	COPPER	REAL	TR1	1.85		UG/L	B	J		1	YES	N	1300
20797	07/15/04	GW11482ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1.01
20797	07/15/04	GW11482ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	700
20797	07/15/04	GW11482ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	N	10
20797	08/11/04	GW11482ST	IRON	REAL	TR1	386		UG/L		V		1	YES	N	
20797	07/15/04	GW11482ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	08/11/04	GW11482ST	LEAD	REAL	TR1	0.11		UG/L	B	J		1	YES	N	15
20797	08/11/04	GW11482ST	LITHIUM	REAL	TR1	32.3		UG/L	B	V		1	YES	N	730
20797	08/11/04	GW11482ST	MAGNESIUM	REAL	TR1	47300		UG/L	E	J		1	YES	N	
20797	08/11/04	GW11482ST	MANGANESE	REAL	TR1	17		UG/L	E	J		1	YES	N	1720
20797	08/11/04	GW11482ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	N	2
20797	07/15/04	GW11482ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	08/11/04	GW11482ST	MOLYBDENUM	REAL	TR1	12.9		UG/L	B	V		1	YES	N	183
20797	07/15/04	GW11482ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1460
20797	07/15/04	GW11482ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	08/11/04	GW11482ST	NICKEL	REAL	TR1	654		UG/L		V		1	YES	N	140
20797	07/15/04	GW11482ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	08/11/04	GW11482ST	POTASSIUM	REAL	TR1	360		UG/L	B	V		1	YES	N	
20797	07/15/04	GW11482ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20797	07/15/04	GW11482ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	08/11/04	GW11482ST	SELENIUM	REAL	TR1	1.23		UG/L	B	V		1	YES	N	50
20797	08/11/04	GW11482ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	N	183
20797	08/11/04	GW11482ST	SODIUM	REAL	TR1	101000		UG/L	E	J		1	YES	N	
20797	08/11/04	GW11482ST	STRONTIUM	REAL	TR1	1390		UG/L		V		1	YES	N	21900
20797	07/15/04	GW11482ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
20797	07/15/04	GW11482ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	07/15/04	GW11482ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	08/11/04	GW11482ST	THALLIUM	REAL	TR1	0.02		UG/L	U	V		1	YES	N	12
20797	08/11/04	GW11482ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	N	21900
20797	07/15/04	GW11482ST	TOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1000
20797	07/15/04	GW11482ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	N	10000
20797	07/15/04	GW11482ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
20797	07/15/04	GW11482ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
20797	07/15/04	GW11482ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
20797	07/15/04	GW11482ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
20797	08/11/04	GW11482ST	URANIUM, TOTAL	REAL	TR1	44.3		UG/L		V		1	YES	N	
20797	08/31/04	GW11482ST	URANIUM-233,-234	REAL	TR1	22.1	3.26	PCI/L					YES	N	1.06
20797	08/31/04	GW11482ST	URANIUM-235	REAL	TR1	0.924	.334	PCI/L	J				YES	N	1.01
20797	08/31/04	GW11482ST	URANIUM-238	REAL	TR1	14.6	2.26	PCI/L					YES	N	0.768
20797	08/11/04	GW11482ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	N	256
20797	07/15/04	GW11482ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	2
20797	08/11/04	GW11482ST	ZINC	REAL	TR1	7.73		UG/L	B	UJ		1	YES	N	11000
20902	07/20/04	GW1159ST	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	1,1,1-TRICHLOROETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	200
20902	07/20/04	GW11551ST	1,1,1-TRICHLOROETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	200
20902	07/20/04	GW11560ST	1,1,1-TRICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	200
20902	08/18/04	GW11552ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	200
20902	08/18/04	GW11552ST	1,1,1-TRICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	200
20902	07/20/04	GW1159ST	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	1
20902	07/20/04	GW11551ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	1
20902	07/20/04	GW11560ST	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	08/18/04	GW11552ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	08/18/04	GW11552ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	1
20902	07/20/04	GW1159ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	DUP	TR1	25		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	50		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	RNS	TR1	5		UG/L	U	V1		1	NO	PE	

91

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20902	08/18/04	GW11552ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR2	100		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	1,1,2-TRICHLOROETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	5
20902	07/20/04	GW11551ST	1,1,2-TRICHLOROETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	5
20902	07/20/04	GW11560ST	1,1,2-TRICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	1,1,2-TRICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	5
20902	08/18/04	GW11552ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	07/20/04	GW1159ST	1,1-DICHLOROETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	3650
20902	07/20/04	GW11551ST	1,1-DICHLOROETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	3650
20902	07/20/04	GW11560ST	1,1-DICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	3650
20902	08/18/04	GW11552ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	3650
20902	08/18/04	GW11552ST	1,1-DICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	3650
20902	07/20/04	GW1159ST	1,1-DICHLOROETHENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	7
20902	07/20/04	GW11551ST	1,1-DICHLOROETHENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	7
20902	07/20/04	GW11560ST	1,1-DICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	7
20902	08/18/04	GW11552ST	1,1-DICHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	7
20902	08/18/04	GW11552ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	7
20902	07/20/04	GW1159ST	1,1-DICHLOROPROPENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	1,1-DICHLOROPROPENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	1,1-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	1,1-DICHLOROPROPENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	1,2,3-TRICHLOROBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	1,2,3-TRICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	1,2,3-TRICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	1,2,3-TRICHLOROPROPANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	1,2,3-TRICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	1,2,3-TRICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	1,2,4-TRICHLOROBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	70
20902	07/20/04	GW11551ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	70
20902	07/20/04	GW11560ST	1,2,4-TRICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	70
20902	08/18/04	GW11552ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
20902	08/18/04	GW11552ST	1,2,4-TRICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	70
20902	07/20/04	GW1159ST	1,2-DIBROMOETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	1,2-DIBROMOETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	1,2-DIBROMOETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	1,2-DIBROMOETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	1,2-DICHLOROBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	600
20902	07/20/04	GW11551ST	1,2-DICHLOROBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	600
20902	07/20/04	GW11560ST	1,2-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	600
20902	08/18/04	GW11552ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
20902	08/18/04	GW11552ST	1,2-DICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	600
20902	07/20/04	GW1159ST	1,2-DICHLOROETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	5
20902	07/20/04	GW11551ST	1,2-DICHLOROETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	5
20902	07/20/04	GW11560ST	1,2-DICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	1,2-DICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	5
20902	07/20/04	GW1159ST	1,2-DICHLOROPROPANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	5
20902	07/20/04	GW11551ST	1,2-DICHLOROPROPANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	5
20902	07/20/04	GW11560ST	1,2-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	1,2-DICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	5
20902	08/18/04	GW11552ST	1,2-DICHLOROPROPANE	REAL	TR1	0.56		UG/L	J	V1		1	NO	PE	5
20902	07/20/04	GW1159ST	1,3-DICHLOROBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	600
20902	07/20/04	GW11551ST	1,3-DICHLOROBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	600
20902	07/20/04	GW11560ST	1,3-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	600
20902	08/18/04	GW11552ST	1,3-DICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	600
20902	08/18/04	GW11552ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
20902	07/20/04	GW1159ST	1,3-DICHLOROPROPANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	1,3-DICHLOROPROPANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	1,3-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	1,3-DICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	1,4-DICHLOROBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	75
20902	07/20/04	GW11551ST	1,4-DICHLOROBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	75

92

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20902	07/20/04	GW11560ST	1,4-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	75
20902	08/18/04	GW11552ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	75
20902	08/18/04	GW11552ST	1,4-DICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	75
20902	07/20/04	GW1159ST	2,2-DICHLOROPROPANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	2,2-DICHLOROPROPANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	2,2-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	2,2-DICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	2-BUTANONE	DUP	TR1	50		UG/L	U	V1		5	NO	PE	21900
20902	07/20/04	GW11551ST	2-BUTANONE	REAL	TR1	100		UG/L	U	V1		10	NO	PE	21900
20902	07/20/04	GW11560ST	2-BUTANONE	RNS	TR1	10		UG/L	U	V1		1	NO	PE	21900
20902	08/18/04	GW11552ST	2-BUTANONE	REAL	TR2	200		UG/L	U	1		20	NO	PE	21900
20902	08/18/04	GW11552ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	21900
20902	07/20/04	GW1159ST	2-CHLOROTOLUENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	2-CHLOROTOLUENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	2-CHLOROTOLUENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	2-CHLOROTOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	2-HEXANONE	DUP	TR1	50		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	2-HEXANONE	REAL	TR1	100		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	2-HEXANONE	RNS	TR1	10		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	2-HEXANONE	REAL	TR2	200		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	4-ISOPROPYLTOLUENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	4-ISOPROPYLTOLUENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	4-ISOPROPYLTOLUENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	4-ISOPROPYLTOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	4-METHYL-2-PENTANONE	DUP	TR1	50		UG/L	U	V1		5	NO	PE	2920
20902	07/20/04	GW11551ST	4-METHYL-2-PENTANONE	REAL	TR1	100		UG/L	U	V1		10	NO	PE	2920
20902	07/20/04	GW11560ST	4-METHYL-2-PENTANONE	RNS	TR1	10		UG/L	U	V1		1	NO	PE	2920
20902	08/18/04	GW11552ST	4-METHYL-2-PENTANONE	REAL	TR2	200		UG/L	U	1		20	NO	PE	2920
20902	08/18/04	GW11552ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	2920
20902	07/20/04	GW1159ST	ACETONE	DUP	TR1	50		UG/L	U	V1		5	NO	PE	3650
20902	07/20/04	GW11551ST	ACETONE	REAL	TR1	100		UG/L	U	V1		10	NO	PE	3650
20902	07/20/04	GW11560ST	ACETONE	RNS	TR1	21.5		UG/L		V1		1	NO	PE	3650
20902	08/18/04	GW11552ST	ACETONE	REAL	TR1	8.9		UG/L	J	V1		1	NO	PE	3650
20902	08/18/04	GW11552ST	ACETONE	REAL	TR2	200		UG/L	U	1		20	NO	PE	3650
20902	07/20/04	GW1159ST	BENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	5
20902	07/20/04	GW11551ST	BENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	5
20902	07/20/04	GW11560ST	BENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	BENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	5
20902	08/18/04	GW11552ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	07/20/04	GW1159ST	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	BROMOBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	BROMOBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	BROMOBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	BROMOBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	BROMOCHLOROMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	BROMOCHLOROMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	BROMOCHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	BROMOCHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	BROMODICHLOROMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	100
20902	07/20/04	GW11551ST	BROMODICHLOROMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	100
20902	07/20/04	GW11560ST	BROMODICHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	BROMODICHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	100
20902	07/20/04	GW1159ST	BROMOFORM	DUP	TR1	5		UG/L	U	V1		5	NO	PE	100

93

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20902	07/20/04	GW11551ST	BROMOFORM	REAL	TR1	10		UG/L	U	V1		10	NO	PE	100
20902	07/20/04	GW11560ST	BROMOFORM	RNS	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	BROMOFORM	REAL	TR2	20		UG/L	U	1		20	NO	PE	100
20902	08/18/04	GW11552ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	07/20/04	GW1159ST	BROMOMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	51.1
20902	07/20/04	GW11551ST	BROMOMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	51.1
20902	07/20/04	GW11560ST	BROMOMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	51.1
20902	08/18/04	GW11552ST	BROMOMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	51.1
20902	08/18/04	GW11552ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	51.1
20902	07/20/04	GW1159ST	CARBON DISULFIDE	DUP	TR1	25		UG/L	U	V1		5	NO	PE	3650
20902	07/20/04	GW11551ST	CARBON DISULFIDE	REAL	TR1	50		UG/L	U	V1		10	NO	PE	3650
20902	07/20/04	GW11560ST	CARBON DISULFIDE	RNS	TR1	5		UG/L	U	V1		1	NO	PE	3650
20902	08/18/04	GW11552ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	3650
20902	08/18/04	GW11552ST	CARBON DISULFIDE	REAL	TR2	100		UG/L	U	1		20	NO	PE	3650
20902	07/20/04	GW1159ST	CARBON TETRACHLORIDE	DUP	TR1	310		UG/L		V1		5	NO	PE	5
20902	07/20/04	GW11551ST	CARBON TETRACHLORIDE	REAL	TR1	483		UG/L		V1		10	NO	PE	5
20902	07/20/04	GW11560ST	CARBON TETRACHLORIDE	RNS	TR1	0.58		UG/L	J	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	CARBON TETRACHLORIDE	REAL	TR2	645		UG/L	D	V1		20	NO	PE	5
20902	08/18/04	GW11552ST	CARBON TETRACHLORIDE	REAL	TR1	702		UG/L	E	1		1	NO	PE	5
20902	07/20/04	GW1159ST	CHLOROBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	100
20902	07/20/04	GW11551ST	CHLOROBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	100
20902	07/20/04	GW11560ST	CHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	CHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	100
20902	07/20/04	GW1159ST	CHLOROETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	29.4
20902	07/20/04	GW11551ST	CHLOROETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	29.4
20902	07/20/04	GW11560ST	CHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	29.4
20902	08/18/04	GW11552ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	29.4
20902	08/18/04	GW11552ST	CHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	29.4
20902	07/20/04	GW1159ST	CHLOROFORM	DUP	TR1	75.6		UG/L		V1		5	NO	PE	100
20902	07/20/04	GW11551ST	CHLOROFORM	REAL	TR1	123		UG/L		V1		10	NO	PE	100
20902	07/20/04	GW11560ST	CHLOROFORM	RNS	TR1	0.72		UG/L	J	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	CHLOROFORM	REAL	TR1	139		UG/L	E	1		1	NO	PE	100
20902	08/18/04	GW11552ST	CHLOROFORM	REAL	TR2	138		UG/L	D	V1		20	NO	PE	100
20902	07/20/04	GW1159ST	CHLOROMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	6.55
20902	07/20/04	GW11551ST	CHLOROMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	6.55
20902	07/20/04	GW11560ST	CHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	6.55
20902	08/18/04	GW11552ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	6.55
20902	08/18/04	GW11552ST	CHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	6.55
20902	07/20/04	GW1159ST	cis-1,2-DICHLOROETHENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	70
20902	07/20/04	GW11551ST	cis-1,2-DICHLOROETHENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	70
20902	07/20/04	GW11560ST	cis-1,2-DICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	70
20902	08/18/04	GW11552ST	cis-1,2-DICHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	70
20902	08/18/04	GW11552ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
20902	07/20/04	GW1159ST	cis-1,3-DICHLOROPROPENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	1
20902	07/20/04	GW11551ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	1
20902	07/20/04	GW11560ST	cis-1,3-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	08/18/04	GW11552ST	cis-1,3-DICHLOROPROPENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	1
20902	08/18/04	GW11552ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	07/20/04	GW1159ST	DIBROMOCHLOROMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	1.01
20902	07/20/04	GW11551ST	DIBROMOCHLOROMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	1.01
20902	07/20/04	GW11560ST	DIBROMOCHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	1.01
20902	08/18/04	GW11552ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1.01
20902	08/18/04	GW11552ST	DIBROMOCHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	1.01
20902	07/20/04	GW1159ST	DIBROMOMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	DIBROMOMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	DIBROMOMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	DIBROMOMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	DICHLORODIFLUOROMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	DICHLORODIFLUOROMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	DICHLORODIFLUOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PE	
20902	08/18/04	GW11552ST	DICHLORODIFLUOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	ETHYLBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	700
20902	07/20/04	GW11551ST	ETHYLBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	700
20902	07/20/04	GW11560ST	ETHYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	700
20902	08/18/04	GW11552ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	700
20902	08/18/04	GW11552ST	ETHYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	700

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20902	07/20/04	GW1159ST	HEXACHLOROBUTADIENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	10
20902	07/20/04	GW11551ST	HEXACHLOROBUTADIENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	10
20902	07/20/04	GW11560ST	HEXACHLOROBUTADIENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	10
20902	08/18/04	GW11552ST	HEXACHLOROBUTADIENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	10
20902	08/18/04	GW11552ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	10
20902	07/20/04	GW1159ST	ISOPROPYLBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	ISOPROPYLBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	ISOPROPYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	ISOPROPYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	METHYLENE CHLORIDE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	5
20902	07/20/04	GW11551ST	METHYLENE CHLORIDE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	5
20902	07/20/04	GW11560ST	METHYLENE CHLORIDE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	METHYLENE CHLORIDE	REAL	TR2	20		UG/L	U	1		20	NO	PE	5
20902	07/20/04	GW1159ST	NAPHTHALENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	1460
20902	07/20/04	GW11551ST	NAPHTHALENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	1460
20902	07/20/04	GW11560ST	NAPHTHALENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	1460
20902	08/18/04	GW11552ST	NAPHTHALENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	1460
20902	08/18/04	GW11552ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1460
20902	07/20/04	GW1159ST	n-BUTYLBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	n-BUTYLBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	n-BUTYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	n-BUTYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	n-PROPYLBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	n-PROPYLBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	n-PROPYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	n-PROPYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	p-CHLOROTOLUENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	p-CHLOROTOLUENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	p-CHLOROTOLUENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	p-CHLOROTOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	5		UG/L	U	V1		5	NO	PE	1
20902	07/20/04	GW11551ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	10		UG/L	U	V1		10	NO	PE	1
20902	07/20/04	GW11560ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	08/18/04	GW11552ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	08/18/04	GW11552ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	20		UG/L	U	1		20	NO	PE	1
20902	07/20/04	GW1159ST	sec-BUTYLBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	sec-BUTYLBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	sec-BUTYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	sec-BUTYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	08/18/04	GW11552ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	07/20/04	GW1159ST	STYRENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	100
20902	07/20/04	GW11551ST	STYRENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	100
20902	07/20/04	GW11560ST	STYRENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
20902	08/18/04	GW11552ST	STYRENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	100
20902	07/20/04	GW1159ST	tert-BUTYLBENZENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	tert-BUTYLBENZENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	tert-BUTYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	tert-BUTYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	TETRACHLOROETHENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	5
20902	07/20/04	GW11551ST	TETRACHLOROETHENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	5
20902	07/20/04	GW11560ST	TETRACHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	TETRACHLOROETHENE	REAL	TR1	1.1		UG/L		V1		1	NO	PE	5
20902	08/18/04	GW11552ST	TETRACHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	5
20902	07/20/04	GW1159ST	TOLUENE	DUP	TR1	2.1		UG/L	JB	JB1		5	NO	PE	1000
20902	07/20/04	GW11551ST	TOLUENE	REAL	TR1	4.3		UG/L	JB	JB1		10	NO	PE	1000
20902	07/20/04	GW11560ST	TOLUENE	RNS	TR1	0.55		UG/L	JB	JB1		1	NO	PE	1000
20902	08/18/04	GW11552ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1000
20902	08/18/04	GW11552ST	TOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	1000
20902	07/20/04	GW1159ST	TOTAL XYLENES	DUP	TR1	15		UG/L	U	V1		5	NO	PE	10000
20902	07/20/04	GW11551ST	TOTAL XYLENES	REAL	TR1	30		UG/L	U	V1		10	NO	PE	10000
20902	07/20/04	GW11560ST	TOTAL XYLENES	RNS	TR1	3		UG/L	U	V1		1	NO	PE	10000
20902	08/18/04	GW11552ST	TOTAL XYLENES	REAL	TR2	60		UG/L	U	1		20	NO	PE	10000

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
20902	08/18/04	GW11552ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PE	10000
20902	07/20/04	GW1159ST	trans-1,2-DICHLOROETHENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	70
20902	07/20/04	GW11551ST	trans-1,2-DICHLOROETHENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	70
20902	07/20/04	GW11560ST	trans-1,2-DICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	70
20902	08/18/04	GW11552ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
20902	08/18/04	GW11552ST	trans-1,2-DICHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	70
20902	07/20/04	GW1159ST	trans-1,3-DICHLOROPROPENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	1
20902	07/20/04	GW11551ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	1
20902	07/20/04	GW11560ST	trans-1,3-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	08/18/04	GW11552ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
20902	08/18/04	GW11552ST	trans-1,3-DICHLOROPROPENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	1
20902	07/20/04	GW1159ST	TRICHLOROETHENE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	5
20902	07/20/04	GW11551ST	TRICHLOROETHENE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	5
20902	07/20/04	GW11560ST	TRICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
20902	08/18/04	GW11552ST	TRICHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PE	5
20902	07/20/04	GW1159ST	TRICHLOROFLUOROMETHANE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	
20902	07/20/04	GW11551ST	TRICHLOROFLUOROMETHANE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	
20902	07/20/04	GW11560ST	TRICHLOROFLUOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
20902	08/18/04	GW11552ST	TRICHLOROFLUOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PE	
20902	07/20/04	GW1159ST	VINYL CHLORIDE	DUP	TR1	5		UG/L	U	V1		5	NO	PE	2
20902	07/20/04	GW11551ST	VINYL CHLORIDE	REAL	TR1	10		UG/L	U	V1		10	NO	PE	2
20902	07/20/04	GW11560ST	VINYL CHLORIDE	RNS	TR1	1		UG/L	U	V1		1	NO	PE	2
20902	08/18/04	GW11552ST	VINYL CHLORIDE	REAL	TR2	20		UG/L	U	1		20	NO	PE	2
20902	08/18/04	GW11552ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	2
21097	07/15/04	GW11485ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	200
21097	07/15/04	GW11485ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
21097	07/15/04	GW11485ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	3650
21097	07/15/04	GW11485ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	7
21097	07/15/04	GW11485ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
21097	07/15/04	GW11485ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
21097	07/15/04	GW11485ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
21097	07/15/04	GW11485ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	75
21097	07/15/04	GW11485ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	21900
21097	07/15/04	GW11485ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	2920
21097	07/15/04	GW11485ST	ACETONE	REAL	TR1	19.8		UG/L		V		1	NO	N	3650
21097	07/15/04	GW11485ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
21097	07/15/04	GW11485ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
21097	07/15/04	GW11485ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	51.1
21097	07/15/04	GW11485ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	N	3650
21097	07/15/04	GW11485ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
21097	07/15/04	GW11485ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	29.4
21097	07/15/04	GW11485ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
21097	07/15/04	GW11485ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	6.55
21097	07/15/04	GW11485ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
21097	07/15/04	GW11485ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
21097	07/15/04	GW11485ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1.01
21097	07/15/04	GW11485ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	

96

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
21097	07/15/04	GW11485ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	700
21097	07/15/04	GW11485ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	N	10
21097	07/15/04	GW11485ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1460
21097	07/15/04	GW11485ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	N	1
21097	07/15/04	GW11485ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
21097	07/15/04	GW11485ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	TOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1000
21097	07/15/04	GW11485ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	N	10000
21097	07/15/04	GW11485ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
21097	07/15/04	GW11485ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
21097	07/15/04	GW11485ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
21097	07/15/04	GW11485ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
21097	07/15/04	GW11485ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	2
21498	07/21/04	GW11554ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	200
21498	08/19/04	GW11555ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	200
21498	07/21/04	GW11554ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	08/19/04	GW11555ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	07/21/04	GW11554ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	08/19/04	GW11555ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	07/21/04	GW11554ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	3650
21498	08/19/04	GW11555ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	3650
21498	07/21/04	GW11554ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	7
21498	08/19/04	GW11555ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	7
21498	07/21/04	GW11554ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
21498	08/19/04	GW11555ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
21498	07/21/04	GW11554ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
21498	08/19/04	GW11555ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
21498	07/21/04	GW11554ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	08/19/04	GW11555ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	07/21/04	GW11554ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	08/19/04	GW11555ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	07/21/04	GW11554ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
21498	08/19/04	GW11555ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
21498	07/21/04	GW11554ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	75
21498	08/19/04	GW11555ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	75
21498	07/21/04	GW11554ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PE	
21498	07/21/04	GW11554ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	21900
21498	08/19/04	GW11555ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	21900
21498	07/21/04	GW11554ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	2920
21498	08/19/04	GW11555ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	2920

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
21498	07/21/04	GW11554ST	ACETONE	REAL	TR1	12.3		UG/L		V1		1	NO	PE	3650
21498	08/19/04	GW11555ST	ACETONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	3650
21498	07/21/04	GW11554ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	08/19/04	GW11555ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	07/21/04	GW11554ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	08/19/04	GW11555ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	07/21/04	GW11554ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	08/19/04	GW11555ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	07/21/04	GW11554ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	51.1
21498	08/19/04	GW11555ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	51.1
21498	07/21/04	GW11554ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	3650
21498	08/19/04	GW11555ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ1		1	NO	PE	3650
21498	07/21/04	GW11554ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	08/19/04	GW11555ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	07/21/04	GW11554ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	08/19/04	GW11555ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	07/21/04	GW11554ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	29.4
21498	08/19/04	GW11555ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	29.4
21498	07/21/04	GW11554ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	08/19/04	GW11555ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	07/21/04	GW11554ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	6.55
21498	08/19/04	GW11555ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	6.55
21498	07/21/04	GW11554ST	cis-1,2-DICHLOROETHENE	REAL	TR1	4.4		UG/L		V1		1	NO	PE	70
21498	08/19/04	GW11555ST	cis-1,2-DICHLOROETHENE	REAL	TR1	4.4		UG/L		V1		1	NO	PE	70
21498	07/21/04	GW11554ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	08/19/04	GW11555ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	07/21/04	GW11554ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1.01
21498	08/19/04	GW11555ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1.01
21498	07/21/04	GW11554ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	700
21498	08/19/04	GW11555ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	700
21498	07/21/04	GW11554ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	10
21498	08/19/04	GW11555ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	10
21498	07/21/04	GW11554ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	08/19/04	GW11555ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
21498	07/21/04	GW11554ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1460
21498	08/19/04	GW11555ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1460
21498	07/21/04	GW11554ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	08/19/04	GW11555ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	07/21/04	GW11554ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	08/19/04	GW11555ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
21498	07/21/04	GW11554ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	07/21/04	GW11554ST	TETRACHLOROETHENE	REAL	TR1	1.9		UG/L		V1		1	NO	PE	5
21498	08/19/04	GW11555ST	TETRACHLOROETHENE	REAL	TR1	0.52		UG/L	J	V1		1	NO	PE	5
21498	07/21/04	GW11554ST	TOLUENE	REAL	TR1	0.45		UG/L	JB	JB1		1	NO	PE	1000
21498	08/19/04	GW11555ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1000
21498	07/21/04	GW11554ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PE	10000

98

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
21498	08/19/04	GW11555ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PE	10000
21498	07/21/04	GW11554ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
21498	08/19/04	GW11555ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
21498	07/21/04	GW11554ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	08/19/04	GW11555ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
21498	07/21/04	GW11554ST	TRICHLOROETHENE	REAL	TR1	6		UG/L		V1		1	NO	PE	5
21498	08/19/04	GW11555ST	TRICHLOROETHENE	REAL	TR1	5.3		UG/L		V1		1	NO	PE	5
21498	07/21/04	GW11554ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
21498	08/19/04	GW11555ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PE	
21498	07/21/04	GW11554ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	2
21498	08/19/04	GW11555ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	2
33904	08/16/04	GW11583ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1.5		UG/L		V1		1	NO	N	200
33904	08/16/04	GW11583ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
33904	08/16/04	GW11583ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
33904	08/16/04	GW11583ST	1,1-DICHLOROETHANE	REAL	TR1	3.2		UG/L		V1		1	NO	N	3650
33904	08/16/04	GW11583ST	1,1-DICHLOROETHENE	REAL	TR1	7.5		UG/L		V1		1	NO	N	7
33904	08/16/04	GW11583ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
33904	08/16/04	GW11583ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
33904	08/16/04	GW11583ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
33904	08/16/04	GW11583ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
33904	08/16/04	GW11583ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
33904	08/16/04	GW11583ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	75
33904	08/16/04	GW11583ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	21900
33904	08/16/04	GW11583ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	2920
33904	08/16/04	GW11583ST	ACETONE	REAL	TR1	5.3		UG/L	J	V1		1	NO	N	3650
33904	08/16/04	GW11583ST	ALUMINUM	REAL	TR1	9.08		UG/L	U	J		1	YES	N	36500
33904	08/16/04	GW11583ST	ANTIMONY	REAL	TR1	0.57		UG/L	B	V		1	YES	N	10
33904	08/16/04	GW11583ST	ARSENIC	REAL	TR1	1		UG/L	U	J		1	YES	N	50
33904	08/16/04	GW11583ST	BARIUM	REAL	TR1	173		UG/L		V		1	YES	N	2000
33904	08/16/04	GW11583ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
33904	08/16/04	GW11583ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	N	5
33904	08/16/04	GW11583ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
33904	08/16/04	GW11583ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
33904	08/16/04	GW11583ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	51.1
33904	08/16/04	GW11583ST	CADMIUM	REAL	TR1	0.3		UG/L	B	V		1	YES	N	5
33904	08/16/04	GW11583ST	CALCIUM	REAL	TR1	70500		UG/L		V		1	YES	N	
33904	08/16/04	GW11583ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	N	3650
33904	08/16/04	GW11583ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
33904	08/16/04	GW11583ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
33904	08/16/04	GW11583ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	29.4
33904	08/16/04	GW11583ST	CHLOROFORM	REAL	TR1	0.6		UG/L	J	V1		1	NO	N	100
33904	08/16/04	GW11583ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	6.55
33904	08/16/04	GW11583ST	CHROMIUM	REAL	TR1	2		UG/L		UJ		1	YES	N	100
33904	08/16/04	GW11583ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1.7		UG/L		V1		1	NO	N	70
33904	08/16/04	GW11583ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
33904	08/16/04	GW11583ST	COBALT	REAL	TR1	3.7		UG/L	B	V		1	YES	N	2190
33904	08/16/04	GW11583ST	COPPER	REAL	TR1	2.4		UG/L	B	UJ		1	YES	N	1300
33904	08/16/04	GW11583ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1.01
33904	08/16/04	GW11583ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
33904	08/16/04	GW11583ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	700
33904	08/16/04	GW11583ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	10
33904	08/16/04	GW11583ST	IRON	REAL	TR1	235		UG/L		V		1	YES	N	
33904	08/16/04	GW11583ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	

99

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
33904	08/16/04	GW11583ST	LEAD	REAL	TR1	0.17		UG/L	B	J		1	YES	N	15
33904	08/16/04	GW11583ST	LITHIUM	REAL	TR1	8		UG/L	B	V		1	YES	N	730
33904	08/16/04	GW11583ST	MAGNESIUM	REAL	TR1	16700		UG/L	E	J		1	YES	N	
33904	08/16/04	GW11583ST	MANGANESE	REAL	TR1	284		UG/L		V		1	YES	N	1720
33904	08/16/04	GW11583ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	N	2
33904	08/16/04	GW11583ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
33904	08/16/04	GW11583ST	MOLYBDENUM	REAL	TR1	7.3		UG/L	B	V		1	YES	N	183
33904	08/16/04	GW11583ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1460
33904	08/16/04	GW11583ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	NICKEL	REAL	TR1	4.1		UG/L	B	V		1	YES	N	140
33904	08/16/04	GW11583ST	NITRATE/NITRITE	REAL	TR1	750		UG/L		J1	10	1	NO	N	10000
33904	08/16/04	GW11583ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	POTASSIUM	REAL	TR1	1770		UG/L	B	V		1	YES	N	
33904	08/16/04	GW11583ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
33904	08/16/04	GW11583ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	SELENIUM	REAL	TR1	0.64		UG/L	U	V		1	YES	N	50
33904	08/16/04	GW11583ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	N	183
33904	08/16/04	GW11583ST	SODIUM	REAL	TR1	21100		UG/L		V		1	YES	N	
33904	08/16/04	GW11583ST	STRONTIUM	REAL	TR1	432		UG/L		V		1	YES	N	21900
33904	08/16/04	GW11583ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
33904	08/16/04	GW11583ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	TETRACHLOROETHENE	REAL	TR1	87		UG/L		V1		1	NO	N	5
33904	08/16/04	GW11583ST	THALLIUM	REAL	TR1	0.041		UG/L	B	UJ		1	YES	N	12
33904	08/16/04	GW11583ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	N	21900
33904	08/16/04	GW11583ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1000
33904	08/16/04	GW11583ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	N	10000
33904	08/16/04	GW11583ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
33904	08/16/04	GW11583ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
33904	08/16/04	GW11583ST	TRICHLOROETHENE	REAL	TR1	1.9		UG/L		V1		1	NO	N	5
33904	08/16/04	GW11583ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
33904	08/16/04	GW11583ST	URANIUM, TOTAL	REAL	TR1	3.4		UG/L		J		1	YES	N	
33904	08/30/04	GW11583ST	URANIUM-233,-234	REAL	TR1	1.24	.383	PCI/L					YES	N	1.06
33904	08/30/04	GW11583ST	URANIUM-235	REAL	TR1	0.145	.123	PCI/L	J				YES	N	1.01
33904	08/30/04	GW11583ST	URANIUM-238	REAL	TR1	1.5	.427	PCI/L					YES	N	0.768
33904	08/16/04	GW11583ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	N	256
33904	08/16/04	GW11583ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	2
33904	08/16/04	GW11583ST	ZINC	REAL	TR1	18.8		UG/L	B	V		1	YES	N	11000
34591	08/02/04	GW11514ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	200
34591	08/02/04	GW11514ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
34591	08/02/04	GW11514ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
34591	08/02/04	GW11514ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	3650
34591	08/02/04	GW11514ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	7
34591	08/02/04	GW11514ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
34591	08/02/04	GW11514ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	600
34591	08/02/04	GW11514ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
34591	08/02/04	GW11514ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
34591	08/02/04	GW11514ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	600
34591	08/02/04	GW11514ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	75
34591	08/02/04	GW11514ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	2-BUTANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	21900
34591	08/02/04	GW11514ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	2-HEXANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	2920
34591	08/02/04	GW11514ST	ACETONE	REAL	TR1	5.6		UG/L	J	J1		1	NO	N	3650
34591	08/02/04	GW11514ST	BENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
34591	08/02/04	GW11514ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100

100

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
34591	08/02/04	GW11514ST	BROMOFORM	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
34591	08/02/04	GW11514ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	51.1
34591	08/02/04	GW11514ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ1		1	NO	N	3650
34591	08/02/04	GW11514ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
34591	08/02/04	GW11514ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
34591	08/02/04	GW11514ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	29.4
34591	08/02/04	GW11514ST	CHLOROFORM	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
34591	08/02/04	GW11514ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	6.55
34591	08/02/04	GW11514ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
34591	08/02/04	GW11514ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
34591	08/02/04	GW11514ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1.01
34591	08/02/04	GW11514ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	700
34591	08/02/04	GW11514ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	10
34591	08/02/04	GW11514ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	METHYLENE CHLORIDE	REAL	TR1	8.3		UG/L	B	U1		1	NO	N	5
34591	08/02/04	GW11514ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1460
34591	08/02/04	GW11514ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
34591	08/02/04	GW11514ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	STYRENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
34591	08/02/04	GW11514ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
34591	08/02/04	GW11514ST	TOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1000
34591	08/02/04	GW11514ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	UJ1		1	NO	N	10000
34591	08/02/04	GW11514ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
34591	08/02/04	GW11514ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
34591	08/02/04	GW11514ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
34591	08/02/04	GW11514ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
34591	08/02/04	GW11514ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	2
4087	07/13/04	GW11566ST	ALUMINUM	REAL	TR1	9.08		UG/L	U	V		1	NO	R	36500
4087	07/13/04	GW11566ST	ANTIMONY	REAL	TR1	0.448		UG/L	B	V		1	NO	R	10
4087	07/13/04	GW11566ST	ARSENIC	REAL	TR1	1.99		UG/L	B	UJ		1	NO	R	50
4087	07/13/04	GW11566ST	BARIUM	REAL	TR1	31.7		UG/L	B	V		1	NO	R	2000
4087	07/13/04	GW11566ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	NO	R	5
4087	07/13/04	GW11566ST	CADMIUM	REAL	TR1	0.959		UG/L	B	V		1	NO	R	5
4087	07/13/04	GW11566ST	CALCIUM	REAL	TR1	80500		UG/L		V		1	NO	R	
4087	07/13/04	GW11566ST	CHROMIUM	REAL	TR1	4.75		UG/L		V		1	NO	R	100
4087	07/13/04	GW11566ST	COBALT	REAL	TR1	0.673		UG/L	B	V		1	NO	R	2190
4087	07/13/04	GW11566ST	COPPER	REAL	TR1	5.84		UG/L		V		1	NO	R	1300
4087	07/13/04	GW11566ST	IRON	REAL	TR1	252		UG/L		V		1	NO	R	
4087	07/13/04	GW11566ST	LEAD	REAL	TR1	0.173		UG/L	B	V		1	NO	R	15
4087	07/13/04	GW11566ST	LITHIUM	REAL	TR1	253		UG/L	N	J		1	NO	R	730
4087	07/13/04	GW11566ST	MAGNESIUM	REAL	TR1	31600		UG/L		V		1	NO	R	
4087	07/13/04	GW11566ST	MANGANESE	REAL	TR1	6.48		UG/L	B	V		1	NO	R	1720
4087	07/13/04	GW11566ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	NO	R	2
4087	07/13/04	GW11566ST	MOLYBDENUM	REAL	TR1	10.5		UG/L	B	V		1	NO	R	183
4087	07/13/04	GW11566ST	NICKEL	REAL	TR1	7.19		UG/L	B	V		1	NO	R	140
4087	07/13/04	GW11566ST	POTASSIUM	REAL	TR1	1140		UG/L	B	V		1	NO	R	
4087	07/13/04	GW11566ST	SELENIUM	REAL	TR1	35.5		UG/L		V		1	NO	R	50
4087	07/13/04	GW11566ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	NO	R	183
4087	07/13/04	GW11566ST	SODIUM	REAL	TR1	1670		UG/L	B	J		1	NO	R	
4087	07/13/04	GW11566ST	STRONTIUM	REAL	TR1	1010		UG/L		V		1	NO	R	21900
4087	07/13/04	GW11566ST	THALLIUM	REAL	TR1	0.078		UG/L	B	UJ		1	NO	R	12
4087	07/13/04	GW11566ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	NO	R	21900
4087	07/13/04	GW11566ST	URANIUM, TOTAL	REAL	TR1	37.9		UG/L		V		1	NO	R	
4087	07/13/04	GW11566ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	NO	R	256
4087	07/13/04	GW11566ST	ZINC	REAL	TR1	13.8		UG/L	B	V		1	NO	R	11000
41993	09/02/04	GW11516ST	NITRATE/NITRITE	REAL	TR1	3320		UG/L		R1	3	1	NO	N	10000
41993	09/02/04	GW11516ST	URANIUM-233,-234	REAL	TR1	0.541	.393	PCI/L	J				YES	N	1.06
41993	09/02/04	GW11516ST	URANIUM-235	REAL	TR1	0.0528	.14	PCI/L	U				YES	N	1.01
41993	09/02/04	GW11516ST	URANIUM-238	REAL	TR1	0.214	.263	PCI/L	U				YES	N	0.768
42993	07/26/04	GW11518ST	NITRATE/NITRITE	REAL	TR1	910000		UG/L		V1	5000	500	NO	N	10000
42993	07/26/04	GW11518ST	URANIUM-233,-234	REAL	TR1	718	133	PCI/L		V			YES	N	1.06
42993	07/26/04	GW11518ST	URANIUM-235	REAL	TR1	111	22.1	PCI/L		V			YES	N	1.01
42993	07/26/04	GW11518ST	URANIUM-238	REAL	TR1	436	81.7	PCI/L		V			YES	N	0.768

101

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
52894	08/10/04	GW11568ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	200
52894	08/10/04	GW11568ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
52894	08/10/04	GW11568ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
52894	08/10/04	GW11568ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	3650
52894	08/10/04	GW11568ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	7
52894	08/10/04	GW11568ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
52894	08/10/04	GW11568ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	600
52894	08/10/04	GW11568ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
52894	08/10/04	GW11568ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
52894	08/10/04	GW11568ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	600
52894	08/10/04	GW11568ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	75
52894	08/10/04	GW11568ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	21900
52894	08/10/04	GW11568ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	2920
52894	08/10/04	GW11568ST	ACETONE	REAL	TR1	37.3		UG/L		V1		1	NO	R	3650
52894	08/10/04	GW11568ST	ALUMINUM	REAL	TR1	79.4		UG/L	*	J		1	YES	R	36500
52894	08/10/04	GW11568ST	ANTIMONY	REAL	TR1	0.709		UG/L	B	V		1	YES	R	10
52894	08/10/04	GW11568ST	ARSENIC	REAL	TR1	1		UG/L	U	V		1	YES	R	50
52894	08/10/04	GW11568ST	BARIUM	REAL	TR1	54.7		UG/L	B	V		1	YES	R	2000
52894	08/10/04	GW11568ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
52894	08/10/04	GW11568ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	R	5
52894	08/10/04	GW11568ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
52894	08/10/04	GW11568ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
52894	08/10/04	GW11568ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	51.1
52894	08/10/04	GW11568ST	CADMIUM	REAL	TR1	0.075		UG/L	B	V		1	YES	R	5
52894	08/10/04	GW11568ST	CALCIUM	REAL	TR1	32400		UG/L		V		1	YES	R	
52894	08/10/04	GW11568ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	R	3650
52894	08/10/04	GW11568ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
52894	08/10/04	GW11568ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
52894	08/10/04	GW11568ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	29.4
52894	08/10/04	GW11568ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
52894	08/10/04	GW11568ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	6.55
52894	08/10/04	GW11568ST	CHROMIUM	REAL	TR1	0.775		UG/L	B	UJ		1	YES	R	100
52894	08/10/04	GW11568ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
52894	08/10/04	GW11568ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
52894	08/10/04	GW11568ST	COBALT	REAL	TR1	4.94		UG/L	B	V		1	YES	R	2190
52894	08/10/04	GW11568ST	COPPER	REAL	TR1	4.84		UG/L		V		1	YES	R	1300
52894	08/10/04	GW11568ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	R	1.01
52894	08/10/04	GW11568ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	700
52894	08/10/04	GW11568ST	FLUORIDE	REAL	TR1	1680		UG/L		V1	55.3	1	NO	R	4000
52894	08/10/04	GW11568ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	10
52894	08/10/04	GW11568ST	IRON	REAL	TR1	197		UG/L		V		1	YES	R	
52894	08/10/04	GW11568ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	LEAD	REAL	TR1	0.191		UG/L	B	V		1	YES	R	15
52894	08/10/04	GW11568ST	LITHIUM	REAL	TR1	91.1		UG/L	B	V		1	YES	R	730
52894	08/10/04	GW11568ST	MAGNESIUM	REAL	TR1	10800		UG/L		V		1	YES	R	
52894	08/10/04	GW11568ST	MANGANESE	REAL	TR1	57.9		UG/L		V		1	YES	R	1720
52894	08/10/04	GW11568ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	R	2
52894	08/10/04	GW11568ST	METHYLENE CHLORIDE	REAL	TR1	2		UG/L	B	JB1		1	NO	R	5
52894	08/10/04	GW11568ST	MOLYBDENUM	REAL	TR1	4.11		UG/L	B	V		1	YES	R	183
52894	08/10/04	GW11568ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1460
52894	08/10/04	GW11568ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	NICKEL	REAL	TR1	3.34		UG/L	B	V		1	YES	R	140

102

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
52894	08/10/04	GW11568ST	NITRATE/NITRITE	REAL	TR1	120		UG/L		V1	10	1	NO	R	10000
52894	08/10/04	GW11568ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	POTASSIUM	REAL	TR1	1090		UG/L	B	V		1	YES	R	
52894	08/10/04	GW11568ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
52894	08/10/04	GW11568ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	SELENIUM	REAL	TR1	0.64		UG/L	U	V		1	YES	R	50
52894	08/10/04	GW11568ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	R	183
52894	08/10/04	GW11568ST	SODIUM	REAL	TR1	119000		UG/L		V		1	YES	R	
52894	08/10/04	GW11568ST	STRONTIUM	REAL	TR1	364		UG/L		V		1	YES	R	21900
52894	08/10/04	GW11568ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
52894	08/10/04	GW11568ST	SULFATE	REAL	TR1	40000		UG/L		V1	386	2	NO	R	500000
52894	08/10/04	GW11568ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
52894	08/10/04	GW11568ST	THALLIUM	REAL	TR1	0.398		UG/L	B	V		1	YES	R	12
52894	08/10/04	GW11568ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	R	21900
52894	08/10/04	GW11568ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1000
52894	08/10/04	GW11568ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	R	10000
52894	08/10/04	GW11568ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
52894	08/10/04	GW11568ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
52894	08/10/04	GW11568ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
52894	08/10/04	GW11568ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
52894	08/10/04	GW11568ST	URANIUM, TOTAL	REAL	TR1	11.8		UG/L		V		1	YES	R	
52894	08/10/04	GW11568ST	URANIUM-233,-234	REAL	TR1	4.26	1.15	PCI/L		V1			YES	R	1.06
52894	08/10/04	GW11568ST	URANIUM-235	REAL	TR1	0.12	.192	PCI/L	U	V1			YES	R	1.01
52894	08/10/04	GW11568ST	URANIUM-238	REAL	TR1	2.92	.917	PCI/L		V1			YES	R	0.768
52894	08/10/04	GW11568ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	R	256
52894	08/10/04	GW11568ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	R	2
52894	08/10/04	GW11568ST	ZINC	REAL	TR1	5.78		UG/L	B	UJ		1	YES	R	11000
56994	08/09/04	GW11487ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	200
56994	08/09/04	GW11487ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
56994	08/09/04	GW11487ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
56994	08/09/04	GW11487ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	3650
56994	08/09/04	GW11487ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	7
56994	08/09/04	GW11487ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
56994	08/09/04	GW11487ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
56994	08/09/04	GW11487ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
56994	08/09/04	GW11487ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
56994	08/09/04	GW11487ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
56994	08/09/04	GW11487ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	75
56994	08/09/04	GW11487ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	21900
56994	08/09/04	GW11487ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	2920
56994	08/09/04	GW11487ST	ACETONE	REAL	TR1	42.9		UG/L		V1		1	NO	N	3650
56994	08/09/04	GW11487ST	ALUMINUM	REAL	TR1	14.5		UG/L	B	V		1	YES	N	36500
56994	08/09/04	GW11487ST	ANTIMONY	REAL	TR1	0.304		UG/L	B	UJ		1	YES	N	10
56994	08/09/04	GW11487ST	ARSENIC	REAL	TR1	1		UG/L	U	J		1	YES	N	50
56994	08/09/04	GW11487ST	BARIUM	REAL	TR1	72.1		UG/L	BE	J		1	YES	N	2000
56994	08/09/04	GW11487ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
56994	08/09/04	GW11487ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	N	5
56994	08/09/04	GW11487ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
56994	08/09/04	GW11487ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
56994	08/09/04	GW11487ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	51.1
56994	08/09/04	GW11487ST	CADMIUM	REAL	TR1	0.384		UG/L	B	V		1	YES	N	5
56994	08/09/04	GW11487ST	CALCIUM	REAL	TR1	103000		UG/L		V		1	YES	N	

103

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
56994	08/09/04	GW11487ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	N	3650
56994	08/09/04	GW11487ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
56994	08/09/04	GW11487ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
56994	08/09/04	GW11487ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	29.4
56994	08/09/04	GW11487ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
56994	08/09/04	GW11487ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	6.55
56994	08/09/04	GW11487ST	CHROMIUM	REAL	TR1	0.38		UG/L	U	J		1	YES	N	100
56994	08/09/04	GW11487ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
56994	08/09/04	GW11487ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
56994	08/09/04	GW11487ST	COBALT	REAL	TR1	4.48		UG/L	BE	J		1	YES	N	2190
56994	08/09/04	GW11487ST	COPPER	REAL	TR1	1.61		UG/L	B	V		1	YES	N	1300
56994	08/09/04	GW11487ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1.01
56994	08/09/04	GW11487ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	700
56994	08/09/04	GW11487ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	10
56994	08/09/04	GW11487ST	IRON	REAL	TR1	275		UG/L		V		1	YES	N	
56994	08/09/04	GW11487ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	LEAD	REAL	TR1	0.39		UG/L	B	V		1	YES	N	15
56994	08/09/04	GW11487ST	LITHIUM	REAL	TR1	7.66		UG/L	B	V		1	YES	N	730
56994	08/09/04	GW11487ST	MAGNESIUM	REAL	TR1	15600		UG/L	E	J		1	YES	N	
56994	08/09/04	GW11487ST	MANGANESE	REAL	TR1	100		UG/L	E	J		1	YES	N	1720
56994	08/09/04	GW11487ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	N	2
56994	08/09/04	GW11487ST	METHYLENE CHLORIDE	REAL	TR1	2.1		UG/L	B	JB1		1	NO	N	5
56994	08/09/04	GW11487ST	MOLYBDENUM	REAL	TR1	0.463		UG/L	B	V		1	YES	N	183
56994	08/09/04	GW11487ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1460
56994	08/09/04	GW11487ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	NICKEL	REAL	TR1	10.3		UG/L	B	V		1	YES	N	140
56994	08/09/04	GW11487ST	NITRATE/NITRITE	REAL	TR1	18000		UG/L		V1	250	25	NO	N	10000
56994	08/09/04	GW11487ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	POTASSIUM	REAL	TR1	897		UG/L	B	V		1	YES	N	
56994	08/09/04	GW11487ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
56994	08/09/04	GW11487ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	SELENIUM	REAL	TR1	1.04		UG/L	B	V		1	YES	N	50
56994	08/09/04	GW11487ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	N	183
56994	08/09/04	GW11487ST	SODIUM	REAL	TR1	30400		UG/L	E	J		1	YES	N	
56994	08/09/04	GW11487ST	STRONTIUM	REAL	TR1	403		UG/L		V		1	YES	N	21900
56994	08/09/04	GW11487ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
56994	08/09/04	GW11487ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	TETRACHLOROETHENE	REAL	TR1	2.4		UG/L		V1		1	NO	N	5
56994	08/09/04	GW11487ST	THALLIUM	REAL	TR1	0.217		UG/L	B	V		1	YES	N	12
56994	08/09/04	GW11487ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	N	21900
56994	08/09/04	GW11487ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1000
56994	08/09/04	GW11487ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	N	10000
56994	08/09/04	GW11487ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
56994	08/09/04	GW11487ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
56994	08/09/04	GW11487ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
56994	08/09/04	GW11487ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
56994	08/09/04	GW11487ST	URANIUM, TOTAL	REAL	TR1	0.593		UG/L		V		1	YES	N	
56994	08/09/04	GW11487ST	URANIUM-233,-234	REAL	TR1	0.75	.485	PCI/L	J	V1			YES	N	1.06
56994	08/09/04	GW11487ST	URANIUM-235	REAL	TR1	0.0561	.149	PCI/L	U	V1			YES	N	1.01
56994	08/09/04	GW11487ST	URANIUM-238	REAL	TR1	0.175	.241	PCI/L	U	V1			YES	N	0.768
56994	08/09/04	GW11487ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	N	256
56994	08/09/04	GW11487ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	2
56994	08/09/04	GW11487ST	ZINC	REAL	TR1	14.2		UG/L	B	V		1	YES	N	11000
57094	08/11/04	GW11490ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	200
57094	08/11/04	GW11490ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57094	08/11/04	GW11490ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57094	08/11/04	GW11490ST	1,1-DICHLOROETHANE	REAL	TR1	0.78		UG/L	J	V1		1	NO	N	3650
57094	08/11/04	GW11490ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	7
57094	08/11/04	GW11490ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
57094	08/11/04	GW11490ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600

104

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
57094	08/11/04	GW11490ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57094	08/11/04	GW11490ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57094	08/11/04	GW11490ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
57094	08/11/04	GW11490ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	75
57094	08/11/04	GW11490ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	21900
57094	08/11/04	GW11490ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	2920
57094	08/11/04	GW11490ST	ACETONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	3650
57094	08/11/04	GW11490ST	ALUMINUM	REAL	TR1	9.08		UG/L	U	V		1	YES	N	36500
57094	08/11/04	GW11490ST	ANTIMONY	REAL	TR1	0.28		UG/L	U	UJ		1	YES	N	10
57094	08/11/04	GW11490ST	ARSENIC	REAL	TR1	2.71		UG/L	B	J		1	YES	N	50
57094	08/11/04	GW11490ST	BARIUM	REAL	TR1	21.2		UG/L	BE	J		1	YES	N	2000
57094	08/11/04	GW11490ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57094	08/11/04	GW11490ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	N	5
57094	08/11/04	GW11490ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57094	08/11/04	GW11490ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57094	08/11/04	GW11490ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	51.1
57094	08/11/04	GW11490ST	CADMIUM	REAL	TR1	0.365		UG/L	B	J		1	YES	N	5
57094	08/11/04	GW11490ST	CALCIUM	REAL	TR1	190000		UG/L		V		1	YES	N	
57094	08/11/04	GW11490ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	N	3650
57094	08/11/04	GW11490ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57094	08/11/04	GW11490ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57094	08/11/04	GW11490ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	29.4
57094	08/11/04	GW11490ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57094	08/11/04	GW11490ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	6.55
57094	08/11/04	GW11490ST	CHROMIUM	REAL	TR1	0.97		UG/L	B	UJ		1	YES	N	100
57094	08/11/04	GW11490ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
57094	08/11/04	GW11490ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57094	08/11/04	GW11490ST	COBALT	REAL	TR1	2.54		UG/L	BE	J		1	YES	N	2190
57094	08/11/04	GW11490ST	COPPER	REAL	TR1	3.63		UG/L		J		1	YES	N	1300
57094	08/11/04	GW11490ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1.01
57094	08/11/04	GW11490ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	700
57094	08/11/04	GW11490ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	10
57094	08/11/04	GW11490ST	IRON	REAL	TR1	674		UG/L		V		1	YES	N	
57094	08/11/04	GW11490ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	LEAD	REAL	TR1	0.372		UG/L	B	J		1	YES	N	15
57094	08/11/04	GW11490ST	LITHIUM	REAL	TR1	148		UG/L		V		1	YES	N	730
57094	08/11/04	GW11490ST	MAGNESIUM	REAL	TR1	65300		UG/L	E	J		1	YES	N	
57094	08/11/04	GW11490ST	MANGANESE	REAL	TR1	423		UG/L	E	J		1	YES	N	1720
57094	08/11/04	GW11490ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	N	2
57094	08/11/04	GW11490ST	METHYLENE CHLORIDE	REAL	TR1	2		UG/L	B	JB1		1	NO	N	5
57094	08/11/04	GW11490ST	MOLYBDENUM	REAL	TR1	4.57		UG/L	B	V		1	YES	N	183
57094	08/11/04	GW11490ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1460
57094	08/11/04	GW11490ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	NICKEL	REAL	TR1	9.17		UG/L	B	V		1	YES	N	140
57094	08/11/04	GW11490ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	POTASSIUM	REAL	TR1	4610		UG/L	B	V		1	YES	N	
57094	08/11/04	GW11490ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57094	08/11/04	GW11490ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	SELENIUM	REAL	TR1	3.32		UG/L		V		1	YES	N	50
57094	08/11/04	GW11490ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	N	183
57094	08/11/04	GW11490ST	SODIUM	REAL	TR1	68900		UG/L	E	J		1	YES	N	
57094	08/11/04	GW11490ST	STRONTIUM	REAL	TR1	1910		UG/L		V		1	YES	N	21900
57094	08/11/04	GW11490ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57094	08/11/04	GW11490ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57094	08/11/04	GW11490ST	THALLIUM	REAL	TR1	0.02		UG/L	U	V		1	YES	N	12
57094	08/11/04	GW11490ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	N	21900

105

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
57094	08/11/04	GW11490ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1000
57094	08/11/04	GW11490ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	N	10000
57094	08/11/04	GW11490ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
57094	08/11/04	GW11490ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57094	08/11/04	GW11490ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57094	08/11/04	GW11490ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57094	08/11/04	GW11490ST	URANIUM, TOTAL	REAL	TR5	33.3		UG/L				1	YES	N	
57094	08/11/04	GW11490ST	URANIUM-233,-234	REAL	TR1	23.3	3.43	PCI/L		V1			YES	N	1.06
57094	08/11/04	GW11490ST	URANIUM-235	REAL	TR1	0.688	.414	PCI/L	J	V1			YES	N	1.01
57094	08/11/04	GW11490ST	URANIUM-238	REAL	TR1	13.6	2.3	PCI/L		V1			YES	N	0.768
57094	08/11/04	GW11490ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	N	256
57094	08/11/04	GW11490ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	2
57094	08/11/04	GW11490ST	ZINC	REAL	TR1	11.2		UG/L	B	UJ		1	YES	N	11000
57994	08/10/04	GW11490ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	200
57994	08/10/04	GW11490ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57994	08/10/04	GW11490ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57994	08/10/04	GW11490ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	3650
57994	08/10/04	GW11490ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	7
57994	08/10/04	GW11490ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
57994	08/10/04	GW11490ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
57994	08/10/04	GW11490ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57994	08/10/04	GW11490ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57994	08/10/04	GW11490ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
57994	08/10/04	GW11490ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	75
57994	08/10/04	GW11490ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	21900
57994	08/10/04	GW11490ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	2920
57994	08/10/04	GW11490ST	ACETONE	REAL	TR1	16.5		UG/L		V1		1	NO	N	3650
57994	09/28/04	GW11490ST	ALUMINUM	REAL	TR1	167		UG/L		V1		1	YES	N	36500
57994	09/28/04	GW11490ST	ANTIMONY	REAL	TR1	1.4		UG/L	B	V1		1	YES	N	10
57994	09/28/04	GW11490ST	ARSENIC	REAL	TR1	4.5		UG/L	B	V1		1	YES	N	50
57994	09/28/04	GW11490ST	BARIUM	REAL	TR1	50.1		UG/L	B	V1		1	YES	N	2000
57994	08/10/04	GW11490ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57994	08/10/04	GW11490ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	09/28/04	GW11490ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	YES	N	5
57994	08/10/04	GW11490ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57994	08/10/04	GW11490ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57994	08/10/04	GW11490ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	51.1
57994	09/28/04	GW11490ST	CADMIUM	REAL	TR1	0.19		UG/L	B	V1		1	YES	N	5
57994	09/28/04	GW11490ST	CALCIUM	REAL	TR1	164000		UG/L		V1		1	YES	N	
57994	08/10/04	GW11490ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	N	3650
57994	08/10/04	GW11490ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57994	08/10/04	GW11490ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57994	08/10/04	GW11490ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	29.4
57994	08/10/04	GW11490ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57994	08/10/04	GW11490ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	6.55
57994	09/28/04	GW11490ST	CHROMIUM	REAL	TR1	2.2		UG/L		UJ1		1	YES	N	100
57994	08/10/04	GW11490ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
57994	08/10/04	GW11490ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57994	09/28/04	GW11490ST	COBALT	REAL	TR1	10.6		UG/L	B	V1		1	YES	N	2190
57994	09/28/04	GW11490ST	COPPER	REAL	TR1	3.2		UG/L		V1		1	YES	N	1300
57994	08/10/04	GW11490ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1.01
57994	08/10/04	GW11490ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	700
57994	08/10/04	GW11490ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	10

106

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
57994	09/28/04	GW11490ST	IRON	REAL	TR1	956		UG/L		J1		1	YES	N	
57994	08/10/04	GW11490ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	09/28/04	GW11490ST	LEAD	REAL	TR1	0.05		UG/L	U	J1		1	YES	N	15
57994	09/28/04	GW11490ST	LITHIUM	REAL	TR1	121		UG/L		V1		1	YES	N	730
57994	09/28/04	GW11490ST	MAGNESIUM	REAL	TR1	61400		UG/L		J1		1	YES	N	
57994	09/28/04	GW11490ST	MANGANESE	REAL	TR1	159		UG/L		V1		1	YES	N	1720
57994	09/28/04	GW11490ST	MERCURY	REAL	TR1	0.067		UG/L	B	J1		1	YES	N	2
57994	08/10/04	GW11490ST	METHYLENE CHLORIDE	REAL	TR1	1.9		UG/L	B	JB1		1	NO	N	5
57994	09/28/04	GW11490ST	MOLYBDENUM	REAL	TR1	11.5		UG/L	B	V1		1	YES	N	183
57994	08/10/04	GW11490ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1460
57994	08/10/04	GW11490ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	09/28/04	GW11490ST	NICKEL	REAL	TR1	122		UG/L		V1		1	YES	N	140
57994	08/10/04	GW11490ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	09/28/04	GW11490ST	POTASSIUM	REAL	TR1	2320		UG/L	B	V1		1	YES	N	
57994	08/10/04	GW11490ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57994	08/10/04	GW11490ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	09/28/04	GW11490ST	SELENIUM	REAL	TR1	12.8		UG/L		UJ1		1	YES	N	50
57994	09/28/04	GW11490ST	SILVER	REAL	TR1	0.04		UG/L	U	V1		1	YES	N	183
57994	09/28/04	GW11490ST	SODIUM	REAL	TR1	116000		UG/L		V1		1	YES	N	
57994	09/28/04	GW11490ST	STRONTIUM	REAL	TR1	1350		UG/L		V1		1	YES	N	21900
57994	08/10/04	GW11490ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
57994	08/10/04	GW11490ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	08/10/04	GW11490ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57994	09/28/04	GW11490ST	THALLIUM	REAL	TR1	0.031		UG/L	B	UJ1		1	YES	N	12
57994	09/28/04	GW11490ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	YES	N	21900
57994	08/10/04	GW11490ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1000
57994	08/10/04	GW11490ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	N	10000
57994	08/10/04	GW11490ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
57994	08/10/04	GW11490ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
57994	08/10/04	GW11490ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
57994	08/10/04	GW11490ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
57994	09/28/04	GW11490ST	URANIUM, TOTAL	REAL	TR1	52.7		UG/L		V1		1	YES	N	
57994	09/28/04	GW11490ST	VANADIUM	REAL	TR1	6.5		UG/L	B	V1		1	YES	N	256
57994	08/10/04	GW11490ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	2
57994	09/28/04	GW11490ST	ZINC	REAL	TR1	6.3		UG/L	B	V1		1	YES	N	11000
58494	08/12/04	GW11495ST	ALUMINUM	REAL	TR1	30.1		UG/L		J		1	YES	N	36500
58494	08/12/04	GW11495ST	ANTIMONY	REAL	TR1	0.7		UG/L	B	V		1	YES	N	10
58494	08/12/04	GW11495ST	ARSENIC	REAL	TR1	1		UG/L	U	J		1	YES	N	50
58494	08/12/04	GW11495ST	BARIUM	REAL	TR1	212		UG/L		V		1	YES	N	2000
58494	08/12/04	GW11495ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	N	5
58494	08/12/04	GW11495ST	CADMIUM	REAL	TR1	0.32		UG/L	B	J		1	YES	N	5
58494	08/12/04	GW11495ST	CALCIUM	REAL	TR1	126000		UG/L		V		1	YES	N	
58494	08/12/04	GW11495ST	CHROMIUM	REAL	TR1	2.4		UG/L		UJ		1	YES	N	100
58494	08/12/04	GW11495ST	COBALT	REAL	TR1	4.1		UG/L	B	V		1	YES	N	2190
58494	08/12/04	GW11495ST	COPPER	REAL	TR1	4.4		UG/L		UJ		1	YES	N	1300
58494	08/12/04	GW11495ST	IRON	REAL	TR1	427		UG/L		V		1	YES	N	
58494	08/12/04	GW11495ST	LEAD	REAL	TR1	0.27		UG/L	B	J		1	YES	N	15
58494	08/12/04	GW11495ST	LITHIUM	REAL	TR1	9.9		UG/L	B	V		1	YES	N	730
58494	08/12/04	GW11495ST	MAGNESIUM	REAL	TR1	34300		UG/L	E	J		1	YES	N	
58494	08/12/04	GW11495ST	MANGANESE	REAL	TR1	16.7		UG/L		V		1	YES	N	1720
58494	08/12/04	GW11495ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	N	2
58494	08/12/04	GW11495ST	MOLYBDENUM	REAL	TR1	3.9		UG/L	B	V		1	YES	N	183
58494	08/12/04	GW11495ST	NICKEL	REAL	TR1	74.6		UG/L		V		1	YES	N	140
58494	08/12/04	GW11495ST	POTASSIUM	REAL	TR1	342		UG/L	B	V		1	YES	N	
58494	08/12/04	GW11495ST	SELENIUM	REAL	TR1	0.64		UG/L	U	V		1	YES	N	50
58494	08/12/04	GW11495ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	N	183
58494	08/12/04	GW11495ST	SODIUM	REAL	TR1	16500		UG/L		V		1	YES	N	
58494	08/12/04	GW11495ST	STRONTIUM	REAL	TR1	1020		UG/L		V		1	YES	N	21900
58494	09/28/04	GW11495ST	STRONTIUM-89,90	REAL	TR1	0.365	.32	PCI/L	U				YES	N	0.852
58494	08/12/04	GW11495ST	THALLIUM	REAL	TR1	0.33		UG/L	B	V		1	YES	N	12
58494	08/12/04	GW11495ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	N	21900
58494	08/12/04	GW11495ST	URANIUM, TOTAL	REAL	TR1	21.9		UG/L		J		1	YES	N	
58494	08/12/04	GW11495ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	N	256
58494	08/12/04	GW11495ST	ZINC	REAL	TR1	14.8		UG/L	B	J		1	YES	N	11000
5887	07/14/04	GW11567ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	200
5887	07/14/04	GW11567ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
5887	07/14/04	GW11567ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	R	

107

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
5887	07/14/04	GW11567ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	3650
5887	07/14/04	GW11567ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	7
5887	07/14/04	GW11567ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	70
5887	07/14/04	GW11567ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	600
5887	07/14/04	GW11567ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	600
5887	07/14/04	GW11567ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	75
5887	07/14/04	GW11567ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	21900
5887	07/14/04	GW11567ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	2920
5887	07/14/04	GW11567ST	ACETONE	REAL	TR1	11.4		UG/L		V		1	NO	R	3650
5887	07/14/04	GW11567ST	ALUMINUM	REAL	TR1	71.9		UG/L		V		1	YES	R	36500
5887	07/14/04	GW11567ST	ANTIMONY	REAL	TR1	0.28		UG/L	U	V		1	YES	R	10
5887	07/14/04	GW11567ST	ARSENIC	REAL	TR1	1		UG/L	U	J		1	YES	R	50
5887	07/14/04	GW11567ST	BARIUM	REAL	TR1	43.9		UG/L	B	V		1	YES	R	2000
5887	07/14/04	GW11567ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	BERYLLIUM	REAL	TR1	0.08		UG/L	B	V		1	YES	R	5
5887	07/14/04	GW11567ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
5887	07/14/04	GW11567ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	R	100
5887	07/14/04	GW11567ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	51.1
5887	07/14/04	GW11567ST	CADMIUM	REAL	TR1	0.109		UG/L	B	V		1	YES	R	5
5887	07/14/04	GW11567ST	CALCIUM	REAL	TR1	20300		UG/L		V		1	YES	R	
5887	07/14/04	GW11567ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	R	3650
5887	07/14/04	GW11567ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
5887	07/14/04	GW11567ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	29.4
5887	07/14/04	GW11567ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	R	100
5887	07/14/04	GW11567ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	6.55
5887	07/14/04	GW11567ST	CHROMIUM	REAL	TR1	1.42		UG/L	B	UJ		1	YES	R	100
5887	07/14/04	GW11567ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	70
5887	07/14/04	GW11567ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
5887	07/14/04	GW11567ST	COBALT	REAL	TR1	0.162		UG/L	B	V		1	YES	R	2190
5887	07/14/04	GW11567ST	COPPER	REAL	TR1	3.88		UG/L		V		1	YES	R	1300
5887	07/14/04	GW11567ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	1.01
5887	07/14/04	GW11567ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	700
5887	07/14/04	GW11567ST	FLUORIDE	REAL	TR1	133		UG/L	B	V	55.3	1	NO	R	4000
5887	07/14/04	GW11567ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	R	10
5887	07/14/04	GW11567ST	IRON	REAL	TR1	116		UG/L		V		1	YES	R	
5887	07/14/04	GW11567ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	LEAD	REAL	TR1	0.166		UG/L	B	V		1	YES	R	15
5887	07/14/04	GW11567ST	LITHIUM	REAL	TR1	2.04		UG/L	BN	J		1	YES	R	730
5887	07/14/04	GW11567ST	MAGNESIUM	REAL	TR1	4800		UG/L	B	J		1	YES	R	
5887	07/14/04	GW11567ST	MANGANESE	REAL	TR1	1.83		UG/L	B	V		1	YES	R	1720
5887	07/14/04	GW11567ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	R	2
5887	07/14/04	GW11567ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	MOLYBDENUM	REAL	TR1	0.315		UG/L	B	V		1	YES	R	183
5887	07/14/04	GW11567ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1460
5887	07/14/04	GW11567ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	NICKEL	REAL	TR1	2.27		UG/L	B	V		1	YES	R	140
5887	07/14/04	GW11567ST	NITRATE/NITRITE	REAL	TR1	1870		UG/L		J	10	1	NO	R	10000
5887	07/14/04	GW11567ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	POTASSIUM	REAL	TR1	572		UG/L	B	V		1	YES	R	

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
5887	07/14/04	GW11567ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	R	1
5887	07/14/04	GW11567ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	SELENIUM	REAL	TR1	0.822		UG/L	B	UJ		1	YES	R	50
5887	07/14/04	GW11567ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	R	183
5887	07/14/04	GW11567ST	SODIUM	REAL	TR1	5440		UG/L		J		1	YES	R	
5887	07/14/04	GW11567ST	STRONTIUM	REAL	TR1	125		UG/L	B	V		1	YES	R	21900
5887	07/14/04	GW11567ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
5887	07/14/04	GW11567ST	SULFATE	REAL	TR1	20600		UG/L		V	193	1	NO	R	500000
5887	07/14/04	GW11567ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	THALLIUM	REAL	TR1	0.12		UG/L	B	UJ		1	YES	R	12
5887	07/14/04	GW11567ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	R	21900
5887	07/14/04	GW11567ST	TOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1000
5887	07/14/04	GW11567ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	R	10000
5887	07/14/04	GW11567ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	70
5887	07/14/04	GW11567ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
5887	07/14/04	GW11567ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
5887	07/14/04	GW11567ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
5887	07/14/04	GW11567ST	URANIUM, TOTAL	REAL	TR1	0.059		UG/L	B	V		1	YES	R	
5887	07/14/04	GW11567ST	URANIUM-233,-234	REAL	TR1	0.508	.348	PCI/L	J				YES	R	1.06
5887	07/14/04	GW11567ST	URANIUM-235	REAL	TR1	0.335	.284	PCI/L	J				YES	R	1.01
5887	07/14/04	GW11567ST	URANIUM-238	REAL	TR1	0.058	.114	PCI/L	U				YES	R	0.768
5887	07/14/04	GW11567ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	R	256
5887	07/14/04	GW11567ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	2
5887	07/14/04	GW11567ST	ZINC	REAL	TR1	1.85		UG/L	B	J		1	YES	R	11000
59194	08/09/04	GW11498ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	200
59194	08/09/04	GW11498ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
59194	08/09/04	GW11498ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
59194	08/09/04	GW11498ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	3650
59194	08/09/04	GW11498ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	7
59194	08/09/04	GW11498ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
59194	08/09/04	GW11498ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
59194	08/09/04	GW11498ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
59194	08/09/04	GW11498ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
59194	08/09/04	GW11498ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	600
59194	08/09/04	GW11498ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	75
59194	08/09/04	GW11498ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	21900
59194	08/09/04	GW11498ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	N	2920
59194	08/09/04	GW11498ST	ACETONE	REAL	TR1	27.9		UG/L		V1		1	NO	N	3650
59194	08/09/04	GW11498ST	ALUMINUM	REAL	TR1	16.2		UG/L	B	V		1	YES	N	36500
59194	08/09/04	GW11498ST	ANTIMONY	REAL	TR1	0.443		UG/L	B	UJ		1	YES	N	10
59194	08/09/04	GW11498ST	ARSENIC	REAL	TR1	1.54		UG/L	B	J		1	YES	N	50
59194	08/09/04	GW11498ST	BARIUM	REAL	TR1	70.4		UG/L	BE	J		1	YES	N	2000
59194	08/09/04	GW11498ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
59194	08/09/04	GW11498ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	N	5
59194	08/09/04	GW11498ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
59194	08/09/04	GW11498ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
59194	08/09/04	GW11498ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	51.1
59194	08/09/04	GW11498ST	CADMIUM	REAL	TR1	0.139		UG/L	B	V		1	YES	N	5
59194	08/09/04	GW11498ST	CALCIUM	REAL	TR1	94200		UG/L		V		1	YES	N	
59194	08/09/04	GW11498ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	N	3650
59194	08/09/04	GW11498ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
59194	08/09/04	GW11498ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
59194	08/09/04	GW11498ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	29.4

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
59194	08/09/04	GW11498ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
59194	08/09/04	GW11498ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	6.55
59194	08/09/04	GW11498ST	CHROMIUM	REAL	TR1	0.629		UG/L	B	UJ		1	YES	N	100
59194	08/09/04	GW11498ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
59194	08/09/04	GW11498ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
59194	08/09/04	GW11498ST	COBALT	REAL	TR1	0.799		UG/L	BE	J		1	YES	N	2190
59194	08/09/04	GW11498ST	COPPER	REAL	TR1	1.31		UG/L	B	V		1	YES	N	1300
59194	08/09/04	GW11498ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1.01
59194	08/09/04	GW11498ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	700
59194	08/09/04	GW11498ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	10
59194	08/09/04	GW11498ST	IRON	REAL	TR1	269		UG/L		V		1	YES	N	
59194	08/09/04	GW11498ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	LEAD	REAL	TR1	0.299		UG/L	B	V		1	YES	N	15
59194	08/09/04	GW11498ST	LITHIUM	REAL	TR1	17.8		UG/L	B	V		1	YES	N	730
59194	08/09/04	GW11498ST	MAGNESIUM	REAL	TR1	13200		UG/L	E	J		1	YES	N	
59194	08/09/04	GW11498ST	MANGANESE	REAL	TR1	12.8		UG/L	BE	J		1	YES	N	1720
59194	08/09/04	GW11498ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	N	2
59194	08/09/04	GW11498ST	METHYLENE CHLORIDE	REAL	TR1	5.6		UG/L	B	JB1		1	NO	N	5
59194	08/09/04	GW11498ST	MOLYBDENUM	REAL	TR1	4.37		UG/L	B	V		1	YES	N	183
59194	08/09/04	GW11498ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1460
59194	08/09/04	GW11498ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	NICKEL	REAL	TR1	2.6		UG/L	B	V		1	YES	N	140
59194	08/09/04	GW11498ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	POTASSIUM	REAL	TR1	1470		UG/L	B	V		1	YES	N	
59194	08/09/04	GW11498ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
59194	08/09/04	GW11498ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	SELENIUM	REAL	TR1	4.42		UG/L		V		1	YES	N	50
59194	08/09/04	GW11498ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	N	183
59194	08/09/04	GW11498ST	SODIUM	REAL	TR1	35700		UG/L	E	J		1	YES	N	
59194	08/09/04	GW11498ST	STRONTIUM	REAL	TR1	442		UG/L		V		1	YES	N	21900
59194	08/09/04	GW11498ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	100
59194	08/09/04	GW11498ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	TETRACHLOROETHENE	REAL	TR1	8.7		UG/L		V1		1	NO	N	5
59194	08/09/04	GW11498ST	THALLIUM	REAL	TR1	0.027		UG/L	B	UJ		1	YES	N	12
59194	08/09/04	GW11498ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	N	21900
59194	08/09/04	GW11498ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1000
59194	08/09/04	GW11498ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	N	10000
59194	08/09/04	GW11498ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	70
59194	08/09/04	GW11498ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	1
59194	08/09/04	GW11498ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	N	5
59194	08/09/04	GW11498ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	N	
59194	08/09/04	GW11498ST	URANIUM, TOTAL	REAL	TR1	5.64		UG/L		V		1	YES	N	
59194	08/09/04	GW11498ST	URANIUM-233,-234	REAL	TR1	5.54	1.44	PCI/L		V1			YES	N	1.06
59194	08/09/04	GW11498ST	URANIUM-235	REAL	TR1	0.458	.387	PCI/L	J	V1			YES	N	1.01
59194	08/09/04	GW11498ST	URANIUM-238	REAL	TR1	2.75	.952	PCI/L		V1			YES	N	0.768
59194	08/09/04	GW11498ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	N	256
59194	08/09/04	GW11498ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	N	2
59194	08/09/04	GW11498ST	ZINC	REAL	TR1	3.76		UG/L	B	UJ		1	YES	N	11000
59294	08/03/04	GW11500ST	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	1,1,1-TRICHLOROETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	200
59294	08/03/04	GW11499ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	200
59294	08/03/04	GW11501ST	1,1,1-TRICHLOROETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	200
59294	08/03/04	GW11500ST	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11499ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11501ST	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11500ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	DUP	TR1	5		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	RNS	TR1	5		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	1,1,2-TRICHLOROETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11499ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11501ST	1,1,2-TRICHLOROETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11500ST	1,1-DICHLOROETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	3650
59294	08/03/04	GW11499ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	3650
59294	08/03/04	GW11501ST	1,1-DICHLOROETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	3650

110

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
59294	08/03/04	GW11500ST	1,1-DICHLOROETHENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	7
59294	08/03/04	GW11499ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	7
59294	08/03/04	GW11501ST	1,1-DICHLOROETHENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	7
59294	08/03/04	GW11500ST	1,1-DICHLOROPROPENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	1,1-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	1,2,3-TRICHLOROBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	1,2,3-TRICHLOROBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	1,2,3-TRICHLOROPROPANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	1,2,3-TRICHLOROPROPANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	1,2,4-TRICHLOROBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11499ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11501ST	1,2,4-TRICHLOROBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11500ST	1,2-DIBROMOETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	1,2-DIBROMOETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	1,2-DICHLOROBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	600
59294	08/03/04	GW11499ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	600
59294	08/03/04	GW11501ST	1,2-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	600
59294	08/03/04	GW11500ST	1,2-DICHLOROETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11499ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11501ST	1,2-DICHLOROETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11500ST	1,2-DICHLOROPROPANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11499ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11501ST	1,2-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11500ST	1,3-DICHLOROBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	600
59294	08/03/04	GW11499ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	600
59294	08/03/04	GW11501ST	1,3-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	600
59294	08/03/04	GW11500ST	1,3-DICHLOROPROPANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	1,3-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	1,4-DICHLOROBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	75
59294	08/03/04	GW11499ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	75
59294	08/03/04	GW11501ST	1,4-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	75
59294	08/03/04	GW11500ST	2,2-DICHLOROPROPANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	2,2-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	2-BUTANONE	DUP	TR1	10		UG/L	U	UJ1		1	NO	N	21900
59294	08/03/04	GW11499ST	2-BUTANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	21900
59294	08/03/04	GW11501ST	2-BUTANONE	RNS	TR1	10		UG/L	U	UJ1		1	NO	N	21900
59294	08/03/04	GW11500ST	2-CHLOROTOLUENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	2-CHLOROTOLUENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	2-HEXANONE	DUP	TR1	10		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	2-HEXANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	2-HEXANONE	RNS	TR1	10		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	4-ISOPROPYLTOLUENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	4-ISOPROPYLTOLUENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	4-METHYL-2-PENTANONE	DUP	TR1	10		UG/L	U	UJ1		1	NO	N	2920
59294	08/03/04	GW11499ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	2920
59294	08/03/04	GW11501ST	4-METHYL-2-PENTANONE	RNS	TR1	10		UG/L	U	UJ1		1	NO	N	2920
59294	08/03/04	GW11500ST	ACETONE	DUP	TR1	36.9		UG/L		J1		1	NO	N	3650
59294	08/03/04	GW11499ST	ACETONE	REAL	TR1	36.9		UG/L		J1		1	NO	N	3650
59294	08/03/04	GW11501ST	ACETONE	RNS	TR1	10		UG/L	U	UJ1		1	NO	N	3650
59294	08/03/04	GW11500ST	ALUMINUM	DUP	TR4	9.08		UG/L	UE	J1		1	YES	N	36500
59294	08/03/04	GW11499ST	ALUMINUM	REAL	TR4	11.6		UG/L	BE	J1		1	YES	N	36500
59294	08/03/04	GW11501ST	ALUMINUM	RNS	TR3	12		UG/L	BE	J1		1	YES	N	36500
59294	08/03/04	GW11500ST	ANTIMONY	DUP	TR1	0.534		UG/L	B	UJ1		1	YES	N	10
59294	08/03/04	GW11499ST	ANTIMONY	REAL	TR1	0.442		UG/L	B	UJ1		1	YES	N	10
59294	08/03/04	GW11501ST	ANTIMONY	RNS	TR1	0.28		UG/L	U	V1		1	YES	N	10
59294	08/03/04	GW11500ST	ARSENIC	DUP	TR1	1		UG/L	U	V1		1	YES	N	50
59294	08/03/04	GW11499ST	ARSENIC	REAL	TR1	2.16		UG/L	B	V1		1	YES	N	50
59294	08/03/04	GW11501ST	ARSENIC	RNS	TR1	1		UG/L	U	V1		1	YES	N	50
59294	08/03/04	GW11500ST	BARIUM	DUP	TR1	88.9		UG/L	B	V1		1	YES	N	2000
59294	08/03/04	GW11499ST	BARIUM	REAL	TR1	88.5		UG/L	B	V1		1	YES	N	2000
59294	08/03/04	GW11501ST	BARIUM	RNS	TR1	0.425		UG/L	B	UJ1		1	YES	N	2000

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
59294	08/03/04	GW11500ST	BENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11499ST	BENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11501ST	BENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11500ST	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	BERYLLIUM	DUP	TR1	0.08		UG/L	U	V1		1	YES	N	5
59294	08/03/04	GW11499ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	YES	N	5
59294	08/03/04	GW11501ST	BERYLLIUM	RNS	TR1	0.08		UG/L	U	V1		1	YES	N	5
59294	08/03/04	GW11500ST	BROMOBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	BROMOBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	BROMOCHLOROMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	BROMOCHLOROMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	BROMODICHLOROMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11499ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11501ST	BROMODICHLOROMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11500ST	BROMOFORM	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11499ST	BROMOFORM	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11501ST	BROMOFORM	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11500ST	BROMOMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	51.1
59294	08/03/04	GW11499ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	51.1
59294	08/03/04	GW11501ST	BROMOMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	51.1
59294	08/03/04	GW11500ST	CADMIUM	DUP	TR1	0.058		UG/L	B	V1		1	YES	N	5
59294	08/03/04	GW11499ST	CADMIUM	REAL	TR1	0.054		UG/L	B	V1		1	YES	N	5
59294	08/03/04	GW11501ST	CADMIUM	RNS	TR1	0.103		UG/L	B	V1		1	YES	N	5
59294	08/03/04	GW11500ST	CALCIUM	DUP	TR3	297000		UG/L		V1		5	YES	N	
59294	08/03/04	GW11499ST	CALCIUM	REAL	TR3	313000		UG/L		V1		5	YES	N	
59294	08/03/04	GW11501ST	CALCIUM	RNS	TR1	151		UG/L	B	V1		1	YES	N	
59294	08/03/04	GW11500ST	CARBON DISULFIDE	DUP	TR1	5		UG/L	U	UJ1		1	NO	N	3650
59294	08/03/04	GW11499ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ1		1	NO	N	3650
59294	08/03/04	GW11501ST	CARBON DISULFIDE	RNS	TR1	5		UG/L	U	UJ1		1	NO	N	3650
59294	08/03/04	GW11500ST	CARBON TETRACHLORIDE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11499ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11501ST	CARBON TETRACHLORIDE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11500ST	CHLOROBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11499ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11501ST	CHLOROBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11500ST	CHLOROETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	29.4
59294	08/03/04	GW11499ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	29.4
59294	08/03/04	GW11501ST	CHLOROETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	29.4
59294	08/03/04	GW11500ST	CHLOROFORM	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11499ST	CHLOROFORM	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11501ST	CHLOROFORM	RNS	TR1	0.6		UG/L	J	J1		1	NO	N	100
59294	08/03/04	GW11500ST	CHLOROMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	6.55
59294	08/03/04	GW11499ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	6.55
59294	08/03/04	GW11501ST	CHLOROMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	6.55
59294	08/03/04	GW11500ST	CHROMIUM	DUP	TR1	0.501		UG/L	B	UJ1		1	YES	N	100
59294	08/03/04	GW11499ST	CHROMIUM	REAL	TR1	0.474		UG/L	B	UJ1		1	YES	N	100
59294	08/03/04	GW11501ST	CHROMIUM	RNS	TR1	1.01		UG/L	B	UJ1		1	YES	N	100
59294	08/03/04	GW11500ST	cis-1,2-DICHLOROETHENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11499ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11501ST	cis-1,2-DICHLOROETHENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11500ST	cis-1,3-DICHLOROPROPENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11499ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11501ST	cis-1,3-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11500ST	COBALT	DUP	TR1	13.1		UG/L	B	V1		1	YES	N	2190
59294	08/03/04	GW11499ST	COBALT	REAL	TR1	10.3		UG/L	B	V1		1	YES	N	2190
59294	08/03/04	GW11501ST	COBALT	RNS	TR1	1.43		UG/L	B	V1		1	YES	N	2190
59294	08/03/04	GW11500ST	COPPER	DUP	TR1	1.4		UG/L	B	V1		1	YES	N	1300
59294	08/03/04	GW11499ST	COPPER	REAL	TR1	1.35		UG/L	B	V1		1	YES	N	1300
59294	08/03/04	GW11501ST	COPPER	RNS	TR1	1		UG/L	B	V1		1	YES	N	1300
59294	08/03/04	GW11500ST	DIBROMOCHLOROMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	1.01
59294	08/03/04	GW11499ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1.01
59294	08/03/04	GW11501ST	DIBROMOCHLOROMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	1.01

112

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
59294	08/03/04	GW11500ST	DIBROMOMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	DIBROMOMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	DICHLORODIFLUOROMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	DICHLORODIFLUOROMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	ETHYLBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	700
59294	08/03/04	GW11499ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	700
59294	08/03/04	GW11501ST	ETHYLBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	700
59294	08/03/04	GW11500ST	HEXACHLOROBUTADIENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	10
59294	08/03/04	GW11499ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	10
59294	08/03/04	GW11501ST	HEXACHLOROBUTADIENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	10
59294	08/03/04	GW11500ST	IRON	DUP	TR1	2770		UG/L		V1		1	YES	N	
59294	08/03/04	GW11499ST	IRON	REAL	TR1	2610		UG/L		V1		1	YES	N	
59294	08/03/04	GW11501ST	IRON	RNS	TR1	24.8		UG/L	B	UJ1		1	YES	N	
59294	08/03/04	GW11500ST	ISOPROPYLBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	ISOPROPYLBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	LEAD	DUP	TR1	0.061		UG/L	B	V1		1	YES	N	15
59294	08/03/04	GW11499ST	LEAD	REAL	TR1	0.05		UG/L	U	V1		1	YES	N	15
59294	08/03/04	GW11501ST	LEAD	RNS	TR1	0.11		UG/L	B	V1		1	YES	N	15
59294	08/03/04	GW11500ST	LITHIUM	DUP	TR2	46		UG/L	B	V1		1	YES	N	730
59294	08/03/04	GW11499ST	LITHIUM	REAL	TR2	49.9		UG/L	B	V1		1	YES	N	730
59294	08/03/04	GW11501ST	LITHIUM	RNS	TR2	0.245		UG/L	B	V1		1	YES	N	730
59294	08/03/04	GW11500ST	MAGNESIUM	DUP	TR1	65200		UG/L		V1		1	YES	N	
59294	08/03/04	GW11499ST	MAGNESIUM	REAL	TR1	64800		UG/L		V1		1	YES	N	
59294	08/03/04	GW11501ST	MAGNESIUM	RNS	TR1	23.3		UG/L	B	J1		1	YES	N	
59294	08/03/04	GW11500ST	MANGANESE	DUP	TR1	876		UG/L		V1		1	YES	N	1720
59294	08/03/04	GW11499ST	MANGANESE	REAL	TR1	965		UG/L		V1		1	YES	N	1720
59294	08/03/04	GW11501ST	MANGANESE	RNS	TR1	2.75		UG/L	B	V1		1	YES	N	1720
59294	08/03/04	GW11500ST	MERCURY	DUP	TR1	0.066		UG/L	B	V1		1	YES	N	2
59294	08/03/04	GW11499ST	MERCURY	REAL	TR1	0.0472		UG/L	U	V1		1	YES	N	2
59294	08/03/04	GW11501ST	MERCURY	RNS	TR1	0.0472		UG/L	U	V1		1	YES	N	2
59294	08/03/04	GW11500ST	METHYLENE CHLORIDE	DUP	TR1	8.5		UG/L	B	U1		1	NO	N	5
59294	08/03/04	GW11499ST	METHYLENE CHLORIDE	REAL	TR1	8.2		UG/L	B	U1		1	NO	N	5
59294	08/03/04	GW11501ST	METHYLENE CHLORIDE	RNS	TR1	8.1		UG/L	B	U1		1	NO	N	5
59294	08/03/04	GW11500ST	MOLYBDENUM	DUP	TR1	3.03		UG/L	B	V1		1	YES	N	183
59294	08/03/04	GW11499ST	MOLYBDENUM	REAL	TR1	3.01		UG/L	B	V1		1	YES	N	183
59294	08/03/04	GW11501ST	MOLYBDENUM	RNS	TR1	0.2		UG/L	U	V1		1	YES	N	183
59294	08/03/04	GW11500ST	NAPHTHALENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	1460
59294	08/03/04	GW11499ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1460
59294	08/03/04	GW11501ST	NAPHTHALENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	1460
59294	08/03/04	GW11500ST	n-BUTYLBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	n-BUTYLBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	NICKEL	DUP	TR1	10.7		UG/L	BE	J1		1	YES	N	140
59294	08/03/04	GW11499ST	NICKEL	REAL	TR1	11.5		UG/L	BE	J1		1	YES	N	140
59294	08/03/04	GW11501ST	NICKEL	RNS	TR1	1.82		UG/L	BE	J1		1	YES	N	140
59294	08/03/04	GW11500ST	n-PROPYLBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	n-PROPYLBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	p-CHLOROTOLUENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	p-CHLOROTOLUENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	POTASSIUM	DUP	TR2	1120		UG/L	B	V1		1	YES	N	
59294	08/03/04	GW11499ST	POTASSIUM	REAL	TR2	1270		UG/L	B	V1		1	YES	N	
59294	08/03/04	GW11501ST	POTASSIUM	RNS	TR2	64.1		UG/L	B	V1		1	YES	N	
59294	08/03/04	GW11500ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11499ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11501ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11500ST	sec-BUTYLBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	sec-BUTYLBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	SELENIUM	DUP	TR1	0.64		UG/L	U	J1		1	YES	N	50
59294	08/03/04	GW11499ST	SELENIUM	REAL	TR1	0.64		UG/L	U	J1		1	YES	N	50
59294	08/03/04	GW11501ST	SELENIUM	RNS	TR1	0.64		UG/L	U	J1		1	YES	N	50
59294	08/03/04	GW11500ST	SILVER	DUP	TR1	0.04		UG/L	U	V1		1	YES	N	183
59294	08/03/04	GW11499ST	SILVER	REAL	TR1	0.04		UG/L	U	V1		1	YES	N	183
59294	08/03/04	GW11501ST	SILVER	RNS	TR1	0.04		UG/L	U	V1		1	YES	N	183

113

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
59294	08/03/04	GW11500ST	SODIUM	DUP	TR1	105000		UG/L	NE	J1		1	YES	N	
59294	08/03/04	GW11499ST	SODIUM	REAL	TR1	102000		UG/L	NE	J1		1	YES	N	
59294	08/03/04	GW11501ST	SODIUM	RNS	TR1	403		UG/L	BNE	J1		1	YES	N	
59294	08/03/04	GW11500ST	STRONTIUM	DUP	TR1	1890		UG/L		V1		1	YES	N	21900
59294	08/03/04	GW11499ST	STRONTIUM	REAL	TR1	1970		UG/L		V1		1	YES	N	21900
59294	08/03/04	GW11501ST	STRONTIUM	RNS	TR1	0.748		UG/L	B	V1		1	YES	N	21900
59294	08/03/04	GW11500ST	STYRENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11499ST	STYRENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11501ST	STYRENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	100
59294	08/03/04	GW11500ST	tert-BUTYLBENZENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	tert-BUTYLBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	TETRACHLOROETHENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11499ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11501ST	TETRACHLOROETHENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11500ST	THALLIUM	DUP	TR1	0.069		UG/L	B	UJ1		1	YES	N	12
59294	08/03/04	GW11499ST	THALLIUM	REAL	TR1	0.074		UG/L	B	UJ1		1	YES	N	12
59294	08/03/04	GW11501ST	THALLIUM	RNS	TR1	0.048		UG/L	B	UJ1		1	YES	N	12
59294	08/03/04	GW11500ST	TIN	DUP	TR1	0.82		UG/L	U	V1		1	YES	N	21900
59294	08/03/04	GW11499ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	YES	N	21900
59294	08/03/04	GW11501ST	TIN	RNS	TR1	0.82		UG/L	U	V1		1	YES	N	21900
59294	08/03/04	GW11500ST	TOLUENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	1000
59294	08/03/04	GW11499ST	TOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1000
59294	08/03/04	GW11501ST	TOLUENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	1000
59294	08/03/04	GW11500ST	TOTAL XYLENES	DUP	TR1	3		UG/L	U	UJ1		1	NO	N	10000
59294	08/03/04	GW11499ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	UJ1		1	NO	N	10000
59294	08/03/04	GW11501ST	TOTAL XYLENES	RNS	TR1	3		UG/L	U	UJ1		1	NO	N	10000
59294	08/03/04	GW11500ST	trans-1,2-DICHLOROETHENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11499ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11501ST	trans-1,2-DICHLOROETHENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	70
59294	08/03/04	GW11500ST	trans-1,3-DICHLOROPROPENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11499ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11501ST	trans-1,3-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	1
59294	08/03/04	GW11500ST	TRICHLOROETHENE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11499ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11501ST	TRICHLOROETHENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	5
59294	08/03/04	GW11500ST	TRICHLOROFLUOROMETHANE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11499ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11501ST	TRICHLOROFLUOROMETHANE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	
59294	08/03/04	GW11500ST	URANIUM, TOTAL	DUP	TR1	34.7		UG/L		V1		1	YES	N	
59294	08/03/04	GW11499ST	URANIUM, TOTAL	REAL	TR1	46.7		UG/L		V1		1	YES	N	
59294	08/03/04	GW11501ST	URANIUM, TOTAL	RNS	TR1	0.02		UG/L	U	V1		1	YES	N	
59294	08/03/04	GW11500ST	URANIUM-233,-234	DUP	TR1	17.5	2.77	PCI/L		V1			YES	N	1.06
59294	08/03/04	GW11499ST	URANIUM-233,-234	REAL	TR1	16.8	2.94	PCI/L		V1			YES	N	1.06
59294	08/03/04	GW11501ST	URANIUM-233,-234	RNS	TR1	0.183	.243	PCI/L	U	V1			YES	N	1.06
59294	08/03/04	GW11500ST	URANIUM-235	DUP	TR1	0.688	.414	PCI/L	J	V1			YES	N	1.01
59294	08/03/04	GW11499ST	URANIUM-235	REAL	TR1	1.06	.593	PCI/L		V1			YES	N	1.01
59294	08/03/04	GW11501ST	URANIUM-235	RNS	TR1	-0.0128	.142	PCI/L	U	V1			YES	N	1.01
59294	08/03/04	GW11500ST	URANIUM-238	DUP	TR1	13	2.23	PCI/L		V1			YES	N	0.768
59294	08/03/04	GW11499ST	URANIUM-238	REAL	TR1	13.9	2.56	PCI/L		V1			YES	N	0.768
59294	08/03/04	GW11501ST	URANIUM-238	RNS	TR1	-0.012	.134	PCI/L	U	V1			YES	N	0.768
59294	08/03/04	GW11500ST	VANADIUM	DUP	TR1	5.44		UG/L	U	V1		1	YES	N	256
59294	08/03/04	GW11499ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V1		1	YES	N	256
59294	08/03/04	GW11501ST	VANADIUM	RNS	TR1	5.44		UG/L	U	V1		1	YES	N	256
59294	08/03/04	GW11500ST	VINYL CHLORIDE	DUP	TR1	1		UG/L	U	UJ1		1	NO	N	2
59294	08/03/04	GW11499ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	2
59294	08/03/04	GW11501ST	VINYL CHLORIDE	RNS	TR1	1		UG/L	U	UJ1		1	NO	N	2
59294	08/03/04	GW11500ST	ZINC	DUP	TR1	4.95		UG/L	B	V1		1	YES	N	11000
59294	08/03/04	GW11499ST	ZINC	REAL	TR1	4.17		UG/L	B	V1		1	YES	N	11000
59294	08/03/04	GW11501ST	ZINC	RNS	TR1	4.56		UG/L	B	V1		1	YES	N	11000
59594	07/28/04	GW11502ST	ALUMINUM	REAL	TR1	11.3		UG/L	B	J1		1	YES	N	36500
59594	07/28/04	GW11502ST	ANTIMONY	REAL	TR1	0.28		UG/L	U	V1		1	YES	N	10
59594	07/28/04	GW11502ST	ARSENIC	REAL	TR1	1		UG/L	U	V1		1	YES	N	50
59594	07/28/04	GW11502ST	BARIUM	REAL	TR1	187		UG/L		J1		1	YES	N	2000
59594	07/28/04	GW11502ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	YES	N	5
59594	07/28/04	GW11502ST	CADMIUM	REAL	TR1	0.065		UG/L	B	V1		1	YES	N	5
59594	07/28/04	GW11502ST	CALCIUM	REAL	TR1	119000		UG/L		V1		1	YES	N	
59594	07/28/04	GW11502ST	CHROMIUM	REAL	TR1	0.56		UG/L	B	J1		1	YES	N	100
59594	07/28/04	GW11502ST	COBALT	REAL	TR1	0.82		UG/L	B	V1		1	YES	N	2190

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
59594	07/28/04	GW11502ST	COPPER	REAL	TR1	0.69		UG/L	U	V1		1	YES	N	1300
59594	07/28/04	GW11502ST	IRON	REAL	TR1	834		UG/L		V1		1	YES	N	
59594	07/28/04	GW11502ST	LEAD	REAL	TR1	0.05		UG/L	U	V1		1	YES	N	15
59594	07/28/04	GW11502ST	LITHIUM	REAL	TR1	5.9		UG/L	B	V1		1	YES	N	730
59594	07/28/04	GW11502ST	MAGNESIUM	REAL	TR1	24800		UG/L		V1		1	YES	N	
59594	07/28/04	GW11502ST	MANGANESE	REAL	TR1	1.61		UG/L	U	V1		1	YES	N	1720
59594	07/28/04	GW11502ST	MERCURY	REAL	TR1	0.0472		UG/L	U	V1		1	YES	N	2
59594	07/28/04	GW11502ST	MOLYBDENUM	REAL	TR1	1.4		UG/L	B	V1		1	YES	N	183
59594	07/28/04	GW11502ST	NICKEL	REAL	TR1	2.1		UG/L	B	V1		1	YES	N	140
59594	07/28/04	GW11502ST	POTASSIUM	REAL	TR1	901		UG/L	B	V1		1	YES	N	
59594	07/28/04	GW11502ST	SELENIUM	REAL	TR1	0.64		UG/L	U	J1		1	YES	N	50
59594	07/28/04	GW11502ST	SILVER	REAL	TR1	0.04		UG/L	U	V1		1	YES	N	183
59594	07/28/04	GW11502ST	SODIUM	REAL	TR1	10800		UG/L		V1		1	YES	N	
59594	07/28/04	GW11502ST	STRONTIUM	REAL	TR1	701		UG/L		V1		1	YES	N	21900
59594	07/28/04	GW11502ST	THALLIUM	REAL	TR1	0.49		UG/L	B	J1		1	YES	N	12
59594	07/28/04	GW11502ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	YES	N	21900
59594	07/28/04	GW11502ST	URANIUM, TOTAL	REAL	TR1	2.7		UG/L		V1		1	YES	N	
59594	07/28/04	GW11502ST	URANIUM-233,-234	REAL	TR1	1.83	.703	PCI/L		V			YES	N	1.06
59594	07/28/04	GW11502ST	URANIUM-235	REAL	TR1	0.108	.174	PCI/L	U	V			YES	N	1.01
59594	07/28/04	GW11502ST	URANIUM-238	REAL	TR1	0.815	.462	PCI/L	J	V			YES	N	0.768
59594	07/28/04	GW11502ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V1		1	YES	N	256
59594	07/28/04	GW11502ST	ZINC	REAL	TR1	2.7		UG/L	B	J1		1	YES	N	11000
60199	07/26/04	GW11520ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	200
60199	07/26/04	GW11520ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60199	07/26/04	GW11520ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60199	07/26/04	GW11520ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	3650
60199	07/26/04	GW11520ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	7
60199	07/26/04	GW11520ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	
60199	07/26/04	GW11520ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	70
60199	07/26/04	GW11520ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
60199	07/26/04	GW11520ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60199	07/26/04	GW11520ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60199	07/26/04	GW11520ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
60199	07/26/04	GW11520ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	75
60199	07/26/04	GW11520ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	21900
60199	07/26/04	GW11520ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	UJ		1	NO	N	2920
60199	07/26/04	GW11520ST	ACETONE	REAL	TR1	8.8		UG/L	J	V		1	NO	N	3650
60199	07/26/04	GW11520ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60199	07/26/04	GW11520ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60199	07/26/04	GW11520ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60199	07/26/04	GW11520ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	51.1
60199	07/26/04	GW11520ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	N	3650
60199	07/26/04	GW11520ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60199	07/26/04	GW11520ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60199	07/26/04	GW11520ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	29.4
60199	07/26/04	GW11520ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60199	07/26/04	GW11520ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	6.55
60199	07/26/04	GW11520ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
60199	07/26/04	GW11520ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60199	07/26/04	GW11520ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1.01
60199	07/26/04	GW11520ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	
60199	07/26/04	GW11520ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	700
60199	07/26/04	GW11520ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	N	10
60199	07/26/04	GW11520ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
60199	07/26/04	GW11520ST	METHYLENE CHLORIDE	REAL	TR1	2.4		UG/L		V		1	NO	N	5
60199	07/26/04	GW11520ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1460
60199	07/26/04	GW11520ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60199	07/26/04	GW11520ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60199	07/26/04	GW11520ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	07/26/04	GW11520ST	TETRACHLOROETHENE	REAL	TR1	83.1		UG/L		V		1	NO	N	5
60199	07/26/04	GW11520ST	TOLUENE	REAL	TR1	0.48		UG/L	JB	JB		1	NO	N	1000
60199	07/26/04	GW11520ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	N	10000
60199	07/26/04	GW11520ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
60199	07/26/04	GW11520ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60199	07/26/04	GW11520ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60199	07/26/04	GW11520ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60199	08/31/04	GW11520ST	URANIUM-233,-234	REAL	TR1	4.46	.871	PCI/L					YES	N	1.06
60199	08/31/04	GW11520ST	URANIUM-235	REAL	TR1	0.291	.176	PCI/L	J				YES	N	1.01
60199	08/31/04	GW11520ST	URANIUM-238	REAL	TR1	3	.667	PCI/L					YES	N	0.768
60199	07/26/04	GW11520ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	2
60399	07/26/04	GW11521ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	200
60399	07/26/04	GW11521ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60399	07/26/04	GW11521ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60399	07/26/04	GW11521ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	3650
60399	07/26/04	GW11521ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	7
60399	07/26/04	GW11521ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	
60399	07/26/04	GW11521ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	70
60399	07/26/04	GW11521ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
60399	07/26/04	GW11521ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60399	07/26/04	GW11521ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60399	07/26/04	GW11521ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
60399	07/26/04	GW11521ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	75
60399	07/26/04	GW11521ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	21900
60399	07/26/04	GW11521ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	UJ		1	NO	N	2920
60399	07/26/04	GW11521ST	ACETONE	REAL	TR1	3.7		UG/L	J	V		1	NO	N	3650
60399	07/26/04	GW11521ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60399	07/26/04	GW11521ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60399	07/26/04	GW11521ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60399	07/26/04	GW11521ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	51.1
60399	07/26/04	GW11521ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	N	3650
60399	07/26/04	GW11521ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60399	07/26/04	GW11521ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60399	07/26/04	GW11521ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	29.4
60399	07/26/04	GW11521ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60399	07/26/04	GW11521ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	6.55
60399	07/26/04	GW11521ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
60399	07/26/04	GW11521ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60399	07/26/04	GW11521ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1.01
60399	07/26/04	GW11521ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	
60399	07/26/04	GW11521ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	700
60399	07/26/04	GW11521ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	N	10
60399	07/26/04	GW11521ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	METHYLENE CHLORIDE	REAL	TR1	2.2		UG/L		V		1	NO	N	5
60399	07/26/04	GW11521ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1460

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
60399	07/26/04	GW11521ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60399	07/26/04	GW11521ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
60399	07/26/04	GW11521ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	07/26/04	GW11521ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60399	07/26/04	GW11521ST	TOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1000
60399	07/26/04	GW11521ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	N	10000
60399	07/26/04	GW11521ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
60399	07/26/04	GW11521ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
60399	07/26/04	GW11521ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
60399	07/26/04	GW11521ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
60399	08/30/04	GW11521ST	URANIUM-233,-234	REAL	TR1	1.83	.462	PCI/L					YES	N	1.06
60399	08/30/04	GW11521ST	URANIUM-235	REAL	TR1	0.133	.112	PCI/L	J				YES	N	1.01
60399	08/30/04	GW11521ST	URANIUM-238	REAL	TR1	0.894	.302	PCI/L	J				YES	N	0.768
60399	07/26/04	GW11521ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	2
61293	08/02/04	GW11505ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	200
61293	08/02/04	GW11505ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
61293	08/02/04	GW11505ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
61293	08/02/04	GW11505ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	3650
61293	08/02/04	GW11505ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	7
61293	08/02/04	GW11505ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
61293	08/02/04	GW11505ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	600
61293	08/02/04	GW11505ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
61293	08/02/04	GW11505ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
61293	08/02/04	GW11505ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	600
61293	08/02/04	GW11505ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	75
61293	08/02/04	GW11505ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	2-BUTANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	21900
61293	08/02/04	GW11505ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	2-HEXANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	UJ1		1	NO	N	2920
61293	08/02/04	GW11505ST	ACETONE	REAL	TR1	20.6		UG/L		J1		1	NO	N	3650
61293	08/02/04	GW11505ST	ALUMINUM	REAL	TR3	30.4		UG/L	E	J1		1	YES	N	36500
61293	08/02/04	GW11505ST	ANTIMONY	REAL	TR1	0.452		UG/L	B	UJ1		1	YES	N	10
61293	08/02/04	GW11505ST	ARSENIC	REAL	TR1	1		UG/L	U	V1		1	YES	N	50
61293	08/02/04	GW11505ST	BARIUM	REAL	TR1	186		UG/L		V1		1	YES	N	2000
61293	08/02/04	GW11505ST	BENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
61293	08/02/04	GW11505ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	YES	N	5
61293	08/02/04	GW11505ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
61293	08/02/04	GW11505ST	BROMOFORM	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
61293	08/02/04	GW11505ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	51.1
61293	08/02/04	GW11505ST	CADMIUM	REAL	TR1	0.093		UG/L	B	V1		1	YES	N	5
61293	08/02/04	GW11505ST	CALCIUM	REAL	TR1	114000		UG/L		V1		1	YES	N	
61293	08/02/04	GW11505ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ1		1	NO	N	3650
61293	08/02/04	GW11505ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
61293	08/02/04	GW11505ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
61293	08/02/04	GW11505ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	29.4
61293	08/02/04	GW11505ST	CHLOROFORM	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
61293	08/02/04	GW11505ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	6.55
61293	08/02/04	GW11505ST	CHROMIUM	REAL	TR1	0.38		UG/L	U	V1		1	YES	N	100
61293	08/02/04	GW11505ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
61293	08/02/04	GW11505ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
61293	08/02/04	GW11505ST	COBALT	REAL	TR1	1.07		UG/L	B	V1		1	YES	N	2190
61293	08/02/04	GW11505ST	COPPER	REAL	TR1	1.36		UG/L	B	V1		1	YES	N	1300

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
61293	08/02/04	GW11505ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1.01
61293	08/02/04	GW11505ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	700
61293	08/02/04	GW11505ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	10
61293	08/02/04	GW11505ST	IRON	REAL	TR1	643		UG/L		V1		1	YES	N	
61293	08/02/04	GW11505ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	LEAD	REAL	TR1	0.102		UG/L	B	V1		1	YES	N	15
61293	08/02/04	GW11505ST	LITHIUM	REAL	TR2	3.45		UG/L	B	V1		1	YES	N	730
61293	08/02/04	GW11505ST	MAGNESIUM	REAL	TR1	32500		UG/L		V1		1	YES	N	
61293	08/02/04	GW11505ST	MANGANESE	REAL	TR1	145		UG/L		V1		1	YES	N	1720
61293	08/02/04	GW11505ST	MERCURY	REAL	TR1	0.0472		UG/L	U	V1		1	YES	N	2
61293	08/02/04	GW11505ST	METHYLENE CHLORIDE	REAL	TR1	8.2		UG/L	B	U1		1	NO	N	5
61293	08/02/04	GW11505ST	MOLYBDENUM	REAL	TR1	1.39		UG/L	B	V1		1	YES	N	183
61293	08/02/04	GW11505ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1460
61293	08/02/04	GW11505ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	NICKEL	REAL	TR1	2.62		UG/L	BE	J1		1	YES	N	140
61293	08/02/04	GW11505ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	POTASSIUM	REAL	TR2	218		UG/L	B	V1		1	YES	N	
61293	08/02/04	GW11505ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
61293	08/02/04	GW11505ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	SELENIUM	REAL	TR1	0.64		UG/L	U	J1		1	YES	N	50
61293	08/02/04	GW11505ST	SILVER	REAL	TR1	0.04		UG/L	U	V1		1	YES	N	183
61293	08/02/04	GW11505ST	SODIUM	REAL	TR1	42800		UG/L	NE	J1		1	YES	N	
61293	08/02/04	GW11505ST	STRONTIUM	REAL	TR1	801		UG/L		V1		1	YES	N	21900
61293	08/02/04	GW11505ST	STYRENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	100
61293	08/02/04	GW11505ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
61293	08/02/04	GW11505ST	THALLIUM	REAL	TR1	0.122		UG/L	B	UJ1		1	YES	N	12
61293	08/02/04	GW11505ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	YES	N	21900
61293	08/02/04	GW11505ST	TOLUENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1000
61293	08/02/04	GW11505ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	UJ1		1	NO	N	10000
61293	08/02/04	GW11505ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	70
61293	08/02/04	GW11505ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	1
61293	08/02/04	GW11505ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	5
61293	08/02/04	GW11505ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	
61293	08/02/04	GW11505ST	URANIUM, TOTAL	REAL	TR1	4.65		UG/L		V1		1	YES	N	
61293	08/02/04	GW11505ST	URANIUM-233,-234	REAL	TR1	1.9	.739	PCI/L		V1			NO	N	1.06
61293	08/02/04	GW11505ST	URANIUM-235	REAL	TR1	0.0891	.201	PCI/L	U	V1			NO	N	1.01
61293	08/02/04	GW11505ST	URANIUM-238	REAL	TR1	1.77	.711	PCI/L		V1			NO	N	0.768
61293	08/02/04	GW11505ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V1		1	YES	N	256
61293	08/02/04	GW11505ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	UJ1		1	NO	N	2
61293	08/02/04	GW11505ST	ZINC	REAL	TR1	4.72		UG/L	B	V1		1	YES	N	11000
70099	07/20/04	GW11562ST	NITRATE/NITRITE	REAL	TR1	650		UG/L		J	50	5	NO	PM	10000
70099	07/20/04	GW11562ST	URANIUM-233,-234	REAL	TR1	91.3	11.7	PCI/L		V			YES	PM	1.06
70099	07/20/04	GW11562ST	URANIUM-235	REAL	TR1	9.52	1.93	PCI/L		V			YES	PM	1.01
70099	07/20/04	GW11562ST	URANIUM-238	REAL	TR1	67.3	8.86	PCI/L		V			YES	PM	0.768
70193	08/10/04	GW11570ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	200
70193	08/10/04	GW11570ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70193	08/10/04	GW11570ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70193	08/10/04	GW11570ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	3650
70193	08/10/04	GW11570ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	7
70193	08/10/04	GW11570ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
70193	08/10/04	GW11570ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	600
70193	08/10/04	GW11570ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70193	08/10/04	GW11570ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70193	08/10/04	GW11570ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	600
70193	08/10/04	GW11570ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	75
70193	08/10/04	GW11570ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	21900
70193	08/10/04	GW11570ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
70193	08/10/04	GW11570ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	2920
70193	08/10/04	GW11570ST	ACETONE	REAL	TR1	19		UG/L		V1		1	NO	R	3650
70193	08/10/04	GW11570ST	ALUMINUM	REAL	TR1	23.9		UG/L		V		1	YES	R	36500
70193	08/10/04	GW11570ST	ANTIMONY	REAL	TR1	0.28		UG/L	U	UJ		1	YES	R	10
70193	08/10/04	GW11570ST	ARSENIC	REAL	TR1	1		UG/L	U	J		1	YES	R	50
70193	08/10/04	GW11570ST	BARIUM	REAL	TR1	79.8		UG/L	BE	J		1	YES	R	2000
70193	08/10/04	GW11570ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70193	08/10/04	GW11570ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V		1	YES	R	5
70193	08/10/04	GW11570ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70193	08/10/04	GW11570ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70193	08/10/04	GW11570ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	51.1
70193	08/10/04	GW11570ST	CADMIUM	REAL	TR1	0.047		UG/L	B	V		1	YES	R	5
70193	08/10/04	GW11570ST	CALCIUM	REAL	TR1	23800		UG/L		V		1	YES	R	
70193	08/10/04	GW11570ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	R	3650
70193	08/10/04	GW11570ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70193	08/10/04	GW11570ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70193	08/10/04	GW11570ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	29.4
70193	08/10/04	GW11570ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70193	08/10/04	GW11570ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	6.55
70193	08/10/04	GW11570ST	CHROMIUM	REAL	TR1	1.49		UG/L	B	UJ		1	YES	R	100
70193	08/10/04	GW11570ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
70193	08/10/04	GW11570ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70193	08/10/04	GW11570ST	COBALT	REAL	TR1	0.117		UG/L	BE	J		1	YES	R	2190
70193	08/10/04	GW11570ST	COPPER	REAL	TR1	0.869		UG/L	B	V		1	YES	R	1300
70193	08/10/04	GW11570ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	R	1.01
70193	08/10/04	GW11570ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	700
70193	08/10/04	GW11570ST	FLUORIDE	REAL	TR1	312		UG/L	B	V1	55.3	1	NO	R	4000
70193	08/10/04	GW11570ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	10
70193	08/10/04	GW11570ST	IRON	REAL	TR1	69.9		UG/L	B	V		1	YES	R	
70193	08/10/04	GW11570ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	LEAD	REAL	TR1	0.081		UG/L	B	V		1	YES	R	15
70193	08/10/04	GW11570ST	LITHIUM	REAL	TR1	8.71		UG/L	B	V		1	YES	R	730
70193	08/10/04	GW11570ST	MAGNESIUM	REAL	TR1	5050		UG/L	E	J		1	YES	R	
70193	08/10/04	GW11570ST	MANGANESE	REAL	TR1	1.61		UG/L	UE	J		1	YES	R	1720
70193	08/10/04	GW11570ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J		1	YES	R	2
70193	08/10/04	GW11570ST	METHYLENE CHLORIDE	REAL	TR1	2		UG/L	B	JB1		1	NO	R	5
70193	08/10/04	GW11570ST	MOLYBDENUM	REAL	TR1	0.561		UG/L	B	V		1	YES	R	183
70193	08/10/04	GW11570ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1460
70193	08/10/04	GW11570ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	NICKEL	REAL	TR1	0.861		UG/L	B	UJ		1	YES	R	140
70193	08/10/04	GW11570ST	NITRATE/NITRITE	REAL	TR1	2480		UG/L		V1	10	1	NO	R	10000
70193	08/10/04	GW11570ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	POTASSIUM	REAL	TR1	1050		UG/L	B	V		1	YES	R	
70193	08/10/04	GW11570ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70193	08/10/04	GW11570ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	SELENIUM	REAL	TR1	6.01		UG/L		V		1	YES	R	50
70193	08/10/04	GW11570ST	SILVER	REAL	TR1	0.04		UG/L	U	V		1	YES	R	183
70193	08/10/04	GW11570ST	SODIUM	REAL	TR1	13900		UG/L	E	J		1	YES	R	
70193	08/10/04	GW11570ST	STRONTIUM	REAL	TR1	147		UG/L	B	V		1	YES	R	21900
70193	08/10/04	GW11570ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70193	08/10/04	GW11570ST	SULFATE	REAL	TR1	23800		UG/L		V1	193	1	NO	R	500000
70193	08/10/04	GW11570ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70193	08/10/04	GW11570ST	THALLIUM	REAL	TR1	0.02		UG/L	U	V		1	YES	R	12
70193	08/10/04	GW11570ST	TIN	REAL	TR1	0.82		UG/L	U	V		1	YES	R	21900
70193	08/10/04	GW11570ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1000
70193	08/10/04	GW11570ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	R	10000
70193	08/10/04	GW11570ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
70193	08/10/04	GW11570ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70193	08/10/04	GW11570ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5

119

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
70193	08/10/04	GW11570ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70193	08/10/04	GW11570ST	URANIUM, TOTAL	REAL	TR1	0.078		UG/L	B	V		1	YES	R	
70193	08/10/04	GW11570ST	URANIUM-233,-234	REAL	TR1	0.0755	.213	PCI/L	U	V1			YES	R	1.06
70193	08/10/04	GW11570ST	URANIUM-235	REAL	TR1	0.0772	.152	PCI/L	U	V1			YES	R	1.01
70193	08/10/04	GW11570ST	URANIUM-238	REAL	TR1	0.0552	.147	PCI/L	U	V1			YES	R	0.768
70193	08/10/04	GW11570ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V		1	YES	R	256
70193	08/10/04	GW11570ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	R	2
70193	08/10/04	GW11570ST	ZINC	REAL	TR1	3.01		UG/L	B	UJ		1	YES	R	11000
70299	07/20/04	GW11563ST	NITRATE/NITRITE	REAL	TR1	10		UG/L	U	J	10	1	NO	PM	10000
70299	07/20/04	GW11563ST	URANIUM-233,-234	REAL	TR1	4.16	1.06	PCI/L		V			YES	PM	1.06
70299	07/20/04	GW11563ST	URANIUM-235	REAL	TR1	0.427	.32	PCI/L	J	V			YES	PM	1.01
70299	07/20/04	GW11563ST	URANIUM-238	REAL	TR1	2.02	.701	PCI/L		V			YES	PM	0.768
70393	09/28/04	GW11572ST	1,1,1,2-TETRACHLOROETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,1,1-TRICHLOROETHANE	DUP	TR1	4.9		UG/L		V		1	NO	R	200
70393	09/28/04	GW11572ST	1,1,1-TRICHLOROETHANE	REAL	TR1	5		UG/L		V		1	NO	R	200
70393	09/28/04	GW11572ST	1,1,2,2-TETRACHLOROETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	DUP	TR1	5		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,1,2-TRICHLOROETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	1,1-DICHLOROETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	3650
70393	09/28/04	GW11572ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	3650
70393	09/28/04	GW11572ST	1,1-DICHLOROETHENE	DUP	TR1	4.8		UG/L		V		1	NO	R	7
70393	09/28/04	GW11572ST	1,1-DICHLOROETHENE	REAL	TR1	4.7		UG/L		V		1	NO	R	7
70393	09/28/04	GW11572ST	1,1-DICHLOROPROPENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,2,3-TRICHLOROBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,2,3-TRICHLOROPROPANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,2,4-TRICHLOROBENZENE	DUP	TR1	1		UG/L	U	UJ		1	NO	R	70
70393	09/28/04	GW11572ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	R	70
70393	09/28/04	GW11572ST	1,2-DIBROMOETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,2-DICHLOROBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	600
70393	09/28/04	GW11572ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	600
70393	09/28/04	GW11572ST	1,2-DICHLOROETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	1,2-DICHLOROPROPANE	DUP	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	1,3-DICHLOROBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	600
70393	09/28/04	GW11572ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	600
70393	09/28/04	GW11572ST	1,3-DICHLOROPROPANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	1,4-DICHLOROBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	75
70393	09/28/04	GW11572ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	75
70393	09/28/04	GW11572ST	2,2-DICHLOROPROPANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	2-BUTANONE	DUP	TR1	10		UG/L	U	V		1	NO	R	21900
70393	09/28/04	GW11572ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	21900
70393	09/28/04	GW11572ST	2-CHLOROTOLUENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	2-HEXANONE	DUP	TR1	10		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	4-ISOPROPYLTOLUENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	4-METHYL-2-PENTANONE	DUP	TR1	10		UG/L	U	V		1	NO	R	2920
70393	09/28/04	GW11572ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	2920
70393	09/28/04	GW11572ST	ACETONE	DUP	TR1	10		UG/L	U	V		1	NO	R	3650
70393	09/28/04	GW11572ST	ACETONE	REAL	TR1	10		UG/L	U	V		1	NO	R	3650
70393	09/28/04	GW11572ST	ALUMINUM	DUP	TR1	11.1		UG/L	B	V1		1	NO	R	36500
70393	09/28/04	GW11572ST	ALUMINUM	REAL	TR1	22.9		UG/L		V1		1	NO	R	36500
70393	09/28/04	GW11572ST	ANTIMONY	DUP	TR1	0.28		UG/L	U	V1		1	NO	R	10
70393	09/28/04	GW11572ST	ANTIMONY	REAL	TR4	0.28		UG/L	U	1		1	NO	R	10
70393	09/28/04	GW11572ST	ARSENIC	DUP	TR1	1		UG/L	U	V1		1	NO	R	50
70393	09/28/04	GW11572ST	ARSENIC	REAL	TR1	1		UG/L	U	V1		1	NO	R	50
70393	09/28/04	GW11572ST	BARIUM	DUP	TR1	59.3		UG/L	B	V1		1	NO	R	2000

120

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
70393	09/28/04	GW11572ST	BARIUM	REAL	TR1	59.1		UG/L	B	V1		1	NO	R	2000
70393	09/28/04	GW11572ST	BENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	BENZENE, 1,2,4-TRIMETHYL	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BENZENE, 1,3,5-TRIMETHYL-	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BERYLLIUM	DUP	TR1	0.08		UG/L	U	V1		1	NO	R	5
70393	09/28/04	GW11572ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	NO	R	5
70393	09/28/04	GW11572ST	BROMOBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BROMOCHLOROMETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	BROMODICHLOROMETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	BROMOFORM	DUP	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	BROMOMETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	51.1
70393	09/28/04	GW11572ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	51.1
70393	09/28/04	GW11572ST	CADMIUM	DUP	TR1	0.069		UG/L	B	V1		1	NO	R	5
70393	09/28/04	GW11572ST	CADMIUM	REAL	TR1	0.04		UG/L	B	V1		1	NO	R	5
70393	09/28/04	GW11572ST	CALCIUM	DUP	TR1	21200		UG/L		V1		1	NO	R	
70393	09/28/04	GW11572ST	CALCIUM	REAL	TR1	21400		UG/L		V1		1	NO	R	
70393	09/28/04	GW11572ST	CARBON DISULFIDE	DUP	TR1	5		UG/L	U	UJ		1	NO	R	3650
70393	09/28/04	GW11572ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ		1	NO	R	3650
70393	09/28/04	GW11572ST	CARBON TETRACHLORIDE	DUP	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	CHLOROBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	CHLOROETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	29.4
70393	09/28/04	GW11572ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	29.4
70393	09/28/04	GW11572ST	CHLOROFORM	DUP	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	CHLOROMETHANE	DUP	TR1	1		UG/L	U	UJ		1	NO	R	6.55
70393	09/28/04	GW11572ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	R	6.55
70393	09/28/04	GW11572ST	CHROMIUM	DUP	TR1	2.2		UG/L		UJ1		1	NO	R	100
70393	09/28/04	GW11572ST	CHROMIUM	REAL	TR1	1.1		UG/L	B	UJ1		1	NO	R	100
70393	09/28/04	GW11572ST	cis-1,2-DICHLOROETHENE	DUP	TR1	1		UG/L	U	V		1	NO	R	70
70393	09/28/04	GW11572ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	70
70393	09/28/04	GW11572ST	cis-1,3-DICHLOROPROPENE	DUP	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	COBALT	DUP	TR1	0.081		UG/L	B	V1		1	NO	R	2190
70393	09/28/04	GW11572ST	COBALT	REAL	TR1	0.077		UG/L	B	V1		1	NO	R	2190
70393	09/28/04	GW11572ST	COPPER	DUP	TR1	1.1		UG/L	B	V1		1	NO	R	1300
70393	09/28/04	GW11572ST	COPPER	REAL	TR1	0.69		UG/L	U	V1		1	NO	R	1300
70393	09/28/04	GW11572ST	DIBROMOCHLOROMETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	1.01
70393	09/28/04	GW11572ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	1.01
70393	09/28/04	GW11572ST	DIBROMOMETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	DICHLORODIFLUOROMETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	ETHYLBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	700
70393	09/28/04	GW11572ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	700
70393	09/28/04	GW11572ST	FLUORIDE	DUP	TR1	167		UG/L	B	V1	55.3	1	NO	R	4000
70393	09/28/04	GW11572ST	FLUORIDE	REAL	TR1	160		UG/L	B	V1	55.3	1	NO	R	4000
70393	09/28/04	GW11572ST	HEXACHLOROBUTADIENE	DUP	TR1	1		UG/L	U	V		1	NO	R	10
70393	09/28/04	GW11572ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	R	10
70393	09/28/04	GW11572ST	IRON	DUP	TR1	78.6		UG/L	B	J1		1	NO	R	
70393	09/28/04	GW11572ST	IRON	REAL	TR1	72.1		UG/L	B	V1		1	NO	R	
70393	09/28/04	GW11572ST	ISOPROPYLBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	LEAD	DUP	TR1	0.05		UG/L	U	J1		1	NO	R	15
70393	09/28/04	GW11572ST	LEAD	REAL	TR1	0.05		UG/L	U	J1		1	NO	R	15
70393	09/28/04	GW11572ST	LITHIUM	DUP	TR1	7		UG/L	B	V1		1	NO	R	730
70393	09/28/04	GW11572ST	LITHIUM	REAL	TR1	6.7		UG/L	B	V1		1	NO	R	730
70393	09/28/04	GW11572ST	MAGNESIUM	DUP	TR1	4690		UG/L	B	J1		1	NO	R	
70393	09/28/04	GW11572ST	MAGNESIUM	REAL	TR1	4560		UG/L	B	V1		1	NO	R	
70393	09/28/04	GW11572ST	MANGANESE	DUP	TR1	1.61		UG/L	U	V1		1	NO	R	1720
70393	09/28/04	GW11572ST	MANGANESE	REAL	TR1	1.61		UG/L	U	V1		1	NO	R	1720

121

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
70393	09/28/04	GW11572ST	MERCURY	DUP	TR1	0.0472		UG/L	U	J1		1	NO	R	2
70393	09/28/04	GW11572ST	MERCURY	REAL	TR1	0.0472		UG/L	U	J1		1	NO	R	2
70393	09/28/04	GW11572ST	METHYLENE CHLORIDE	DUP	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
70393	09/28/04	GW11572ST	MOLYBDENUM	DUP	TR1	0.2		UG/L	U	V1		1	NO	R	183
70393	09/28/04	GW11572ST	MOLYBDENUM	REAL	TR1	0.2		UG/L	B	V1		1	NO	R	183
70393	09/28/04	GW11572ST	NAPHTHALENE	DUP	TR1	1		UG/L	U	V		1	NO	R	1460
70393	09/28/04	GW11572ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1460
70393	09/28/04	GW11572ST	n-BUTYLBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	NICKEL	DUP	TR1	2.3		UG/L	B	UJ1		1	NO	R	140
70393	09/28/04	GW11572ST	NICKEL	REAL	TR1	1.8		UG/L	B	V1		1	NO	R	140
70393	09/28/04	GW11572ST	NITRATE/NITRITE	DUP	TR1	5730		UG/L		J1	30	10	NO	R	10000
70393	09/28/04	GW11572ST	NITRATE/NITRITE	REAL	TR1	5860		UG/L		J1	30	10	NO	R	10000
70393	09/28/04	GW11572ST	n-PROPYLBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	p-CHLOROTOLUENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	POTASSIUM	DUP	TR1	564		UG/L	B	V1		1	NO	R	
70393	09/28/04	GW11572ST	POTASSIUM	REAL	TR1	556		UG/L	B	V1		1	NO	R	
70393	09/28/04	GW11572ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	DUP	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	sec-BUTYLBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	SELENIUM	DUP	TR1	2.6		UG/L	B	UJ1		1	NO	R	50
70393	09/28/04	GW11572ST	SELENIUM	REAL	TR1	2.1		UG/L	B	UJ1		1	NO	R	50
70393	09/28/04	GW11572ST	SILVER	DUP	TR1	0.04		UG/L	U	V1		1	NO	R	183
70393	09/28/04	GW11572ST	SILVER	REAL	TR1	0.04		UG/L	U	V1		1	NO	R	183
70393	09/28/04	GW11572ST	SODIUM	DUP	TR1	15000		UG/L		V1		1	NO	R	
70393	09/28/04	GW11572ST	SODIUM	REAL	TR1	15300		UG/L		V1		1	NO	R	
70393	09/28/04	GW11572ST	STRONTIUM	DUP	TR1	117		UG/L	B	V1		1	NO	R	21900
70393	09/28/04	GW11572ST	STRONTIUM	REAL	TR1	117		UG/L	B	V1		1	NO	R	21900
70393	09/28/04	GW11572ST	STYRENE	DUP	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
70393	09/28/04	GW11572ST	SULFATE	DUP	TR1	30500		UG/L		V1	193	1	NO	R	500000
70393	09/28/04	GW11572ST	SULFATE	REAL	TR1	30100		UG/L		V1	193	1	NO	R	500000
70393	09/28/04	GW11572ST	tert-BUTYLBENZENE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	TETRACHLOROETHENE	DUP	TR1	3.4		UG/L		V		1	NO	R	5
70393	09/28/04	GW11572ST	TETRACHLOROETHENE	REAL	TR1	3.5		UG/L		V		1	NO	R	5
70393	09/28/04	GW11572ST	THALLIUM	DUP	TR1	0.031		UG/L	B	UJ1		1	NO	R	12
70393	09/28/04	GW11572ST	THALLIUM	REAL	TR1	0.35		UG/L	B	V1		1	NO	R	12
70393	09/28/04	GW11572ST	TIN	DUP	TR1	0.82		UG/L	U	V1		1	NO	R	21900
70393	09/28/04	GW11572ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	NO	R	21900
70393	09/28/04	GW11572ST	TOLUENE	DUP	TR1	1		UG/L	U	V		1	NO	R	1000
70393	09/28/04	GW11572ST	TOLUENE	REAL	TR1	0.41		UG/L	JB	JB		1	NO	R	1000
70393	09/28/04	GW11572ST	TOTAL XYLENES	DUP	TR1	3		UG/L	U	V		1	NO	R	10000
70393	09/28/04	GW11572ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	R	10000
70393	09/28/04	GW11572ST	trans-1,2-DICHLOROETHENE	DUP	TR1	1		UG/L	U	V		1	NO	R	70
70393	09/28/04	GW11572ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	70
70393	09/28/04	GW11572ST	trans-1,3-DICHLOROPROPENE	DUP	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
70393	09/28/04	GW11572ST	TRICHLOROETHENE	DUP	TR1	10.3		UG/L		V		1	NO	R	5
70393	09/28/04	GW11572ST	TRICHLOROETHENE	REAL	TR1	10.6		UG/L		V		1	NO	R	5
70393	09/28/04	GW11572ST	TRICHLOROFLUOROMETHANE	DUP	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
70393	09/28/04	GW11572ST	URANIUM, TOTAL	DUP	TR1	0.05		UG/L	B	V1		1	NO	R	
70393	09/28/04	GW11572ST	URANIUM, TOTAL	REAL	TR1	0.02		UG/L	B	V1		1	NO	R	
70393	09/28/04	GW11572ST	URANIUM-233,-234	DUP	TR1	0.776	.458	PCI/L	J				NO	R	1.06
70393	09/28/04	GW11572ST	URANIUM-233,-234	REAL	TR1	-0.0475	.162	PCI/L	U				NO	R	1.06
70393	09/28/04	GW11572ST	URANIUM-235	DUP	TR1	0.051	.135	PCI/L	U				NO	R	1.01
70393	09/28/04	GW11572ST	URANIUM-235	REAL	TR1	0	.145	PCI/L	U				NO	R	1.01
70393	09/28/04	GW11572ST	URANIUM-238	DUP	TR1	0.144	.221	PCI/L	U				NO	R	0.768
70393	09/28/04	GW11572ST	URANIUM-238	REAL	TR1	0	.137	PCI/L	U				NO	R	0.768
70393	09/28/04	GW11572ST	VANADIUM	DUP	TR1	5.44		UG/L	U	V1		1	NO	R	256
70393	09/28/04	GW11572ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V1		1	NO	R	256
70393	09/28/04	GW11572ST	VINYL CHLORIDE	DUP	TR1	1		UG/L	U	V		1	NO	R	2
70393	09/28/04	GW11572ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	2
70393	09/28/04	GW11572ST	ZINC	DUP	TR1	1.09		UG/L	U	V1		1	NO	R	11000

122

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
70393	09/28/04	GW11572ST	ZINC	REAL	TR1	1.09		UG/L	U	V1		1	NO	R	11000
70493	09/23/04	GW11573ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	1,1,1,2-TETRACHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	200
70493	09/23/04	GW11574ST	1,1,1-TRICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	200
70493	09/23/04	GW11573ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11574ST	1,1,2,2-TETRACHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11573ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	RNS	TR1	5		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11574ST	1,1,2-TRICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	3650
70493	09/23/04	GW11574ST	1,1-DICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	3650
70493	09/23/04	GW11573ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	7
70493	09/23/04	GW11574ST	1,1-DICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	7
70493	09/23/04	GW11573ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	1,1-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	1,2,3-TRICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	1,2,3-TRICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ1		1	NO	R	70
70493	09/23/04	GW11574ST	1,2,4-TRICHLOROBENZENE	RNS	TR1	1		UG/L	U	UJ1		1	NO	R	70
70493	09/23/04	GW11573ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	1,2-DIBROMOETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	600
70493	09/23/04	GW11574ST	1,2-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	600
70493	09/23/04	GW11573ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11574ST	1,2-DICHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11574ST	1,2-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	600
70493	09/23/04	GW11574ST	1,3-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	600
70493	09/23/04	GW11573ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	1,3-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	75
70493	09/23/04	GW11574ST	1,4-DICHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	75
70493	09/23/04	GW11573ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	2,2-DICHLOROPROPANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	21900
70493	09/23/04	GW11574ST	2-BUTANONE	RNS	TR1	10		UG/L	U	V1		1	NO	R	21900
70493	09/23/04	GW11573ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	2-CHLOROTOLUENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	2-HEXANONE	RNS	TR1	10		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	4-ISOPROPYLTOLUENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	2920
70493	09/23/04	GW11574ST	4-METHYL-2-PENTANONE	RNS	TR1	10		UG/L	U	V1		1	NO	R	2920
70493	09/23/04	GW11573ST	ACETONE	REAL	TR1	10		UG/L	U	V1		1	NO	R	3650
70493	09/23/04	GW11574ST	ACETONE	RNS	TR1	10		UG/L	U	V1		1	NO	R	3650
70493	09/23/04	GW11573ST	ALUMINUM	REAL	TR1	9.08		UG/L	U	V1		1	YES	R	36500
70493	09/23/04	GW11574ST	ALUMINUM	RNS	TR1	9.08		UG/L	U	V1		1	YES	R	36500
70493	09/23/04	GW11573ST	ANTIMONY	REAL	TR1	0.37		UG/L	B	UJ1		1	YES	R	10
70493	09/23/04	GW11574ST	ANTIMONY	RNS	TR1	0.28		UG/L	U	V1		1	YES	R	10
70493	09/23/04	GW11573ST	ARSENIC	REAL	TR1	1		UG/L	U	V1		1	YES	R	50
70493	09/23/04	GW11574ST	ARSENIC	RNS	TR1	1		UG/L	U	V1		1	YES	R	50
70493	09/23/04	GW11573ST	BARIUM	REAL	TR1	99.5		UG/L	B	V1		1	YES	R	2000
70493	09/23/04	GW11574ST	BARIUM	RNS	TR1	0.19		UG/L	U	V1		1	YES	R	2000
70493	09/23/04	GW11573ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11574ST	BENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	BENZENE, 1,2,4-TRIMETHYL	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	BENZENE, 1,3,5-TRIMETHYL-	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	YES	R	5
70493	09/23/04	GW11574ST	BERYLLIUM	RNS	TR1	0.08		UG/L	U	V1		1	YES	R	5
70493	09/23/04	GW11573ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	BROMOBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	

123

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
70493	09/23/04	GW11573ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	BROMOCHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11574ST	BROMODICHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11573ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11574ST	BROMOFORM	RNS	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11573ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	51.1
70493	09/23/04	GW11574ST	BROMOMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	51.1
70493	09/23/04	GW11573ST	CADMIUM	REAL	TR1	0.04		UG/L	U	V1		1	YES	R	5
70493	09/23/04	GW11574ST	CADMIUM	RNS	TR1	0.04		UG/L	U	V1		1	YES	R	5
70493	09/23/04	GW11573ST	CALCIUM	REAL	TR1	33900		UG/L		V1		1	YES	R	
70493	09/23/04	GW11574ST	CALCIUM	RNS	TR1	40		UG/L	U	V1		1	YES	R	
70493	09/23/04	GW11573ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ1		1	NO	R	3650
70493	09/23/04	GW11574ST	CARBON DISULFIDE	RNS	TR1	5		UG/L	U	UJ1		1	NO	R	3650
70493	09/23/04	GW11573ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11574ST	CARBON TETRACHLORIDE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11574ST	CHLOROBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11573ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	29.4
70493	09/23/04	GW11574ST	CHLOROETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	29.4
70493	09/23/04	GW11573ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11574ST	CHLOROFORM	RNS	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11573ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	6.55
70493	09/23/04	GW11574ST	CHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	6.55
70493	09/23/04	GW11573ST	CHROMIUM	REAL	TR1	1.5		UG/L	B	UJ1		1	YES	R	100
70493	09/23/04	GW11574ST	CHROMIUM	RNS	TR1	1.6		UG/L	B	UJ1		1	YES	R	100
70493	09/23/04	GW11573ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
70493	09/23/04	GW11574ST	cis-1,2-DICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	70
70493	09/23/04	GW11573ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11574ST	cis-1,3-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11573ST	COBALT	REAL	TR1	2.8		UG/L	B	V1		1	YES	R	2190
70493	09/23/04	GW11574ST	COBALT	RNS	TR1	0.86		UG/L	B	V1		1	YES	R	2190
70493	09/23/04	GW11573ST	COPPER	REAL	TR1	0.73		UG/L	B	V1		1	YES	R	1300
70493	09/23/04	GW11574ST	COPPER	RNS	TR1	0.69		UG/L	U	V1		1	YES	R	1300
70493	09/23/04	GW11573ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1.01
70493	09/23/04	GW11574ST	DIBROMOCHLOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	1.01
70493	09/23/04	GW11573ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	DIBROMOMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	DICHLORODIFLUOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	700
70493	09/23/04	GW11574ST	ETHYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	700
70493	09/23/04	GW11573ST	FLUORIDE	REAL	TR1	616		UG/L		V1	55.3	1	NO	R	4000
70493	09/23/04	GW11574ST	FLUORIDE	RNS	TR1	69		UG/L	B	V1	55.3	1	NO	R	4000
70493	09/23/04	GW11573ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	10
70493	09/23/04	GW11574ST	HEXACHLOROBUTADIENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	10
70493	09/23/04	GW11573ST	IRON	REAL	TR1	173		UG/L		V1		1	YES	R	
70493	09/23/04	GW11574ST	IRON	RNS	TR1	15.8		UG/L	U	V1		1	YES	R	
70493	09/23/04	GW11573ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	ISOPROPYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	LEAD	REAL	TR1	0.27		UG/L	B	V1		1	YES	R	15
70493	09/23/04	GW11574ST	LEAD	RNS	TR1	0.082		UG/L	B	V1		1	YES	R	15
70493	09/23/04	GW11573ST	LITHIUM	REAL	TR1	16.4		UG/L	B	V1		1	YES	R	730
70493	09/23/04	GW11574ST	LITHIUM	RNS	TR1	0.19		UG/L	B	UJ1		1	YES	R	730
70493	09/23/04	GW11573ST	MAGNESIUM	REAL	TR1	8440		UG/L		V1		1	YES	R	
70493	09/23/04	GW11574ST	MAGNESIUM	RNS	TR1	6.33		UG/L	U	V1		1	YES	R	
70493	09/23/04	GW11573ST	MANGANESE	REAL	TR1	4.6		UG/L	B	V1		1	YES	R	1720
70493	09/23/04	GW11574ST	MANGANESE	RNS	TR1	1.61		UG/L	U	V1		1	YES	R	1720
70493	09/23/04	GW11573ST	MERCURY	REAL	TR1	0.0472		UG/L	U	V1		1	YES	R	2
70493	09/23/04	GW11574ST	MERCURY	RNS	TR3	0.0472		UG/L	U	1		1	YES	R	2
70493	09/23/04	GW11573ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11574ST	METHYLENE CHLORIDE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	MOLYBDENUM	REAL	TR1	2.1		UG/L	B	V1		1	YES	R	183
70493	09/23/04	GW11574ST	MOLYBDENUM	RNS	TR1	0.2		UG/L	U	V1		1	YES	R	183
70493	09/23/04	GW11573ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1460
70493	09/23/04	GW11574ST	NAPHTHALENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	1460
70493	09/23/04	GW11573ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	n-BUTYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	NICKEL	REAL	TR1	0.92		UG/L	B	V1		1	YES	R	140

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
70493	09/23/04	GW11574ST	NICKEL	RNS	TR1	0.56		UG/L	B	V1		1	YES	R	140
70493	09/23/04	GW11573ST	NITRATE/NITRITE	REAL	TR1	2980		UG/L		J1	3	1	NO	R	10000
70493	09/23/04	GW11574ST	NITRATE/NITRITE	RNS	TR1	7.94		UG/L	B	J1	3	1	NO	R	10000
70493	09/23/04	GW11573ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	n-PROPYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	p-CHLOROTOLUENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	POTASSIUM	REAL	TR1	1470		UG/L	B	V1		1	YES	R	
70493	09/23/04	GW11574ST	POTASSIUM	RNS	TR1	27.7		UG/L	B	V1		1	YES	R	
70493	09/23/04	GW11573ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11574ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	RNS	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11573ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	sec-BUTYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	SELENIUM	REAL	TR1	4.7		UG/L		J1		1	YES	R	50
70493	09/23/04	GW11574ST	SELENIUM	RNS	TR1	0.64		UG/L	U	V1		1	YES	R	50
70493	09/23/04	GW11573ST	SILVER	REAL	TR1	0.12		UG/L	B	V1		1	YES	R	183
70493	09/23/04	GW11574ST	SILVER	RNS	TR1	0.04		UG/L	U	V1		1	YES	R	183
70493	09/23/04	GW11573ST	SODIUM	REAL	TR1	20400		UG/L		V1		1	YES	R	
70493	09/23/04	GW11574ST	SODIUM	RNS	TR1	331		UG/L	B	V1		1	YES	R	
70493	09/23/04	GW11573ST	STRONTIUM	REAL	TR1	254		UG/L		V1		1	YES	R	21900
70493	09/23/04	GW11574ST	STRONTIUM	RNS	TR1	0.55		UG/L	U	V1		1	YES	R	21900
70493	09/23/04	GW11573ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11574ST	STYRENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	100
70493	09/23/04	GW11573ST	SULFATE	REAL	TR1	14400		UG/L		V1	193	1	NO	R	500000
70493	09/23/04	GW11574ST	SULFATE	RNS	TR1	545		UG/L	B	V1	193	1	NO	R	500000
70493	09/23/04	GW11573ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	tert-BUTYLBENZENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11574ST	TETRACHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	THALLIUM	REAL	TR1	0.43		UG/L	B	V1		1	YES	R	12
70493	09/23/04	GW11574ST	THALLIUM	RNS	TR1	0.16		UG/L	B	UJ1		1	YES	R	12
70493	09/23/04	GW11573ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	YES	R	21900
70493	09/23/04	GW11574ST	TIN	RNS	TR1	0.82		UG/L	U	V1		1	YES	R	21900
70493	09/23/04	GW11573ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1000
70493	09/23/04	GW11574ST	TOLUENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	1000
70493	09/23/04	GW11573ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	R	10000
70493	09/23/04	GW11574ST	TOTAL XYLENES	RNS	TR1	3		UG/L	U	V1		1	NO	R	10000
70493	09/23/04	GW11573ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	70
70493	09/23/04	GW11574ST	trans-1,2-DICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	70
70493	09/23/04	GW11573ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11574ST	trans-1,3-DICHLOROPROPENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	1
70493	09/23/04	GW11573ST	TRICHLOROETHENE	REAL	TR1	1.1		UG/L		V1		1	NO	R	5
70493	09/23/04	GW11574ST	TRICHLOROETHENE	RNS	TR1	1		UG/L	U	V1		1	NO	R	5
70493	09/23/04	GW11573ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11574ST	TRICHLOROFLUOROMETHANE	RNS	TR1	1		UG/L	U	V1		1	NO	R	
70493	09/23/04	GW11573ST	URANIUM, TOTAL	REAL	TR1	2.5		UG/L		V1		1	YES	R	
70493	09/23/04	GW11574ST	URANIUM, TOTAL	RNS	TR1	0.02		UG/L	U	V1		1	YES	R	
70493	09/23/04	GW11573ST	URANIUM-233,-234	REAL	TR1	1.56	.702	PCI/L	B				YES	R	1.06
70493	09/23/04	GW11574ST	URANIUM-233,-234	RNS	TR1	-0.0283	.223	PCI/L	U				YES	R	1.06
70493	09/23/04	GW11573ST	URANIUM-235	REAL	TR1	0.0387	.154	PCI/L	U				YES	R	1.01
70493	09/23/04	GW11574ST	URANIUM-235	RNS	TR1	-0.0181	.0355	PCI/L	U				YES	R	1.01
70493	09/23/04	GW11573ST	URANIUM-238	REAL	TR1	0.737	.466	PCI/L	J				YES	R	0.768
70493	09/23/04	GW11574ST	URANIUM-238	RNS	TR1	-0.017	.0334	PCI/L	U				YES	R	0.768
70493	09/23/04	GW11573ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V1		1	YES	R	256
70493	09/23/04	GW11574ST	VANADIUM	RNS	TR1	5.44		UG/L	U	V1		1	YES	R	256
70493	09/23/04	GW11573ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	R	2
70493	09/23/04	GW11574ST	VINYL CHLORIDE	RNS	TR1	1		UG/L	U	V1		1	NO	R	2
70493	09/23/04	GW11573ST	ZINC	REAL	TR1	4		UG/L	B	V1		1	YES	R	11000
70493	09/23/04	GW11574ST	ZINC	RNS	TR1	1.09		UG/L	U	V1		1	YES	R	11000
76292	07/21/04	GW11523ST	NITRATE/NITRITE	REAL	TR1	10200		UG/L		V	50	5	NO	N	10000
76292	07/21/04	GW11523ST	URANIUM-233,-234	REAL	TR1	1.97	.707	PCI/L		V			YES	N	1.06
76292	07/21/04	GW11523ST	URANIUM-235	REAL	TR1	0.545	.362	PCI/L	J	V			YES	N	1.01
76292	07/21/04	GW11523ST	URANIUM-238	REAL	TR1	1.21	.543	PCI/L		V			YES	N	0.768
891COLWEL	09/28/04	GW11565ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,1,1-TRICHLOROETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	200
891COLWEL	09/28/04	GW11565ST	1,1,1-TRICHLOROETHANE	REAL	TR1	0.85		UG/L	J	V		1	NO	PD	200
891COLWEL	09/28/04	GW11565ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
891COLWEL	09/28/04	GW11565ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	1

125

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
891COLWEL	09/28/04	GW11565ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR2	25		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	1,1,2-TRICHLOROETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	3650
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	3650
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROETHENE	REAL	TR2	7.7		UG/L	D			5	NO	PD	7
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROETHENE	REAL	TR1	7.4		UG/L		V		1	NO	PD	7
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROPROPENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,2,3-TRICHLOROBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,2,3-TRICHLOROPROPANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,2,4-TRICHLOROBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	70
891COLWEL	09/28/04	GW11565ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	PD	70
891COLWEL	09/28/04	GW11565ST	1,2-DIBROMOETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	600
891COLWEL	09/28/04	GW11565ST	1,2-DICHLOROBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	600
891COLWEL	09/28/04	GW11565ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	1,2-DICHLOROETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	1,2-DICHLOROPROPANE	REAL	TR2	5		UG/L	U			5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	1,3-DICHLOROBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	600
891COLWEL	09/28/04	GW11565ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	600
891COLWEL	09/28/04	GW11565ST	1,3-DICHLOROPROPANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	75
891COLWEL	09/28/04	GW11565ST	1,4-DICHLOROBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	75
891COLWEL	09/28/04	GW11565ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	2,2-DICHLOROPROPANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	PD	21900
891COLWEL	09/28/04	GW11565ST	2-BUTANONE	REAL	TR2	50		UG/L	U			5	NO	PD	21900
891COLWEL	09/28/04	GW11565ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	2-CHLOROTOLUENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	2-HEXANONE	REAL	TR2	50		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	4-ISOPROPYLTOLUENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	4-METHYL-2-PENTANONE	REAL	TR2	50		UG/L	U			5	NO	PD	2920
891COLWEL	09/28/04	GW11565ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	PD	2920
891COLWEL	09/28/04	GW11565ST	ACETONE	REAL	TR1	2.9		UG/L	J	V		1	NO	PD	3650
891COLWEL	09/28/04	GW11565ST	ACETONE	REAL	TR2	50		UG/L	U			5	NO	PD	3650
891COLWEL	09/28/04	GW11565ST	BENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	BROMOBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	BROMOCHLOROMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	BROMODICHLOROMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	100
891COLWEL	09/28/04	GW11565ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
891COLWEL	09/28/04	GW11565ST	BROMOFORM	REAL	TR2	5		UG/L	U			5	NO	PD	100
891COLWEL	09/28/04	GW11565ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
891COLWEL	09/28/04	GW11565ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	51.1
891COLWEL	09/28/04	GW11565ST	BROMOMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	51.1
891COLWEL	09/28/04	GW11565ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ		1	NO	PD	3650
891COLWEL	09/28/04	GW11565ST	CARBON DISULFIDE	REAL	TR2	25		UG/L	U			5	NO	PD	3650
891COLWEL	09/28/04	GW11565ST	CARBON TETRACHLORIDE	REAL	TR2	5		UG/L	U			5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
891COLWEL	09/28/04	GW11565ST	CHLOROBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	100
891COLWEL	09/28/04	GW11565ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	29.4
891COLWEL	09/28/04	GW11565ST	CHLOROETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	29.4
891COLWEL	09/28/04	GW11565ST	CHLOROFORM	REAL	TR1	4.8		UG/L		V		1	NO	PD	100

1260

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
891COLWEL	09/28/04	GW11565ST	CHLOROFORM	REAL	TR2	7.5		UG/L	D			5	NO	PD	100
891COLWEL	09/28/04	GW11565ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	PD	6.55
891COLWEL	09/28/04	GW11565ST	CHLOROMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	6.55
891COLWEL	09/28/04	GW11565ST	cis-1,2-DICHLOROETHENE	REAL	TR1	2.2		UG/L		V		1	NO	PD	70
891COLWEL	09/28/04	GW11565ST	cis-1,2-DICHLOROETHENE	REAL	TR2	3.1		UG/L	JD			5	NO	PD	70
891COLWEL	09/28/04	GW11565ST	cis-1,3-DICHLOROPROPENE	REAL	TR2	5		UG/L	U			5	NO	PD	1
891COLWEL	09/28/04	GW11565ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
891COLWEL	09/28/04	GW11565ST	DIBROMOCHLOROMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	1.01
891COLWEL	09/28/04	GW11565ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1.01
891COLWEL	09/28/04	GW11565ST	DIBROMOMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	DICHLORODIFLUOROMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	ETHYLBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	700
891COLWEL	09/28/04	GW11565ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	700
891COLWEL	09/28/04	GW11565ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	10
891COLWEL	09/28/04	GW11565ST	HEXACHLOROBUTADIENE	REAL	TR2	5		UG/L	U			5	NO	PD	10
891COLWEL	09/28/04	GW11565ST	ISOPROPYLBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	M,P-XYLENE	REAL	TR2	10		UG/L	U			5	NO	PD	10000
891COLWEL	09/28/04	GW11565ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	METHYLENE CHLORIDE	REAL	TR2	5		UG/L	U			5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	NAPHTHALENE	REAL	TR2	5		UG/L	U			5	NO	PD	1460
891COLWEL	09/28/04	GW11565ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1460
891COLWEL	09/28/04	GW11565ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	n-BUTYLBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	n-PROPYLBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	p-CHLOROTOLUENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
891COLWEL	09/28/04	GW11565ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	5		UG/L	U			5	NO	PD	1
891COLWEL	09/28/04	GW11565ST	sec-BUTYLBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	STYRENE	REAL	TR2	5		UG/L	U			5	NO	PD	100
891COLWEL	09/28/04	GW11565ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	100
891COLWEL	09/28/04	GW11565ST	tert-BUTYLBENZENE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	TETRACHLOROETHENE	REAL	TR2	47.4		UG/L	D			5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	TETRACHLOROETHENE	REAL	TR1	40		UG/L		V		1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	TOLUENE	REAL	TR2	5		UG/L	U			5	NO	PD	1000
891COLWEL	09/28/04	GW11565ST	TOLUENE	REAL	TR1	0.45		UG/L	JB	JB		1	NO	PD	1000
891COLWEL	09/28/04	GW11565ST	TOTAL XYLENES	REAL	TR2	15		UG/L	U			5	NO	PD	10000
891COLWEL	09/28/04	GW11565ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	PD	10000
891COLWEL	09/28/04	GW11565ST	trans-1,2-DICHLOROETHENE	REAL	TR2	5		UG/L	U			5	NO	PD	70
891COLWEL	09/28/04	GW11565ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	70
891COLWEL	09/28/04	GW11565ST	trans-1,3-DICHLOROPROPENE	REAL	TR2	5		UG/L	U			5	NO	PD	1
891COLWEL	09/28/04	GW11565ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PD	1
891COLWEL	09/28/04	GW11565ST	TRICHLOROETHENE	REAL	TR2	415		UG/L	D	V		5	NO	PD	5
891COLWEL	09/28/04	GW11565ST	TRICHLOROETHENE	REAL	TR1	342		UG/L	E			1	NO	PD	5
891COLWEL	09/28/04	GW11565ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PD	
891COLWEL	09/28/04	GW11565ST	TRICHLOROFLUOROMETHANE	REAL	TR2	5		UG/L	U			5	NO	PD	
891COLWEL	09/28/04	GW11565ST	VINYL CHLORIDE	REAL	TR2	5		UG/L	U			5	NO	PD	2
891COLWEL	09/28/04	GW11565ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PD	2
B206989	09/28/04	GW11575ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	200
B206989	09/28/04	GW11575ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
B206989	09/28/04	GW11575ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
B206989	09/28/04	GW11575ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	3650
B206989	09/28/04	GW11575ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	7
B206989	09/28/04	GW11575ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	R	70
B206989	09/28/04	GW11575ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	600
B206989	09/28/04	GW11575ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
B206989	09/28/04	GW11575ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	5

127

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
B206989	09/28/04	GW11575ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	600
B206989	09/28/04	GW11575ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	75
B206989	09/28/04	GW11575ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	21900
B206989	09/28/04	GW11575ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	R	2920
B206989	09/28/04	GW11575ST	ACETONE	REAL	TR1	10		UG/L	U	V		1	NO	R	3650
B206989	07/29/04	GW11575ST	ALUMINUM	REAL	TR1	13		UG/L	B	J1		1	YES	R	36500
B206989	07/29/04	GW11575ST	ANTIMONY	REAL	TR1	1.2		UG/L	B	J1		1	YES	R	10
B206989	07/29/04	GW11575ST	ARSENIC	REAL	TR1	12.9		UG/L		V1		1	YES	R	50
B206989	07/29/04	GW11575ST	BARIUM	REAL	TR1	13.1		UG/L	B	J1		1	YES	R	2000
B206989	09/28/04	GW11575ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
B206989	09/28/04	GW11575ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	07/29/04	GW11575ST	BERYLLIUM	REAL	TR1	0.08		UG/L	U	V1		1	YES	R	5
B206989	09/28/04	GW11575ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
B206989	09/28/04	GW11575ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	R	100
B206989	09/28/04	GW11575ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	51.1
B206989	07/29/04	GW11575ST	CADMIUM	REAL	TR1	0.59		UG/L	B	V1		1	YES	R	5
B206989	07/29/04	GW11575ST	CALCIUM	REAL	TR1	595000		UG/L		V1		10	YES	R	
B206989	09/28/04	GW11575ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ		1	NO	R	3650
B206989	09/28/04	GW11575ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
B206989	09/28/04	GW11575ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
B206989	09/28/04	GW11575ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	29.4
B206989	09/28/04	GW11575ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	R	100
B206989	09/28/04	GW11575ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	R	6.55
B206989	07/29/04	GW11575ST	CHROMIUM	REAL	TR1	1.6		UG/L	B	J1		1	YES	R	100
B206989	09/28/04	GW11575ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	70
B206989	09/28/04	GW11575ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
B206989	07/29/04	GW11575ST	COBALT	REAL	TR1	7.6		UG/L	B	V1		1	YES	R	2190
B206989	07/29/04	GW11575ST	COPPER	REAL	TR1	21.3		UG/L		V1		1	YES	R	1300
B206989	09/28/04	GW11575ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	1.01
B206989	09/28/04	GW11575ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	700
B206989	07/29/04	GW11575ST	FLUORIDE	REAL	TR1	189		UG/L	B	V1	55.3	1	NO	R	4000
B206989	09/28/04	GW11575ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	R	10
B206989	07/29/04	GW11575ST	IRON	REAL	TR1	3540		UG/L		V1		1	YES	R	
B206989	09/28/04	GW11575ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	07/29/04	GW11575ST	LEAD	REAL	TR1	0.23		UG/L	B	V1		1	YES	R	15
B206989	07/29/04	GW11575ST	LITHIUM	REAL	TR1	1340		UG/L		V1		10	YES	R	730
B206989	07/29/04	GW11575ST	MAGNESIUM	REAL	TR1	229000		UG/L		V1		10	YES	R	
B206989	07/29/04	GW11575ST	MANGANESE	REAL	TR1	198		UG/L		V1		1	YES	R	1720
B206989	07/29/04	GW11575ST	MERCURY	REAL	TR1	0.0472		UG/L	U	V1		1	YES	R	2
B206989	09/28/04	GW11575ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
B206989	07/29/04	GW11575ST	MOLYBDENUM	REAL	TR1	4.3		UG/L	B	V1		1	YES	R	183
B206989	09/28/04	GW11575ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1460
B206989	09/28/04	GW11575ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	07/29/04	GW11575ST	NICKEL	REAL	TR1	19.2		UG/L	B	V1		1	YES	R	140
B206989	08/18/04	GW11575ST	NITRATE/NITRITE	REAL	TR1	9550		UG/L		J1	50	5	NO	R	10000
B206989	09/28/04	GW11575ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	07/29/04	GW11575ST	POTASSIUM	REAL	TR1	14800		UG/L		V1		1	YES	R	
B206989	09/28/04	GW11575ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	R	1
B206989	09/28/04	GW11575ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	07/29/04	GW11575ST	SELENIUM	REAL	TR1	355		UG/L		J1		1	YES	R	50
B206989	07/29/04	GW11575ST	SILVER	REAL	TR1	0.04		UG/L	U	V1		1	YES	R	183
B206989	07/29/04	GW11575ST	SODIUM	REAL	TR1	859000		UG/L		V1		10	YES	R	
B206989	07/29/04	GW11575ST	STRONTIUM	REAL	TR1	7050		UG/L		V1		1	YES	R	21900
B206989	09/28/04	GW11575ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	R	100
B206989	07/29/04	GW11575ST	SULFATE	REAL	TR1	3260000		UG/L		V1	19300	100	NO	R	500000
B206989	09/28/04	GW11575ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	09/28/04	GW11575ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
B206989	07/29/04	GW11575ST	THALLIUM	REAL	TR1	0.31		UG/L	B	J1		1	YES	R	12

128

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
B206989	07/29/04	GW11575ST	TIN	REAL	TR1	0.82		UG/L	U	V1		1	YES	R	21900
B206989	09/28/04	GW11575ST	TOLUENE	REAL	TR1	0.42		UG/L	JB	JB		1	NO	R	1000
B206989	09/28/04	GW11575ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	R	10000
B206989	09/28/04	GW11575ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	70
B206989	09/28/04	GW11575ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	R	1
B206989	09/28/04	GW11575ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	R	5
B206989	09/28/04	GW11575ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	R	
B206989	07/29/04	GW11575ST	URANIUM, TOTAL	REAL	TR1	88.1		UG/L		V1		1	YES	R	
B206989	08/18/04	GW11575ST	URANIUM-233,-234	REAL	TR1	43.5	6.79	PCI/L		V			YES	R	1.06
B206989	08/18/04	GW11575ST	URANIUM-235	REAL	TR1	3.67	1.13	PCI/L		V			YES	R	1.01
B206989	08/18/04	GW11575ST	URANIUM-238	REAL	TR1	29.1	4.82	PCI/L		V			YES	R	0.768
B206989	07/29/04	GW11575ST	VANADIUM	REAL	TR1	5.44		UG/L	U	V1		1	YES	R	256
B206989	09/28/04	GW11575ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	R	2
B206989	07/29/04	GW11575ST	ZINC	REAL	TR1	20.3		UG/L		V1		1	YES	R	11000
B208589	07/22/04	GW11508ST	NITRATE/NITRITE	REAL	TR1	370000		UG/L		V	1250	125	NO	N	10000
B208589	08/12/04	GW11508ST	URANIUM-233,-234	REAL	TR1	41.6	6.32	PCI/L		V			YES	N	1.06
B208589	08/12/04	GW11508ST	URANIUM-235	REAL	TR1	2.83	.932	PCI/L		V			YES	N	1.01
B208589	08/12/04	GW11508ST	URANIUM-238	REAL	TR1	28.3	4.56	PCI/L		V			YES	N	0.768
ET EFFLUENT	07/29/04	GW11580ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	200
ET EFFLUENT	08/19/04	GW11582ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	200
ET EFFLUENT	07/29/04	GW11580ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET EFFLUENT	08/19/04	GW11582ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET EFFLUENT	07/29/04	GW11580ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET EFFLUENT	08/19/04	GW11582ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	3650
ET EFFLUENT	08/19/04	GW11582ST	1,1-DICHLOROETHANE	REAL	TR1	0.62		UG/L	J	V1		1	NO	PM	3650
ET EFFLUENT	07/29/04	GW11580ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	7
ET EFFLUENT	08/19/04	GW11582ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	7
ET EFFLUENT	07/29/04	GW11580ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	PM	70
ET EFFLUENT	08/19/04	GW11582ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	70
ET EFFLUENT	07/29/04	GW11580ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	600
ET EFFLUENT	08/19/04	GW11582ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	600
ET EFFLUENT	07/29/04	GW11580ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET EFFLUENT	08/19/04	GW11582ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET EFFLUENT	08/19/04	GW11582ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	600
ET EFFLUENT	08/19/04	GW11582ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	600
ET EFFLUENT	07/29/04	GW11580ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	75
ET EFFLUENT	08/19/04	GW11582ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	75
ET EFFLUENT	07/29/04	GW11580ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	PM	21900
ET EFFLUENT	08/19/04	GW11582ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PM	21900
ET EFFLUENT	07/29/04	GW11580ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V		1	NO	PM	2920
ET EFFLUENT	08/19/04	GW11582ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PM	2920
ET EFFLUENT	07/29/04	GW11580ST	ACETONE	REAL	TR1	24.2		UG/L		V		1	NO	PM	3650
ET EFFLUENT	08/19/04	GW11582ST	ACETONE	REAL	TR1	16.8		UG/L		V1		1	NO	PM	3650
ET EFFLUENT	07/29/04	GW11580ST	BENZENE	REAL	TR1	0.36		UG/L	J	V		1	NO	PM	5

129

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
ET EFFLUENT	08/19/04	GW11582ST	BENZENE	REAL	TR1	0.33		UG/L	J	V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET EFFLUENT	08/19/04	GW11582ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET EFFLUENT	07/29/04	GW11580ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET EFFLUENT	08/19/04	GW11582ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET EFFLUENT	07/29/04	GW11580ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	51.1
ET EFFLUENT	08/19/04	GW11582ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	51.1
ET EFFLUENT	07/29/04	GW11580ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	PM	3650
ET EFFLUENT	08/19/04	GW11582ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ1		1	NO	PM	3650
ET EFFLUENT	07/29/04	GW11580ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET EFFLUENT	08/19/04	GW11582ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET EFFLUENT	08/19/04	GW11582ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET EFFLUENT	07/29/04	GW11580ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	29.4
ET EFFLUENT	08/19/04	GW11582ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	29.4
ET EFFLUENT	07/29/04	GW11580ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET EFFLUENT	08/19/04	GW11582ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET EFFLUENT	07/29/04	GW11580ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	6.55
ET EFFLUENT	08/19/04	GW11582ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	6.55
ET EFFLUENT	07/29/04	GW11580ST	cis-1,2-DICHLOROETHENE	REAL	TR1	7.7		UG/L		V		1	NO	PM	70
ET EFFLUENT	08/19/04	GW11582ST	cis-1,2-DICHLOROETHENE	REAL	TR1	7.4		UG/L		V1		1	NO	PM	70
ET EFFLUENT	07/29/04	GW11580ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET EFFLUENT	08/19/04	GW11582ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET EFFLUENT	07/29/04	GW11580ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1.01
ET EFFLUENT	08/19/04	GW11582ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1.01
ET EFFLUENT	07/29/04	GW11580ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	700
ET EFFLUENT	08/19/04	GW11582ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	700
ET EFFLUENT	07/29/04	GW11580ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	10
ET EFFLUENT	08/19/04	GW11582ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	10
ET EFFLUENT	07/29/04	GW11580ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	METHYLENE CHLORIDE	REAL	TR1	14.1		UG/L	B	U		1	NO	PM	5
ET EFFLUENT	08/19/04	GW11582ST	METHYLENE CHLORIDE	REAL	TR1	13.7		UG/L		V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	UJ		1	NO	PM	1460
ET EFFLUENT	08/19/04	GW11582ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1460
ET EFFLUENT	07/29/04	GW11580ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET EFFLUENT	08/19/04	GW11582ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET EFFLUENT	07/29/04	GW11580ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET EFFLUENT	08/19/04	GW11582ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET EFFLUENT	07/29/04	GW11580ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	TETRACHLOROETHENE	REAL	TR1	1.8		UG/L		V		1	NO	PM	5
ET EFFLUENT	08/19/04	GW11582ST	TETRACHLOROETHENE	REAL	TR1	1.2		UG/L		V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	TOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1000
ET EFFLUENT	08/19/04	GW11582ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1000
ET EFFLUENT	07/29/04	GW11580ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	PM	10000
ET EFFLUENT	08/19/04	GW11582ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PM	10000
ET EFFLUENT	07/29/04	GW11580ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	70
ET EFFLUENT	08/19/04	GW11582ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	70

130

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
ET EFFLUENT	07/29/04	GW11580ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET EFFLUENT	08/19/04	GW11582ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET EFFLUENT	07/29/04	GW11580ST	TRICHLOROETHENE	REAL	TR1	0.69		UG/L	J	V		1	NO	PM	5
ET EFFLUENT	08/19/04	GW11582ST	TRICHLOROETHENE	REAL	TR1	0.55		UG/L	J	V1		1	NO	PM	5
ET EFFLUENT	07/29/04	GW11580ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET EFFLUENT	08/19/04	GW11582ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PM	
ET EFFLUENT	07/29/04	GW11580ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PM	2
ET EFFLUENT	08/19/04	GW11582ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	2
ET INFLUENT	07/29/04	GW11579ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,1,1-TRICHLOROETHANE	REAL	TR1	3.9		UG/L		V		1	NO	PM	200
ET INFLUENT	07/29/04	GW11579ST	1,1,1-TRICHLOROETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	200
ET INFLUENT	08/19/04	GW11581ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1.7		UG/L		V1		1	NO	PM	200
ET INFLUENT	08/19/04	GW11581ST	1,1,1-TRICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	200
ET INFLUENT	07/29/04	GW11579ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR2	125		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR2	100		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	1,1,2-TRICHLOROETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	1,1,2-TRICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	3650
ET INFLUENT	07/29/04	GW11579ST	1,1-DICHLOROETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	3650
ET INFLUENT	08/19/04	GW11581ST	1,1-DICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	3650
ET INFLUENT	08/19/04	GW11581ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	3650
ET INFLUENT	07/29/04	GW11579ST	1,1-DICHLOROETHENE	REAL	TR1	3.3		UG/L		V		1	NO	PM	7
ET INFLUENT	07/29/04	GW11579ST	1,1-DICHLOROETHENE	REAL	TR2	25		UG/L	U			25	NO	PM	7
ET INFLUENT	08/19/04	GW11581ST	1,1-DICHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	7
ET INFLUENT	08/19/04	GW11581ST	1,1-DICHLOROETHENE	REAL	TR1	1.6		UG/L		V1		1	NO	PM	7
ET INFLUENT	07/29/04	GW11579ST	1,1-DICHLOROPROPENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,1-DICHLOROPROPENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,2,3-TRICHLOROBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,2,3-TRICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,2,3-TRICHLOROPROPANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,2,3-TRICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	PM	70
ET INFLUENT	07/29/04	GW11579ST	1,2,4-TRICHLOROBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	70
ET INFLUENT	08/19/04	GW11581ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	70
ET INFLUENT	08/19/04	GW11581ST	1,2,4-TRICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	70
ET INFLUENT	07/29/04	GW11579ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,2-DIBROMOETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,2-DIBROMOETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	600
ET INFLUENT	07/29/04	GW11579ST	1,2-DICHLOROBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	600
ET INFLUENT	08/19/04	GW11581ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	600
ET INFLUENT	08/19/04	GW11581ST	1,2-DICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	600
ET INFLUENT	07/29/04	GW11579ST	1,2-DICHLOROETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	1,2-DICHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	1,2-DICHLOROPROPANE	REAL	TR2	25		UG/L	U			25	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	1,2-DICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	600

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
ET INFLUENT	07/29/04	GW11579ST	1,3-DICHLOROBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	600
ET INFLUENT	08/19/04	GW11581ST	1,3-DICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	600
ET INFLUENT	08/19/04	GW11581ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	600
ET INFLUENT	07/29/04	GW11579ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,3-DICHLOROPROPANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,3-DICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	75
ET INFLUENT	07/29/04	GW11579ST	1,4-DICHLOROBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	75
ET INFLUENT	08/19/04	GW11581ST	1,4-DICHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	75
ET INFLUENT	08/19/04	GW11581ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	75
ET INFLUENT	07/29/04	GW11579ST	2,2-DICHLOROPROPANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	2,2-DICHLOROPROPANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	PM	21900
ET INFLUENT	07/29/04	GW11579ST	2-BUTANONE	REAL	TR2	250		UG/L	U			25	NO	PM	21900
ET INFLUENT	08/19/04	GW11581ST	2-BUTANONE	REAL	TR2	200		UG/L	U	1		20	NO	PM	21900
ET INFLUENT	08/19/04	GW11581ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PM	21900
ET INFLUENT	07/29/04	GW11579ST	2-CHLOROTOLUENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	2-CHLOROTOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	2-HEXANONE	REAL	TR2	250		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	2-HEXANONE	REAL	TR1	2.3		UG/L	J	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	2-HEXANONE	REAL	TR2	200		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	4-ISOPROPYLTOLUENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	4-ISOPROPYLTOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	UJ		1	NO	PM	2920
ET INFLUENT	07/29/04	GW11579ST	4-METHYL-2-PENTANONE	REAL	TR2	250		UG/L	U			25	NO	PM	2920
ET INFLUENT	08/19/04	GW11581ST	4-METHYL-2-PENTANONE	REAL	TR2	200		UG/L	U	1		20	NO	PM	2920
ET INFLUENT	08/19/04	GW11581ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PM	2920
ET INFLUENT	07/29/04	GW11579ST	ACETONE	REAL	TR2	250		UG/L	U			25	NO	PM	3650
ET INFLUENT	07/29/04	GW11579ST	ACETONE	REAL	TR1	13.7		UG/L		V		1	NO	PM	3650
ET INFLUENT	08/19/04	GW11581ST	ACETONE	REAL	TR1	7		UG/L	J	V1		1	NO	PM	3650
ET INFLUENT	08/19/04	GW11581ST	ACETONE	REAL	TR2	200		UG/L	U	1		20	NO	PM	3650
ET INFLUENT	07/29/04	GW11579ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	BENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	BENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BROMOBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BROMOBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BROMOCHLOROMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	BROMOCHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	BROMODICHLOROMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	BROMODICHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	BROMOFORM	REAL	TR2	25		UG/L	U			25	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	BROMOFORM	REAL	TR2	20		UG/L	U	1		20	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	51.1
ET INFLUENT	07/29/04	GW11579ST	BROMOMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	51.1

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
ET INFLUENT	08/19/04	GW11581ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	51.1
ET INFLUENT	08/19/04	GW11581ST	BROMOMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	51.1
ET INFLUENT	07/29/04	GW11579ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	PM	3650
ET INFLUENT	07/29/04	GW11579ST	CARBON DISULFIDE	REAL	TR2	125		UG/L	U			25	NO	PM	3650
ET INFLUENT	08/19/04	GW11581ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	UJ1		1	NO	PM	3650
ET INFLUENT	08/19/04	GW11581ST	CARBON DISULFIDE	REAL	TR2	100		UG/L	U	1		20	NO	PM	3650
ET INFLUENT	07/29/04	GW11579ST	CARBON TETRACHLORIDE	REAL	TR1	152		UG/L	E			1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	CARBON TETRACHLORIDE	REAL	TR2	142		UG/L	D	V		25	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	CARBON TETRACHLORIDE	REAL	TR2	56.3		UG/L	D	1		20	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	CARBON TETRACHLORIDE	REAL	TR1	68.1		UG/L		V1		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	CHLOROBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	CHLOROBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	CHLOROETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	29.4
ET INFLUENT	07/29/04	GW11579ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	29.4
ET INFLUENT	08/19/04	GW11581ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	29.4
ET INFLUENT	08/19/04	GW11581ST	CHLOROETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	29.4
ET INFLUENT	07/29/04	GW11579ST	CHLOROFORM	REAL	TR2	61.2		UG/L	D			25	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	CHLOROFORM	REAL	TR1	54.1		UG/L		V		1	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	CHLOROFORM	REAL	TR2	24.3		UG/L	D	1		20	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	CHLOROFORM	REAL	TR1	26.6		UG/L		V1		1	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	CHLOROMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	6.55
ET INFLUENT	07/29/04	GW11579ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	6.55
ET INFLUENT	08/19/04	GW11581ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	6.55
ET INFLUENT	08/19/04	GW11581ST	CHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	6.55
ET INFLUENT	07/29/04	GW11579ST	cis-1,2-DICHLOROETHENE	REAL	TR2	26.3		UG/L	D			25	NO	PM	70
ET INFLUENT	07/29/04	GW11579ST	cis-1,2-DICHLOROETHENE	REAL	TR1	29.4		UG/L		V		1	NO	PM	70
ET INFLUENT	08/19/04	GW11581ST	cis-1,2-DICHLOROETHENE	REAL	TR1	13.3		UG/L		V1		1	NO	PM	70
ET INFLUENT	08/19/04	GW11581ST	cis-1,2-DICHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	70
ET INFLUENT	07/29/04	GW11579ST	cis-1,3-DICHLOROPROPENE	REAL	TR2	25		UG/L	U			25	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	cis-1,3-DICHLOROPROPENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	DIBROMOCHLOROMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	1.01
ET INFLUENT	07/29/04	GW11579ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1.01
ET INFLUENT	08/19/04	GW11581ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1.01
ET INFLUENT	08/19/04	GW11581ST	DIBROMOCHLOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	1.01
ET INFLUENT	07/29/04	GW11579ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	DIBROMOMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	DIBROMOMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	DICHLORODIFLUOROMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	DICHLORODIFLUOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	ETHYLBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	700
ET INFLUENT	07/29/04	GW11579ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	700
ET INFLUENT	08/19/04	GW11581ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	700
ET INFLUENT	08/19/04	GW11581ST	ETHYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	700
ET INFLUENT	07/29/04	GW11579ST	HEXACHLOROBUTADIENE	REAL	TR2	25		UG/L	U			25	NO	PM	10
ET INFLUENT	07/29/04	GW11579ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	10
ET INFLUENT	08/19/04	GW11581ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	10
ET INFLUENT	08/19/04	GW11581ST	HEXACHLOROBUTADIENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	10
ET INFLUENT	07/29/04	GW11579ST	ISOPROPYLBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	ISOPROPYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	METHYLENE CHLORIDE	REAL	TR1	2.3		UG/L		V		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	METHYLENE CHLORIDE	REAL	TR2	25		UG/L	U			25	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	METHYLENE CHLORIDE	REAL	TR2	20		UG/L	U	1		20	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	NAPHTHALENE	REAL	TR2	25		UG/L	U			25	NO	PM	1460
ET INFLUENT	07/29/04	GW11579ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1460
ET INFLUENT	08/19/04	GW11581ST	NAPHTHALENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	1460
ET INFLUENT	08/19/04	GW11581ST	NAPHTHALENE	REAL	TR1	0.44		UG/L	J	V1		1	NO	PM	1460
ET INFLUENT	07/29/04	GW11579ST	n-BUTYLBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	

133

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
ET INFLUENT	08/19/04	GW11581ST	n-BUTYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	n-PROPYLBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	n-PROPYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	p-CHLOROTOLUENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	p-CHLOROTOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	25		UG/L	U			25	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR2	20		UG/L	U	1		20	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	sec-BUTYLBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	sec-BUTYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	STYRENE	REAL	TR2	25		UG/L	U			25	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	STYRENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	100
ET INFLUENT	08/19/04	GW11581ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	100
ET INFLUENT	07/29/04	GW11579ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	tert-BUTYLBENZENE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	tert-BUTYLBENZENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	TETRACHLOROETHENE	REAL	TR1	331		UG/L	E			1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	TETRACHLOROETHENE	REAL	TR2	354		UG/L	D	V		25	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	TETRACHLOROETHENE	REAL	TR2	137		UG/L	D	V1		20	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	TETRACHLOROETHENE	REAL	TR1	143		UG/L	E	1		1	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	TOLUENE	REAL	TR1	0.52		UG/L	JB	JB		1	NO	PM	1000
ET INFLUENT	07/29/04	GW11579ST	TOLUENE	REAL	TR2	25		UG/L	U			25	NO	PM	1000
ET INFLUENT	08/19/04	GW11581ST	TOLUENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	1000
ET INFLUENT	08/19/04	GW11581ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1000
ET INFLUENT	07/29/04	GW11579ST	TOTAL XYLENES	REAL	TR2	75		UG/L	U			25	NO	PM	10000
ET INFLUENT	07/29/04	GW11579ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	PM	10000
ET INFLUENT	08/19/04	GW11581ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PM	10000
ET INFLUENT	08/19/04	GW11581ST	TOTAL XYLENES	REAL	TR2	60		UG/L	U	1		20	NO	PM	10000
ET INFLUENT	07/29/04	GW11579ST	trans-1,2-DICHLOROETHENE	REAL	TR2	25		UG/L	U			25	NO	PM	70
ET INFLUENT	07/29/04	GW11579ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	70
ET INFLUENT	08/19/04	GW11581ST	trans-1,2-DICHLOROETHENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	70
ET INFLUENT	08/19/04	GW11581ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	70
ET INFLUENT	07/29/04	GW11579ST	trans-1,3-DICHLOROPROPENE	REAL	TR2	25		UG/L	U			25	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	1
ET INFLUENT	08/19/04	GW11581ST	trans-1,3-DICHLOROPROPENE	REAL	TR2	20		UG/L	U	1		20	NO	PM	1
ET INFLUENT	07/29/04	GW11579ST	TRICHLOROETHENE	REAL	TR2	1960		UG/L	D	V		25	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	TRICHLOROETHENE	REAL	TR1	1400		UG/L	E			1	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	TRICHLOROETHENE	REAL	TR1	739		UG/L	E	1		1	NO	PM	5
ET INFLUENT	08/19/04	GW11581ST	TRICHLOROETHENE	REAL	TR2	774		UG/L	D	V1		20	NO	PM	5
ET INFLUENT	07/29/04	GW11579ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	TRICHLOROFLUOROMETHANE	REAL	TR2	25		UG/L	U			25	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PM	
ET INFLUENT	08/19/04	GW11581ST	TRICHLOROFLUOROMETHANE	REAL	TR2	20		UG/L	U	1		20	NO	PM	
ET INFLUENT	07/29/04	GW11579ST	VINYL CHLORIDE	REAL	TR2	25		UG/L	U			25	NO	PM	2
ET INFLUENT	07/29/04	GW11579ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	PM	2
ET INFLUENT	08/19/04	GW11581ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PM	2
ET INFLUENT	08/19/04	GW11581ST	VINYL CHLORIDE	REAL	TR2	20		UG/L	U	1		20	NO	PM	2
P207589	07/27/04	GW11524ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	200
P207589	07/27/04	GW11524ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
P207589	07/27/04	GW11524ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
P207589	07/27/04	GW11524ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	3650
P207589	07/27/04	GW11524ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	7
P207589	07/27/04	GW11524ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	
P207589	07/27/04	GW11524ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	70
P207589	07/27/04	GW11524ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	

134

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
P207589	07/27/04	GW11524ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
P207589	07/27/04	GW11524ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
P207589	07/27/04	GW11524ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
P207589	07/27/04	GW11524ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	600
P207589	07/27/04	GW11524ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	75
P207589	07/27/04	GW11524ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	21900
P207589	07/27/04	GW11524ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	UJ		1	NO	N	2920
P207589	07/27/04	GW11524ST	ACETONE	REAL	TR1	7.2		UG/L	J	V		1	NO	N	3650
P207589	07/27/04	GW11524ST	BENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
P207589	07/27/04	GW11524ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
P207589	07/27/04	GW11524ST	BROMOFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
P207589	07/27/04	GW11524ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	51.1
P207589	07/27/04	GW11524ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V		1	NO	N	3650
P207589	07/27/04	GW11524ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
P207589	07/27/04	GW11524ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
P207589	07/27/04	GW11524ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	29.4
P207589	07/27/04	GW11524ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V		1	NO	N	100
P207589	07/27/04	GW11524ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	6.55
P207589	07/27/04	GW11524ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
P207589	07/27/04	GW11524ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
P207589	07/27/04	GW11524ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	1.01
P207589	07/27/04	GW11524ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ		1	NO	N	
P207589	07/27/04	GW11524ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	700
P207589	07/27/04	GW11524ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V		1	NO	N	10
P207589	07/27/04	GW11524ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	METHYLENE CHLORIDE	REAL	TR1	2.5		UG/L		V		1	NO	N	5
P207589	07/27/04	GW11524ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1460
P207589	07/27/04	GW11524ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	NITRATE/NITRITE	REAL	TR1	2240		UG/L		V1	10	1	NO	N	10000
P207589	07/27/04	GW11524ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V		1	NO	N	1
P207589	07/27/04	GW11524ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	STYRENE	REAL	TR1	1		UG/L	U	V		1	NO	N	100
P207589	07/27/04	GW11524ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	TETRACHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
P207589	07/27/04	GW11524ST	TOLUENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1000
P207589	07/27/04	GW11524ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V		1	NO	N	10000
P207589	07/27/04	GW11524ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	70
P207589	07/27/04	GW11524ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V		1	NO	N	1
P207589	07/27/04	GW11524ST	TRICHLOROETHENE	REAL	TR1	1		UG/L	U	V		1	NO	N	5
P207589	07/27/04	GW11524ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V		1	NO	N	
P207589	07/27/04	GW11524ST	URANIUM-233,-234	REAL	TR1	32.8	4.7	PCI/L		V			YES	N	1.06
P207589	07/27/04	GW11524ST	URANIUM-235	REAL	TR1	2.71	.881	PCI/L		V			YES	N	1.01
P207589	07/27/04	GW11524ST	URANIUM-238	REAL	TR1	24.1	3.69	PCI/L		V			YES	N	0.768
P207589	07/27/04	GW11524ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V		1	NO	N	2
P207789	07/21/04	GW11525ST	NITRATE/NITRITE	REAL	TR1	282000		UG/L		V	1000	100	NO	N	10000
P207789	07/21/04	GW11525ST	URANIUM-233,-234	REAL	TR1	59.3	7.71	PCI/L		V			YES	N	1.06
P207789	07/21/04	GW11525ST	URANIUM-235	REAL	TR1	6.21	1.43	PCI/L		V			YES	N	1.01
P207789	07/21/04	GW11525ST	URANIUM-238	REAL	TR1	38.6	5.34	PCI/L		V			YES	N	0.768
P209189	07/27/04	GW11526ST	NITRATE/NITRITE	REAL	TR1	2590		UG/L		V1	10	1	NO	N	10000
P209189	07/27/04	GW11526ST	URANIUM-233,-234	REAL	TR1	1.26	.586	PCI/L		V			YES	N	1.06
P209189	07/27/04	GW11526ST	URANIUM-235	REAL	TR1	0.397	.335	PCI/L	U	V			YES	N	1.01
P209189	07/27/04	GW11526ST	URANIUM-238	REAL	TR1	1.78	.696	PCI/L		V			YES	N	0.768
P219589	07/21/04	GW11527ST	NITRATE/NITRITE	REAL	TR1	74000		UG/L		V	1000	100	NO	N	10000
P219589	07/21/04	GW11527ST	URANIUM-233,-234	REAL	TR1	7.16	1.51	PCI/L		V			YES	N	1.06
P219589	07/21/04	GW11527ST	URANIUM-235	REAL	TR1	0.373	.315	PCI/L	U	V			YES	N	1.01
P219589	07/21/04	GW11527ST	URANIUM-238	REAL	TR1	4.45	1.13	PCI/L		V			YES	N	0.768
P416689	07/20/04	GW11557ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	

135

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
P416689	08/17/04	GW11558ST	1,1,1,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	200
P416689	08/17/04	GW11558ST	1,1,1-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	200
P416689	07/20/04	GW11557ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	08/17/04	GW11558ST	1,1,2,2-TETRACHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	07/20/04	GW11557ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	1,1,2-TRICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	07/20/04	GW11557ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	3650
P416689	08/17/04	GW11558ST	1,1-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	3650
P416689	07/20/04	GW11557ST	1,1-DICHLOROETHENE	REAL	TR1	0.56		UG/L	J	V1		1	NO	PE	7
P416689	08/17/04	GW11558ST	1,1-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	7
P416689	07/20/04	GW11557ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	1,1-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	1,2,3-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	1,2,3-TRICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
P416689	08/17/04	GW11558ST	1,2,4-TRICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
P416689	07/20/04	GW11557ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	1,2-DIBROMOETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
P416689	08/17/04	GW11558ST	1,2-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
P416689	07/20/04	GW11557ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	1,2-DICHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	07/20/04	GW11557ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	1,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	07/20/04	GW11557ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
P416689	08/17/04	GW11558ST	1,3-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	600
P416689	07/20/04	GW11557ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	1,3-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	75
P416689	08/17/04	GW11558ST	1,4-DICHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	75
P416689	07/20/04	GW11557ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	2,2-DICHLOROPROPANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	21900
P416689	08/17/04	GW11558ST	2-BUTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	21900
P416689	07/20/04	GW11557ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	2-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	2-HEXANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	4-ISOPROPYLTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	2920
P416689	08/17/04	GW11558ST	4-METHYL-2-PENTANONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	2920
P416689	07/20/04	GW11557ST	ACETONE	REAL	TR1	11.3		UG/L		V1		1	NO	PE	3650
P416689	08/17/04	GW11558ST	ACETONE	REAL	TR1	10		UG/L	U	V1		1	NO	PE	3650
P416689	07/20/04	GW11557ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	BENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	07/20/04	GW11557ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	BENZENE, 1,2,4-TRIMETHYL	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	BENZENE, 1,3,5-TRIMETHYL-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	BROMOBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	BROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	08/17/04	GW11558ST	BROMODICHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	07/20/04	GW11557ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	08/17/04	GW11558ST	BROMOFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	07/20/04	GW11557ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	51.1
P416689	08/17/04	GW11558ST	BROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	51.1
P416689	07/20/04	GW11557ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	3650
P416689	08/17/04	GW11558ST	CARBON DISULFIDE	REAL	TR1	5		UG/L	U	V1		1	NO	PE	3650
P416689	07/20/04	GW11557ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	CARBON TETRACHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5

136

Location	Sample Date	Sample Number	Analyte	QC Code	Result Type	Result	Error	Units	Result Qualifier	Validation	Detection Limit	Dilution	Filtered	Well Class	Tier II or PQL
P416689	07/20/04	GW11557ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	08/17/04	GW11558ST	CHLOROBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	07/20/04	GW11557ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	29.4
P416689	08/17/04	GW11558ST	CHLOROETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	29.4
P416689	07/20/04	GW11557ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	08/17/04	GW11558ST	CHLOROFORM	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	07/20/04	GW11557ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	6.55
P416689	08/17/04	GW11558ST	CHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	6.55
P416689	07/20/04	GW11557ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
P416689	08/17/04	GW11558ST	cis-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
P416689	07/20/04	GW11557ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	08/17/04	GW11558ST	cis-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	07/20/04	GW11557ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1.01
P416689	08/17/04	GW11558ST	DIBROMOCHLOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1.01
P416689	07/20/04	GW11557ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	DIBROMOMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	DICHLORODIFLUOROMETHANE	REAL	TR1	1		UG/L	U	UJ1		1	NO	PE	
P416689	07/20/04	GW11557ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	700
P416689	08/17/04	GW11558ST	ETHYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	700
P416689	07/20/04	GW11557ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	10
P416689	08/17/04	GW11558ST	HEXACHLOROBUTADIENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	10
P416689	07/20/04	GW11557ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	ISOPROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	METHYLENE CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	5
P416689	07/20/04	GW11557ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1460
P416689	08/17/04	GW11558ST	NAPHTHALENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1460
P416689	07/20/04	GW11557ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	n-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	n-PROPYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	p-CHLOROTOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	08/17/04	GW11558ST	PROPANE, 1,2-DIBROMO-3-CHLORO-	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	07/20/04	GW11557ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	sec-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	08/17/04	GW11558ST	STYRENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	100
P416689	07/20/04	GW11557ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	tert-BUTYLBENZENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	TETRACHLOROETHENE	REAL	TR1	1.8		UG/L		V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	TETRACHLOROETHENE	REAL	TR1	1.6		UG/L		V1		1	NO	PE	5
P416689	07/20/04	GW11557ST	TOLUENE	REAL	TR1	0.49		UG/L	JB	JB1		1	NO	PE	1000
P416689	08/17/04	GW11558ST	TOLUENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1000
P416689	07/20/04	GW11557ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PE	10000
P416689	08/17/04	GW11558ST	TOTAL XYLENES	REAL	TR1	3		UG/L	U	V1		1	NO	PE	10000
P416689	07/20/04	GW11557ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
P416689	08/17/04	GW11558ST	trans-1,2-DICHLOROETHENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	70
P416689	07/20/04	GW11557ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	08/17/04	GW11558ST	trans-1,3-DICHLOROPROPENE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	1
P416689	07/20/04	GW11557ST	TRICHLOROETHENE	REAL	TR1	1.6		UG/L		V1		1	NO	PE	5
P416689	08/17/04	GW11558ST	TRICHLOROETHENE	REAL	TR1	1.3		UG/L		V1		1	NO	PE	5
P416689	07/20/04	GW11557ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	08/17/04	GW11558ST	TRICHLOROFLUOROMETHANE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	
P416689	07/20/04	GW11557ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	2
P416689	08/17/04	GW11558ST	VINYL CHLORIDE	REAL	TR1	1		UG/L	U	V1		1	NO	PE	2

137/137